



BUILT TOUGH
FROM THE BOTTOM UP™

BUILT TOUGH

FROM THE BOTTOM UP™



SUPERIOR TRAY SUPPORT

WELDED, 1-PIECE LEG UNIT (NO LOOSE BOLTS)

No comparison to industry standard, multi-piece leg units. Provides solid, reinforced and long lasting stability.



U-CHANNEL LEG UNIT KEY SEATED TO ROUTED HARDWOOD HANDLES

Assures secured and seamless joints. Prevents untimely repairs caused by slack and loose connections.

RUGGED, DOUBLE LAPPED STEEL TRAY

HEAVY-DUTY 16 GA. STEEL

20% thicker than industry standard.

EMBEDDED 5/16" ROD

Continuous reinforcement under top rim.

DOUBLE LAPPED & WELDED

2X Stronger than thinner stamped (drawn) trays.

POWDER COATED FINISH

Long lasting protective shell.






VALUE ADDED BENEFITS

LARGE CAPACITY

Work smarter and faster: Move more material per trip* with the extra large Sterling Model 700 Wheelbarrow. *versus industry standard (6 cu ft)



LANDSCAPE



CONCRETE



MASONRY



HARDSCAPE

Heavy Duty

STERLING TOUGH GUY[®]

Since **1904**



6 cu. ft. Steel Tray
Single Poly-U (flat-free) Tire



7 cu. ft. Steel Tray
Single 4-Ply Pneumatic Tire



6 cu. ft. Poly Tray
Single Poly-U (flat-free) Tire