



# GL521

Weatherproof, wireless rechargeable GPS tracker  
with up to 1 year of battery life



The GL521 is derived from the GL500 by supporting NB2 and adding Qi wireless charging and BLE. Customers love the battery-powered GL500, but wanted a rechargeable version for certain scenarios. This version was designed without impacting the waterproof and robust enclosure.

With a compact size, long battery life, and light sensors, the product is ideal for a wide range of monitoring applications such as equipment monitoring, supply chain logistics, cargo trucks, high-value static asset monitoring and more. The GL521 supports several mounting alternatives which use a unique clip on design to securely attach the device to any asset.

## Use GL521 for...

- ✓ **Asset Monitoring**
- ✓ **Transportation Management**
- ✓ **Supply Chain Visibility**

## Quick Specs

<b>Weight</b>	150g (5.29 oz)
	170g (6.0 oz)
	(magnet-mounted version)
<hr/>	
<b>Operating Temperature</b>	-4°F ~ +140°F
<hr/>	
<b>Dimensions</b>	87 × 51 × 30mm
	3.43" (L) × 2.01" (W) × 1.18" (H)
	87 × 51 × 33.5mm
	3.43" (L) × 2.01" (W) × 1.32" (H)
	(magnetic case mounting version)
<hr/>	
<b>Battery Type</b>	Li-Polymer 3.7V/2400 mAh
<hr/>	
<b>Battery Life</b>	1 year (1 report / day)
	3 months (10 min. updates)

## Key Features

Rapid & Covert Installation	Geofences	Automatic Mode Switching	1 Year Battery Life	IP67 Waterproof
Vibration Feedback	Tamper Detection	Supports Wireless Charging	Personnel Tracking	Motion Detection
Low Power Alarm	Magnetic Mounting (Optional)	OTA Control	Wakeup Report	Scheduled Timing Report



## Appearance



## Interfaces

<b>Power Button</b>	Used for power on/off and working status checking
<b>LTE Antenna</b>	Internal only
<b>GNSS Antenna</b>	Internal only
<b>LED Indicators</b>	Internal only

## Air Interface Protocol

<b>Command Set</b>	@Track protocol command
<b>Transmit Protocol</b>	TCP, UDP, SMS
<b>Working Modes</b>	Power saving mode for long battery life Continuous mode for real-time tracking
<b>Scheduled Timing Report</b>	Report position and status at preset time intervals
<b>Geofences</b>	Receive notifications when trackers enter or exit designated areas
<b>Low Power Alarm</b>	Alarm when internal battery is low
<b>Wakeup Report</b>	Report when the device wakes up
<b>Motion Detection</b>	Motion detection based on internal 3-axis accelerometer
<b>Reporting Frequency Adjustment</b>	Intelligent adjustment of reporting frequency

## Accessories

---



### Wireless Charger Accessories Kit

The kit includes USB Type-C cable (USB-C to USB-A), USB-A charger and wireless charging pad. It's used for device charging.


#### Parts list:

- GL501\_Type-C USB cable (Cable Length: 100cm / Color: black / Connector Type: USB-A, USB Type-C)
- GL501MG\_USB charger (Model: RCL-U050100C / AC:100-240V / DC:5V-1A / Color: black)
- GL501MG\_Wireless charger (Model: RCL-WXC5WF / Input: 5V~1A / Output: 5V-800~1000mA)



### GL500M Magnetic Mounting Bracket

Used for magnetic installation mounting of GL500MG and GL501MG products.



### GL500M Mounting Bracket

Used for mounting GL500MG and GL501MG products.



### 5-in-1 Wireless Charger Kit

The 5-in-1 wireless charger kit enables wireless charging of five compatible GL501MG products at the same time.

#### Parts list:

- GL501MG 5-in-1 adapter
- Wireless charging plate (excluding station)
- Wireless charging station (Magnetic) × 5
- Charging pad × 5