

# AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT & SUPPLIES

#### 2025 PREFERRED PRODUCTS CATALOG



#### **CATALOG FREIGHT PROGRAM**

#### **GROUND FREIGHT**

Invoice	Shipping Charge
Under \$50	\$24.99
\$50 - \$249	\$35.99
\$250 - \$999	\$59.99
\$1,000 - \$2,999	\$99.99
\$3,000 - \$4,999	\$149.99
\$5,000 - \$7,499	\$199.99
\$7,500 +	FREE Freight

#### LTL FREIGHT

Invoice	Shipping Charge
Under \$500	\$155.00
\$500 - \$999	\$175.00
\$1,000 - \$1,499	\$195.00
\$1,500 - \$2,999	\$235.00
\$3,000 - \$4,999	\$299.00
\$5,000 - \$7,499	\$399.00
\$7,500 +	FREE Freight

- Program applies to stock MTA catalog items. Excludes JLG Lifts. Special order products and repair parts are not eligible.
- Program only applies to shipping points in the 48 contiguous United Sates.
- All orders that cannot be properly handled by UPS will ship LTL.
- Orders weighing 150 lbs or more will ship LTL.
- Posted shipping rates for back-ordered shipments will apply.
- For all expedited shipment requests or special\* handling options, carrier expedited rates/surcharges will apply.
- Shipping charges will be due on the first payment for orders with extended payment terms.
- Terms and conditions of this program subject to change without notice.

\* Special handling examples: appointment request, construction site delivery, limited access delivery (school, hospital, military base), residential delivery, inside delivery, lift-gate service, over length (8' to 40'), guaranteed delivery.

#### **SPECIAL FINANCING TERMS**



#### Order January 1 - April 30

Up to 6 Equal Payments, No interest (if paid on time) All Units & Accessories\* In Catalog - Mix & Match

\$0.00 to \$999	Net 30 Days
\$1,000 to \$1,499	30/60 Day Terms (2 Equal Payments)
\$1,500 to \$4,499	30/60/90 Day Terms (3 Equal Payments)
\$4,500 to \$6,499	30/60/90/120 Day Terms (4 Equal Payments)
\$6,500 to \$8,499	30/60/90/120/150 Day Terms (5 Equal Payments)
\$8,500 & UP	30/60/90/120/150/180 Day Terms (6 Equal Payments)
	* Parts are not eligible



#### **Order September 1 - December 31**

No Payments Until Spring of 2026, No Interest (if paid on time) or Receive the 2% Net 10 Days Discount on Qualifying Orders All Units & Accessories\* In Catalog - Mix & Match

Level 1 Order minimum of \$5,000 1/2 due 03/10/26 • 1/2 due 04/10/26

Level 2 Order minimum of \$10,000 1/3 due 03/10/26 • 1/3 due 04/10/26 • 1/3 due 05/10/26

Level 3 Order minimum of \$15,000 1/4 due 03/10/26 • 1/4 due 04/10/26 1/4 due 05/10/26 • 1/4 due 06/10/26

\* Parts are not eligible



Order Year-Round & Receive Up to 3 Equal Payments No interest (if paid on time) All Units, Accessories, & Parts - Mix & Match

 \$0.00 to \$999
 Net 30 Days

 \$1,000 to \$1,499
 30/60 Day Te

 \$1,500 to \$4,499
 30/60/90 Day

Net 30 Days 30/60 Day Terms (2 Equal Payments) 30/60/90 Day Terms (3 Equal Payments)

#### **MTA IS YOUR GO-TO SOURCE FOR PARTS & ACCESSORIES**



Don't let downtime slow you down! With a full inventory of parts and accessories in stock and ready to ship the same day, you can keep your equipment running and your projects on track. From essential parts to everyday consumables, we're here to power your productivity.

Call or Click to Order Today!

Dear Valued Customers,

As you browse through our 2025 catalog, I want to take a moment to personally thank you for your continued business. At MTA Distributors, our mission is to be a trusted partner for your success. We are proud to be your partner and are committed to helping your business thrive by offering our legendary customer service!

Our commitment to our values — Humility, Persistence, Respect, and Lasting Relationships — remains as strong as ever. These values motivate us to provide the highest quality products while offering competitive terms and freight programs that genuinely support your business's growth. Our goal is to foster meaningful partnerships and strengthen the customer channels we proudly serve.

Your experience with MTA means everything to us. If we've earned your trust and you've had a positive experience, we'd love for you to share your feedback by leaving a Google review using the QR code provided below. If your experience hasn't met your expectations, I would be grateful to hear from you personally. I would welcome your call or email so we can make things right.

On behalf of the entire team at MTA Distributors, thank you for allowing us to be part of your success.

Here's to a prosperous and exciting year ahead.



Best regards,

Mark Preston President, MTA Distributors 615.277.3241 markp@mtadistributors.com





# **TABLE OF CONTENTS**

#### **PARTY & EVENT**

Concessions5-8
Chairs9-10
Chair Moving/Storage 11-12
Tables
Event Heating & Cooling16
Inflatables 17-22
Tents & Canopies23-24

#### HONDA

Generators
Tillers
Pumps

#### EDCO

Chisel Scaler/Floor Strippers 31-32
Floor Grinders
Concrete Planers, Crushers35-36
Magna-Trap Tooling42-43
Accessories 44-45
Vacuums
Saws
Masonry & Tile Saws

#### SAFETY

#### CONSTRUCTION

Bending Brakes53-5	54
Power/Track Buggies55-	57
Drywall Tools58-	59
Lifts59-0	51
Measuring Tools 62-6	54
Chalk Line & Paint Marking 64-6	55

#### BLADES

Abrasive Blades	66
Grinding Wheels	66
Diamond Blades	.67-68

#### CLEANING

Vacuums	 68
Janitorial	 69-70

#### CONCRETE

Concrete/Masonry Saws	71
Compactors	72-73
Concrete/Mortar Mixers	73-74
Concrete Vibrators	74-76
Floats & Screeds	76-78
Trowels	78-79

#### **DRAIN CLEANERS**

Rooters & Accessories	.80-81
Drain Cleaners & Accessories	.82-83
Drain Cleaner Accessories	84-85

#### **FLEET MAINTENANCE**

Fuel Storage & Pumps	86-94
Grease Guns	95
Jacks	96
Hitch Balls & Mounts	.96-97
Trailer Security	98-100
Lights & Wiring	101
Ramps & Binders	102

#### FLOORING

Carpet Extractors103
Burnishers103
Floor Machines
Maintenance Brushes & Pads104
Edgers & Sanders

#### FLOORING (CONTINUED)

Floor Strippers	107-108
Flooring Installation	109

#### LAWN & GARDEN

Aerators110
Blowers & Chainsaws 111
Earth Augers 112-115
Edgers 116
Hand Tools 117-119
Lawn Rollers118
Mowers & Brush Cutters 119-121
Post Drivers & Extractors122-123
Sod Cutters123
Seeders & Spreaders124
Sprayers & Starter Cords125
Log Splitters126
Tillers & Cultivators127
Trenchers128-129
Turf Rakes128

#### **MATERIAL HANDLING**

Accessories	129
Carts, Dollies, Trucks	.130-131
Tow Ropes & Tie Downs	. 132-133

#### **AIR COMPRESSORS & TOOLS**

Air Compressors13	34
Pneumatic Tools13	35
Accessories136-13	88

#### **POWER TOOLS**

Breaker Hammers139
Combination Hammers 140-141
Rotary Hammers142
Drills142-143
Saws143-144

# TABLE OF CONTENTS (CONTINUED)

#### **CARBIDE & STEEL**

Core Bits145	
Threaded Bits145	
Drill Bits145-146	
Hammer Steel 146-148	

#### **PUMPS & HOSES**

Submersible Pumps	.149-150
Hoses	.150-151
Hose Couplings	151
Pump Accessories	152

#### **SHOP TOOLS**

Furniture 152
Lifts152-153
Jacks153-154
Cable Pullers154
Vises154
Metal Detectors154
Hand Tools155-158
Extension Cords159-160
Power Distribution159-160
Hardware Kits161

#### **SURFACE PREP**

Pressure Washers 161-163
Flat Surface Cleaners163
Pumps164
Accessories 164-166
Spray Tips167
Spray Guns168
Nozzles167
Wands167-168
Surface Blasters169
Airless Paint Sprayers170
Paint Sprayer Accessories 171-172

#### **HEATERS, HVAC, VENTILATION**

Air Conditioners172
Heat Pumps172
Propane Heaters173-174
Electric Heaters175
Mult-Fuel Heaters175
Cooling Fans175-176
Dehumidifiers 177
Fans179
Ventilation Fans178
Air Filtration179-180

#### **CATALOG ICON LEGEND**





UPS

DROP SHIP

ONLY

#### **HOURS OF OPERATION**

MTA East: Monday-Friday, 7:00 a.m. - 5:00 p.m. Central time MTA West: Monday-Friday, 7:00 a.m. - 5:00 p.m. Pacific time

#### **PRICING, AVAILABILITY & SPECIFICATIONS**

All prices, including terms of sale and special promotions, the availability of all products, and the specifications for all products are subject to change without notice.

Please see our website or check with your MTA customer service rep for the most up-to-date dealer pricing.

#### **CALIFORNIA RESIDENTS**

Due to Prop 65 and CARB restrictions, we cannot sell certain products to California customers at this time. Contact us for more information.



WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

#### **DIGITAL CATALOGS**

A pdf version of the 2024 catalog is available online. Simply click the Catalog link at the bottom of our website or go to www.mtadistributors.com/catalogs

#### **TERMS OF SALE**

For MTA's complete terms of sales, please visit www.mtadistributors.com/salesterms

#### **MTA WARRANTY SHOP POLICY**

MTA will only accept returned merchandise with a Returned Goods Authorization Number that has been assigned by the MTA Technical Staff or Customer Service Personnel.

When returning merchandise for service or repair, the customer is responsible for the shipping charges to MTA. If the repair is covered under the manufacturer's warranty, MTA will pay the return shipping back to the customer. If the repair is not covered under the manufacturer's warranty, the customer is responsible for the return shipping charges as well.

MTA will charge a minimum 1/2 hour labor charge of \$70.00 for any evaluation or repair that is not covered under the manufacturer's warranty.

MTA will evaluate the returned equipment and contact the customer with a quote for the repair and request a Purchase Order or Repair Work Order to cover the cost of the repair. MTA will make repairs only after a P.O. # or R.W.O.# has been received from the customer to cover the full cost of the repair and any applicable shipping charges.

MTA will store the equipment for 30 days after the initial contact has been made with the customer to quote the repair. After 30 days, if the customer has not provided a P.O. # or R.W.O.# for the repair of the equipment, a storage fee of \$2.50 per day will begin accruing. After another 60 days, if the customer has still not responded, the piece of equipment becomes the property of MTA and may be sold to recover the accrued storage fees, or discarded. All revenues from the sale of abandoned equipment, that exceed the imposed storage fees, belong to MTA Distributors.

Any questions regarding this policy can be directed to the following Technical Service Personnel:

Jon Abenroth 800.264.0225 ext.\*3527 jabenroth@mtadistributors.com

#### **NEW IN 2025**

Allen Engineering 14CF Power Buggy	55
Allen Engineering 16CF Power Buggy	55-56
Allen Engineering 19CF Power Buggy	
Allen Engineering 21CF Power Buggy	
Allen Engineering Track Dumper 22CF w/Steel Bucket	
Allen Engineering Track Dumper 1 Cubic Yard	
Brown Products Edgemaster	
Classen 18" Aerator	110
Classen 21" Aerator	110
Classen 20" Turf Seeder	124
Classen 20" Pro Overseeder	
Classen 21" Reciprocating Aerator	110
Classen 25" Powersteer Pro Aerator	
Classen 30" Pro Stand-On Aerator	
Classen 18" Sod Cutters	
Classen 20" Turf Rakes	
Diamond Products 14" Masonry Saw	
Diamond Performance Diamond Grip Starter Cord Packs	
Diamond Performance Diamond Grip Starter Handles	
Diamond Performance Diamondcord Starter Cords	125
Dixie Chopper Blackhawk Mowers	
Dixie Chopper Blackhawk HP Mowers	
Dixie Chopper Talon Mini Skid Steer	
Dri-Eaz LGR 6000LI Dehumidifer	
ERB Safety Glasses - Gray Anti-Fog	
ERB Safety Glasses - Economy Clear	47
ERB Safety Glasses - Blue Mirror.	
Essex Silver Line Carpet Extractor.	
Essex Silver Line Upholstery Tool Kit	103
EZ Inflatables Blue Crush Water Slide	
EZ Inflatables Castle Tower Pool & Stopper	
EZ Inflatables Lucky Module Inflatable Pool	
EZ Inflatables Mega Blocks DL Pool & Stopper	
EZ Inflatables Tropical Inferno Slide	
EZ Inflatables Tropical Fireblast Tsunami Slide	
Koldwave Air Conditioners	
Koldwave Heat Pumps.	
Little Beaver Snap-On Augers	
Little Wonder Bedshaper	
Little Wonder Brush Cutter - Hydro Little Wonder 30" Hedge Trimmer	117
Little Wonder 30 Heage Infilmer	/
Little Wonder Optimax Blowers	
Little Wonder Pro Edger	110
Little Wonder Self Propelled Pro Vac Mantis Tillers	
Menegotti 11 Cu.Ft. Concrete Mixer w/Light Kit (GX200)	
Menegotti 11 Cu.Ft. Concrete Mixer W/Light Kit (GX200) Menegotti 11 Cu.Ft. Concrete Mixer w/Light Kit (GX240)	
Menegotti 9 Cu.Ft. Mortar Mixer w/Light Kit (GX240)	/4 7/
Ninia Jump 3-in1 Sports Game	

Ninja Jump Backyard Castle Module	
Ninja Jump Backyard Combo Module	20
Ninja Jump Backyard Obstacle Challenge	
Ninja Jump Castle 5-in-1 Combo 2	
Ninja Jump Castle 3 (Medium)	
Ninja Jump Castle 3 (Medium)	
Ninja Jump Lil' Kahuna Water Slide	
Ninja Jump Castle 3 (Medium)	
Ninja Jump Castle 3 (Large)	
Ninja Jump Castle A Frame 5-in-1-Module	
Ninja Jump Module Castle 3 (Medium)	
Ninja Jump Module Castle 3 (Large)	
Ninja Jump Module Combo 4	
Ninja Jump Module 5-in-1 Combo 2	
Ninja Jump Shooting Stars Basketball Game	
Piusi Def Rotary Hand Pump Kit	
Piusi EX50 120V UL Fuel Pump	
Piusi EX50 12V 15 GPM UL Fuel Pumps	
Piusi EX75 12V 15 GPM UL Fuel Pumps	
Piusi EX100 25GPM	
Piusi EX140 37GPM	
Piusi Pitstop Suction Kit	
Piusi Three25 120V 9GPM	
Piusi Three25 12V 12GPM	
Piusi EX50 120V UL Fuel Pump	
Piusibox Pro	
Portacool Apex 1200	
Portacool Apex 2000	
Portacool Apex 4000	
Portacool Apex 6500	
Trimax Adjustable Coupler Lock	
Trimax Anti-Rattle Clamp Draw Bar	
Trimax Dual Coupler Lock	
Trimax Premium Coupler Lock	
Trimax Receiver Lock	
Trimax Trigger Coupler Lock	
Trimax Wheel Chock Lock Deluxe	
Vector 53 Gallon Refueling Tank	
Vector 55 Gallon DOT Refueling Tank	
Vector 64 Gallon Refueling Tank	
Vector 66 Gallon Refueling Tank	
Vector 92 Gallon Refueling Tank	
Vector 93 Gallon DOT Refueling System	
Vector 100 Gallon Refueling Tank	
Vector 100 Gallon DOT Refueling System	
Vector 102 Gallon Refueling Tank	
Vector 108 Gallon Refueling Tank	
Vector 111 Gallon DOT Refueling System	



#### **Fill 'N Chill Tables**

- Just add 75 pounds of ice and fill with food and drink
- Rugged, lightweight construction
- Durable, easy-to-clean, one piece, FDA-approved, polyethylene table top
- Tapered bottom with centrally located drain
- Sturdy, powder coated, collapsible steel legs
- Stackable design for convenient storage
- Easy to transport in a mini-van or SUV
- Inside dimensions: 29" x 69", 3-1/2" deep
- Exterior dimensions: 31" x 73", 6-1/2" deep
- Shipping weight 58 lbs.

#### **Table Fill N Chill Black**

#### **1FNC8765 \$300.**56



#### **Table Fill N Chill White**

1FNC7765 \$300.56



#### **Canvas Storage Cover**

**CP-1COV1123 \$47.**33

· Shipping weight 2.25 lbs.





#### Slush Base Neutral 5:1, **1** Gallon

#### 15304

 $\oslash$ 

#### \$10,12

- Add 5 gallons of water plus 1 gallon of concentrate neutral slush base and then mix
- Put flavor in the cup and then add slush to offer a selection of flavors with only one Frozen Drink Machine
- · Six month shelf life
- Shipping weight 10.65 lbs.



#### **The Cooler Sno-Cone** Machine

#### 6133410

#### \$539.74

- A unique smaller more portable sno-cone machine
- Wheels made from rugged roto-cast polythylene so it's lightweight and less expensive
- · Heavy-duty motor and hard wearing components
- Tinted high-impact polycarbonate side panels make it safe and easy
- to clean Side panels tinted blue to shade the ice from quick melt down
- Includes cup dispenser, cups sold separately
- 120 volts
- 635 Watts
- 5.3 amps
- 500lb/HR Output
- 24"W x 16"D x 24"H
- Shipping weight 48 lbs.

**Sno-Cone Dipper** 13175

\$5.54



# MTA. DISTRIBUTORS





#### Snow Cone Cups 60Z 200/PK

#### 15004

#### \$15.80


- 6 oz Paper Water Cups
- · For use with Sno-Cone and Water Cooler Cup Dispensers
- · Shipping weight 2 lbs.

#### **Pump For 1 GAL Syrup** Containers 61220

#### \$6.11

· Shipping weight 0.25 lbs.

#### **Sno-Cone Syrup**



1 year shelf life

#### 1 Quart

#### \$3.52

Shipping weight 2.83 lbs.		• Sł	nipping	ı weight 11.25 lbs.
15230	Blue Bubble Gum	15	5037	Blue Bubble Gum
15041	Blue Raspberry	15	5044	Blue Raspberry
15051	Cherry	15	5058	Cherry
15088	Grape	15	5089	Grape
15232	Fruit Punch	15	5109	Orange
15102	Lemon Lime	15	5151	Strawberry
15225	Orange	15	5173	Watermelon
15227	Pina Colada			
15052	Strawberry			
15228	Watermelon			

1 Gallon

\$10.00



#### **Popcorn Popper Theater Pop 8 0Z**

#### 1108110

#### \$651.28

- · Compact design is ideal for small spaces and counter tops.
- Short, three minute cycle produces perfect popcorn
- · Hard-coat anodized aluminum kettle provides optimum performance and easy cleaning.
- · Sturdy stainless steel and aluminum frame and tempered glass panels.
- Easy-to-clean surfaces just wipe with a damp cloth!
- · Stainless steal warming deck has a heating element underneath to keep all of the popcorn - not just top - warm and fresh for hours.
- Cart sold separately
- · Shipping weight 65 lbs.





WESTERN

#### **Popcorn Scoop Boxes 1 0Z** 500/BX

#### 11086

#### \$86.35

- Holds 1 oz. of popped popcorn
- Box of 500
- Shipping weight 20 lbs.





#### Popcorn Bags 8" 10Z 1000/BX, 1029 11011

- **\$33.**35
- · Shipping weight 8.5 lbs.

Popcorn Bags 10" 1.50Z 1000/BX 11024 \$40.75

• Shipping weight 8 lbs.





#### **Buttery Topping 1 GAL**



- Diacetyl Free
- Rich buttery flavored topping oil that is designed to be heated and poured over freshly popped popcorn
- Great authentic movie theater buttery taste!
- Sold Each
- Shipping weight 8.50 lbs.



# Popcorn Premium 50 LB

#### \$27.56

- Butterfly style
- Theatre quality popcorn
- Incredible expansion and tender kernels
- Shipping weight 50 lbs.





#### Popcorn Portion Pack w/Pure Coconut Oil

- Pre-measured corn, oil & seasoning
- Make perfect popcorn every time
- 1 year shelf life
- Quantity pricing for 5 cases

10041	4 OZ	48/BX	19.10 lbs.	\$32.31
10063	6 OZ	36/BX	21 lbs.	\$30.25
10054	8 OZ	24/BX	17.70 lbs.	\$25.13
10061	12 OZ	24/BX	26 lbs.	\$34.36



#### **Popcorn Scoop Plastic**

#### 1040

**\$3.**86

• Shipping weight 0.11 lbs.





52749

**\$4.**46

#### Kettle Cleaner Inside 1 LB



KETTLE CL

- Extremely heavy duty cleaning and degreasing of kettle surface. Will not scratch.
- Shipping weight 1 lbs.

#### Kettle Cleaner Outside 15 OZ 52748



- Cleans tough stains and rejuvenates the outside shell of your kettle
- Shipping weight 1.25 lbs.



#### Cotton Candy Unit W/Metal Bowl

#### 7105200

#### \$1,023.08

#### TERMS 30/60

- 26" aluminum bowl
- Commercial construction, all metal aluminum and stainless steel cabinet
- High performance head
- Heavy duty 1/12HP motor provides 3400 RPMs
- Voltage meter indicates the optimum settings for maximizing sugar to floss yield
- Professional controls
- 120 volts, 1370 watts
- Yields 200 cones per hour
- 19″W x 12″D x 21″H
- CE Approved
- One year warranty
- Made in USA
- Optional bubble top (part # 7901) sold separately
- Shipping weight 52 lbs.

#### Cotton Candy Bowl Mesh W/ 8 Clips

#### 519201 \$53.<sup>76</sup>

- Replacement floss bowl stabilizer net and clips for Paragon Cotton Candy machines
- Bowl sold separately
- Shipping weight 8 lbs.





#### **Roll Top Bubble**



#### \$243.69

- Shield your customers from flying floss and protect your floss from foreign particles
- Easy one hand access to the production compartment
- Durable polycarbonate plastic, high impact resistant
- Allows you to completely enclose the bowl when not in use
- Fits 25" and 26" inch diameter bowls, compatible with Spin Magic 5, Classic Floss 5, and Spin Magic Quick Release
- Slips onto bowl without tools
- · Shipping weight 13 lbs.



#### Cotton Candy Bags 1000/CTN

#### 16180

#### **\$88.**65

- Red & Yellow Clown Print on Bag
- Shipping weight 15 lbs.

#### Cotton Candy Cones 1000/ BX

#### 16189

#### **\$39.**81

- The famous "Ringmaster" hook tip makes it easy to grab spun sugar from the bowl of any cotton candy machine
- 1-1/2" inches longer than other cones to allow for more room to work with the floss
- Shipping weight 9 lbs.



#### Cotton Candy Sugar Floss 52 OZ \$4.98

- One box of floss makes approximately 60-70 cones
- One year shelf life
- Shipping weight 3.25 lbs.



## MORE PARTY & EVENT PRODUCTS





8



#### Oak Wood Chairs w/ 1/4" Vinyl Seat 4/BX

- Constructed with solid oak wood frame
- · Joints of chair nailed and glued
- Each chair comes with a polypropylene storage chair bag
- 30 day warranty on paint, 1 year on frame
- Plywood seat back and seat pad with 1/4" pad vinyl
- Oakwood paint is exterior lacquer to reduce absorption of UV rays
- Chair Specs: 15" x 17.5" x 30.5"
- Seat pad: 14"x12.5" w/1/4" foam
- Box of 4
- Weight capacity: 250 lbs.

#### White Oakwood MTAOAKWHT

#### **\$168.**37

• Shipping weight 42 lbs.

#### Fruitwood MTAOAKFRT

#### **\$168.**37

• Shipping weight 42 lbs.

#### Nat. Oakwood W/Tan Seat MTAOAKNAT

#### \$159.95

• Shipping weight 45 lbs.





3 or more

boxes ship

#### **Resin Chairs 4/BX**

- 100% polypropylene gives this chair strength & comfort
- High luster finish, U.V. stabilized resin surface
- Features a steel seat bar and a lock tight design that ensures customer safety and stability
- Stacks compactly for easy transportation
- One year warranty on frame from manufacturing defects
- Weight capacity 300 lbs.

# White Resin

#### **\$140.**43

• Shipping weight 45 lbs.

#### **Black Resin**

141002

#### \$144.75

• Shipping weight 45 lbs.



<u> VENT FURNITURE - CHAIRS</u>



#### **Chair Stack Cover**

#### 4015

#### \$26.<sup>67</sup>

- Non-woven polyester material is breathable and water resistant
- Black color
- Full hem along bottom edge for durability
- One 18" end of the cover has a slit 52" long with Velcro closure for full length
- One Velcro buckle closure in addition to Velcro on slit for added security
- Dimensions: 39"x18"x58" Tall
- Shipping weight 1.45 lbs.



MTA, DISTRIBUTORS





MIDAS

EVENT FURNITURE - CHAIRS

#### Vinyl Folding Chairs w/ Metal Frame 8/BX

- Specs: 16" x 15-3/4" x 31"
- Packaged 8 chairs per box
- Thicker 18 Gauge Steel Frame
- Reinforced plastic seat
- Passes 225lbs/6inch drop test
- Manufacturer's warranty one year against all manufacturing defects in material and workmanship

Bright White 656896 \$124.97 • Shipping weight 52 lbs.

## Wedding White 656899

#### **\$124.**97

• Shipping weight 52 lbs.



#### Chair Tips Plastic 100/BX



3 or more boxes ship

#### **\$13.**33

• 3/4" inside dia.

657582	Neutral	
657583	Black	
657584	Gray	
657585	White	



**MTA**. **DISTRIBUTORS** 

#### **Chair Pallets**

- Durable plastic construction for very long life
- Lasts longer than wood pallets
- · Protects chairs from dirt and wear
- Guide slots for straps
- Holds stack of chairs off the ground so the Mongo Mover hand truck easily slides underneath



#### **Chair Pallet**

# **2010 \$50.**67

- Carries most "standard" metal frame, plastic seat rental chairs; also carries most folding wooden chairs and folding resin chairs
- Shipping weight 5.23 lbs.

#### Chair Pallet F/Fan Back Chairs 2200 \$65.<sup>33</sup>

- Carries taller dining height chairs and fan back style chairs
- Durable plastic construction for very long life
- Lasts longer than wood pallets
- Protects chairs from dirt and wear
- Guide slots for straps
- Holds stack of chairs off the ground so the Mongo Mover hand truck easily slides underneath
- Allows chairs bundles to be picked up by forklift from side
- 43.375" long x 17.875" wide
- Shipping weight 5.80 lbs.

#### **Ratchet Strap**

#### 6000

#### **\$6.**67

- Designed to secure stacks of folding chairs to their pallets
- There are no hooks to scratch the chairs and its length is easily adjusted
- The ratchet mechanism makes it easy to tighten the strap
- 1" webbing
- 13' approx. length
- Working Strength 1000 lbs.
- Breaking Strength 2500 lbs.
- Black in color
- Shipping weight 1.10 lbs.





TY & EVEN

#### Mongo Mover

#### 1022 ¢022 2

#### **\$933.**33

- Easily move: folding chairs, tables, tents, coolers, bounce rides, etc.
- Balances on its four wheels so you do not carry any of the load
- Welded tubular steel frame for strength and light weight
- Full length aluminum product guides, fully support a stack of chairs
- It arrives almost totally assembled, you just have to insert the forks
- Pneumatic tires
- Frame is powder coat painted; wrinkle black color
- Anodized aluminum guides, 60" long
- 34" fork length, 32" usable
- Forks are spaced 14-3/4" apart (center line to center line)
- Width at main wheels: 28"
- Width at tilt axle wheels: 21"
- 500 lb maximum capacity when load is centered 9" from the main axel
- One year warranty against manufacturer defects
- Chairs sold separately
- Shipping weight 76 lbs.



#### PRODUCTS CORP.

#### **Chair Cart**

CH-03

#### **\$135.**71

- Chair cart for vinyl folding chairs
- Fully welded steel frame with locking safety handle
- 4" casters provide effortless transportation
- Two swivel and two rigid casters
- Fully powder coated and plated components
- Some assembly required
- Inside dims: 18" x 39"
- Capacity 50-70 vinyl chairs
- Shipping weight 30 lbs.

# ty handle n ints



#### Chair Storage Truck

#### 131901 \$129.00

- For stacking and transporting your folding chairs quickly and easily
- Four 4" standard casters with 2 fixed wheels and 2 swivel wheels
- Durable steel frame
- Removable tubular steel handle for convenient storage
- 41" x 18.75" x 43.5"
- Shipping weight 43 lbs.

#### Fan Back Chair Storage Truck

#### 131211 \$129.00

- Chairs sold separately
- Shipping weight 46 lbs.



MIDAS

THE FAIRBANKS COMPANY

#### Platform Truck With Handle

#### V28-3060-409-RT \$455.82

- 2000 lb. capacity
- Steel framed hardwood deck
- Rounded front corners
- Removable 1-5/16" tubular rack handle
- 8" mold-on rubber casters
- 30″ x 60″ deck
- Shipping weight 79 lbs.







#### Table Cart 48" - 72" Round Truck

#### 280160 \$342.36

- Rental quality table trucks for the transportation and storage of your 48", 54", 60", 66" & 72" round and Square tables
- Holds 8
- Tables sold separately
- Shipping weight 121 lbs.



# Midas

#### Table Truck 96″ Universal

#### 280090 \$308.88

- Capacity is 12-15 tables stacked flat
- Holds 4', 5', 6' and 8' tables, as well as narrow seminar and specialty tables
- Heavy Duty 5" x 1-1/2" swivel casters for easy rolling
- Two removable end standards for better control and convenient loading and unloading
- Dimensions 24" wide x 98" long
- Tables sold separately
- LTL OVERSIZE Charges Apply
- Shipping weight 129 lbs.





#### SEASONAL FINANCING TERMS

#### Order September 1 - December 31

No Payments Until Spring of 2026, No Interest (if paid on time) or Receive the 2% Net 10 Days Discount on Qualifying Orders All Units & Accessories\* In Catalog - Mix & Match

- Level 1 Order minimum of \$5,000 1/2 due 03/10/26 • 1/2 due 04/10/26
- Level 2 Order minimum of \$10,000 1/3 due 03/10/26 • 1/3 due 04/10/26 • 1/3 due 05/10/26

Level 3 Order minimum of \$15,000 1/4 due 03/10/26 • 1/4 due 04/10/26 1/4 due 05/10/26 • 1/4 due 06/10/26

\* Parts are not eligible

#### AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES





#### **Banquet Table Wood**

- 3/4" A/C Plywood with 2 coats clear lacquer finish
- Vinyl T-type molding
- Hardwood runners bolted through
- Wishbone style legs with dual dimple locking mechanism
- Sold Each

#### Table Wood 6' X 30" 990603

#### \$100.03

· Shipping weight 45 lbs.



#### Table Feet 3/4" 25/PK Celina 716177

#### \$19.33

• Shipping weight 0.50 lbs.

MIDAS

#### **Banguet Table Wood**

- 3/4" void free exterior plywood top
- 1" tubular 15 gauge steel wishbone style legs
- 100% bolt through legs and runners

#### Table Banquet 6' Single 🖘 203001

#### \$129.49

• Shipping weight 50 lbs.

Brown vinyl T-Mold edging

• Shipping weight 56 lbs.

\$110.03

- Clear polyurethane varnish (4 top, 2 bottom)
- Commercial grade powder coat

#### **Table Banguet 8' Single** 204001

#### \$170.96

• Shipping weight 60 lbs.

(€,,,)



# **NTA** DISTRIBUTOR



#### Table Round Wood 60"

#### 990602

#### \$114.30

- 3/4" A/C Plywood with 2 coats clear lacquer finish
- Vinyl T-type molding
- Hardwood runners bolted through
- · Wishbone style legs with dual dimple
- locking mechanism Sold Each
- Shipping weight 55 lbs.





#### **Bar Height Event Table 32**" 590449

#### \$76.94

- · Easy to fold and unfold
- Table Height 42"
- Table Diameter 32"
- Table Thickness 1-3/4"
- Table Height (Closed) 54"
- Leg Tube: 1"
- Cross Bar: 3/4"
- U-Shape Tube: 1"
- Square Tube: 10mmx20mmx1.0mm
- White HDPE Plastic Table Top: 45mm
- Powder coated frame
- Sold Individually
- · Shipping weight 23.95 lbs.





#### Banquet Table Polyethylene White

- The polyethylene top will not warp due to moisture. Plastic will never crack, peel or chip like most laminate tables.
- Tested to BIFMA standards.
- Weight rate: 700 lbs
- Impervious to most stains making for easy clean up
- 1-1/8" steel frame has a textured powder-coat finish which is extremely durable for day to day use
- 1.78" blow-molded smooth surface table made of strong, durable polyethylene
- 16 gauge 1-1/8" utilized steel frame for greater strength

Table 30"X72" Polyethylene White

- Non-marring floor glides
- Gravity Leg locks
- 29" height floor to table top
- Sold Individually



#### Table Feet 4/PK Fits 6' & 8' 656327

#### \$2.00

• Shipping weight 0.02 lbs.

#### Table Feet 100/BX

704143

- **\$13.**<sup>33</sup>
- Shipping weight 0.50 lbs.

\$106.81 • Shipping weight 34 lbs.

590445

BLU	⊧ SI	

#### Table 60" Round Polyethylene White

590448

#### **\$120.**<sup>17</sup>

• The polyethylene top will not warp due to moisture. Plastic will never crack, peel or chip like most laminate tables.

590447

\$123.97

· Shipping weight 48 lbs.

Table 30"X96" Polyethylene White

- Tested to BIFMA standards.
- Weight rate: 900 lbs
- Impervious to most stains making for easy clean up.
- 1 1/4" steel frame is a textured powder-coat finish which is extremely durable for day to day use.
- 1.78" blow-molded smooth surface table made of strong, durable polyethylene
- 16 gauge 1-1/4" utilized steel frame for greater strength.
- Plastic table top: 50.8mm
- Texture powder-coat finish.
- Non-marring floor glides.
- Gravity Leg locks
- 29-1/4" height floor to table top.
- Sold Individually
- Shipping weight 49 lbs.



**Table Feet 4/PK** 

656328

\$2.00

EVENT FURNITURE - TABLES





14

#### **Knock Down Table Star Base**

- 3/4" thick stained, sealed plywood top with vinyl edge
- Includes 30" & 42" tall post with 28" aluminum table base
- Some assembly required
- Sold Each

#### Table Knock Down 30" Star Base 212000LA

#### \$115.17

· Shipping weight 25 lbs.

#### Table Knock Down 36" Star Base 210000LA

#### \$119.99

• Shipping weight 40 lbs.

#### Post for Pedestal Table, 39-1/2"

#### 200400 \$19.39

· Shipping weight 4 lbs.

#### Table Base 28"

200100 \$38.07

- Shipping weight 4 lbs.

#### Feet Replacement **Cocktail** Table 200101

\$1.03

· Shipping weight 0.01 lbs.

#### **Retail Package** Kwik-Covers 50/BX

- · Custom-fit table covers
- Saves time
- · Won't blow off in the wind
- No need for tape, tacks, or staples
- · Reusable or Disposable

#### Kwik-Cover White 30 X 72 3072PK-W

\$160.00

• Shipping weight 21 lbs.

MIDAS

# \$347.14

• Shipping weight 43 lbs.

#### · Shipping weight 44.50 lbs. Kwik-Cover White 60" 60-W

Stall's Margare

**Bulk Kwik-Covers** 

Custom-fit table covers

• Won't blow off in the wind

Red

White

Blue

Gingham

Red

Gingham

Blue

100/BX

Saves time

3072-W

3096-W

\$300.00

\$285.71

• No need for tape,

tacks, or staples

• Reusable or Disposable Includes 4" self-adhesive

tape strip along the

length of each side

• Shipping weight 32 lbs.

Kwik-Cover White 30X96

Kwik-Cover White 30" X 72"



#### Individually packaged covers

- · Great add-on sale with table rentals
- Can be peg hooked
- Additional colors available for special order
- · Color selection will vary by product

#### Kwik-Cover White 30 X 96 3096PK-W

#### \$167.14

· Shipping weight 28 lbs.



#### Kwik-Cover White 60" Round **60PK-W**

#### \$190.71

• Shipping weight 25 lbs.











## Tent Heater LP 170K BTU 😔

#### PREMIER 170 \$2,100.61

TERMS 30/60/90

- BTU rating 170,000
- Heated air output 1200 cfm
- Fuel consumption 7.9 lbs/hr
- Minimum 100 lb tank
- Direct spark ignition
- 120V/60Hz, 8A starting, 2.5A cont. run
- Net weight 126 lbs
- Includes thermostat w/20 ft cord, pressure regulator and 10 ft gas hose
- Completely enclosed combustion chamber offering 360 degrees of flame clearance
- CSA US & Canada certified
- Shipping weight 161 lbs.



#### L.B.WHITE

#### **Unit Diffuser With Quick Connect**

#### 26351

#### \$310.65

- Connects directly to the LB White Tent Heater Model 170
- Heater sold separately
- Shipping weight 23.56 lbs.



#### L.B.WHITE

# Distribution Duct Kit, White 12'

#### **\$211.**23

- White Distribution Duct Kit 12" x 12'
- Includes Universal Connections
- For Use With Premier 80 or Premier 170 Units
- Shipping weight 10.50 lbs.



#### Patio Heater 40K BTU

#### Z1-12CK

#### \$1,050.67

- Extend your patio and tent use through the cooler seasons with portable radiant heaters
- The Zubri Z1-12CK heats approximately a 300 square foot area
- No tools are necessary to assemble
- Stores away in its own hard-shell carrying
- Portable; legs detach for storage and transport
- Complete with hard-shell carrying case and carrying bag for reflector
- 40,000 Btu/hour maximum; adjustable heat control
- Tip switch
- Utilizes 20 pound propane tank (sold separately)
- For outdoor use only
- Shipping weight 57 lbs.

#### SCHAEFER

#### Tent Fan Versa-Kool W/Pole Mount 731231

#### \$346.<sup>67</sup>

- Deep guard design provides unmatched performance at very low noise levels
- · Looks great! White fans blend in with tents
- Built in the USA and designed to last for years
- Single speed
- 12" diameter
- 115 Volt
- 1470 cfm; 1.3 amps
- 6 ft Power cord with switch
- Customers have seen a lifetime ROI of up to \$15,000. Priced to make money in an average of fewer than 5 rents!







**MTA**. **DISTRIBUTORS** 





#### Lil' Kahuna Water Slide

#### **NEW**

#### BB1589

\$2,150.00 TERMS 30/60/90

 Toddler Slide and Standard Pool with Air Flow Zipper and Misting System



- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Outdoor use and Wet only
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)

NEW

- Dimensions: L18.8'(5.7m) W9.5'(2.9m) H11.8'(3.6m)
- Shipping weight 163 lbs.



#### 15 Tropical Inferno SL SP



#### \$**2,457.**<sup>69</sup>

- TERMS 30/60/90
- Single Lane Slide and Standard Pool with Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes
- Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Outdoor use and Wet only
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L25'(7.6m) W9'(2.7m) H15'(4.5m)
- Shipping weight 298 lbs.





#### 18 Blue Crush SL SP Water Slide





 Single Lane Slide and Standard Pool with Air Flow Zipper and Misting System

NEW

- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Outdoor use and Wet only
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L32'(9.6m) W11'(3.3m) H18'(5.4m)
- Shipping weight 397 lbs.





#### 22 Tropical Fireblast Tsunami WS1241



\$3,534.62 TERMS 30/60/90

- Single Lane Slide and Standard Pool with Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Outdoor use and Wet only
- 1 Year Warranty
- Suggested Blower: A153 BLOWER 1.5HP (sold separately)
- Dimensions: L36'(10.8m) W18'(5.4m) H22'(6.6m)
- Shipping weight 513 lbs.



MTA DISTRIBUTORS



#### **Castle Tower Pool And Stopper**

#### C2001

PARTY & EVEN

#### \$2,919.23

TERMS 30/60/90

- Double Lane Slide and 13x13 Jump Area with Air Flow Zipper and Misting System
- Features a Basketball Hoop and an Inflated Landing bed
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/Outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L33' (9.9m) W13' (3.9m) H14' (4.2m)
- Shipping weight 390 lbs.





#### **Mega Blocks DL Pool And Stopper**

#### C2005

\$3,073.08 TERMS 30/60/90

- Double Lane Slide and 13x13 Jump Area with Air Flow Zipper and Misting System
- Features a Basketball Hoop and an Inflated Landing bed
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/Outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L26'(7.8m) W13'(3.9m) H14'(4.2m)
- · Shipping weight 270 lbs.





NEW

#### Lucky Module Inflatable Pool

#### C1030-IP

#### \$3,226.92 TERMS 30/60/90

- Single Lane Slide, 13x13 Jump Area, and Inflated Pool with Air Flow Zipper and Misting System
- Features a Basketball Hoop and an Inflated Landing bed
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/Outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L20'(6m) W18'(5.4m) H14'(4.2m)
- Shipping weight 360 lbs.



NEW

NEW



NEW

#### 47 Mega Blocks Wet Dry



#### **\$4,457.**<sup>69</sup>

- TERMS 30/60/90
- Consists of Tunnels, Pop-Up Barriers, Climbing Walls, and a Slide with Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- · Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/Outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A153 BLOWER 1.5HP (sold separately)
- Dimensions: L47'(14m) W11'(3.3m) H14'(4.2m)
- Shipping weight 530 lbs.



#### AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES

**MTA DISTRIBUTORS** 



#### Module Castle 3 (Medium)



#### BB2170

\$1,457.69 TERMS 30/60/90

- Consists of a Basketball Hoop, a 13'x13' Jump Area, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L14.3'(4.4m) W13.3'(4.1m) H16'(4.8m)
- Shipping weight 160 lbs.





#### Castle 3 (Medium)



\$1,457.69 TERMS 30/60/90

**BB2166** 

- Consists of a Basketball Hoop, a 13'x13' Jump Area, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L14.3'(4.4m). W13.3'(4.1m). H16'(4.8m)
- Shipping weight 160 lbs.





#### Castle 3 (Large)



TERMS 30/60/90

 Consists of a Basketball Hoop, a 15'x15' Jump Area, and a Slide with Air Flow Zipper

NEW

- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L16.3'(5m) W15.3'(4.7m) H16'(4.9m)
- Shipping weight 190 lbs.





#### Module Castle 3 (Large)



\$1,534.62 TERMS 30/60/90

**BB2163** 

- Consists of a Basketball Hoop, a 15'x15' Jump Area, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L16.3'(5m)
   W15.3'(4.7m) H16'(4.9m)
- Shipping weight 190 lbs.



**ARTY & EVENT** 





#### **Backyard Combo Module Castle**

#### **BB1016**

#### \$2,457.69

TERMS 30/60/90

- · Consists of a Basketball Hoop, a Bounce Area, a Climbing Wall, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- · Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L17.7'(5.4m) W14.8'(4.5m) H16.2'(4.9m)
- Shipping weight 247 lbs.



Magarianie

#### **Backyard Combo Module BB2253**

\$2,534.62 TERMS 30/60/90

- Consists of a Basketball Hoop, a Bounce Area, a Climbing Wall, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business
- Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L17.7'(5.4m) W14.8'(4.5m) H16.2'(4.9m)
- · Shipping weight 247 lbs.



#### 30' Backyard Obstacle Challenge

#### **BB2294**

#### **\$2,611.**54

TERMS 30/60/90

- · Consists of Crawl-Through Tunnels, Climbing Walls, Pop-Up Barriers, and a Slide with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L30'(9.1m) W11'(3.4m) H12'(3.7m)
- Shipping weight 310 lbs.



(€¬¬>) (NEW)

#### Nagicar Lessale

#### **Module Combo 4**



#### **BB1006**

\$2,996.15 TERMS 30/60/90

- Consists of a Basketball Hoop, a Bounce Area, a Climbing Wall, and a Slide
- Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- · Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L20.3'(6.2m) W15.8'(4.8m) H14.5'(4.4m)
- · Shipping weight 295 lbs.



**MTA**. **DISTRIBUTORS** 





#### Module 5 IN 1 Combo 2



#### **BB1021**

\$3,303.85 TERMS 30/60/90

- Consists of a Basketball Hoop, a Bounce Area, a Slide, a Climbing Wall, and an Obstacle Course
- Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spike
- Indoor/outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L20'(6.1m) W19'(5.8m) H15'(4.6m)
- Shipping weight 368 lbs.





#### **Castle A Frame 5 IN 1 Module BB1025**



\$3,303.85 TERMS 30/60/90

- · Consists of a Basketball Hoop, a Bounce Area, a Slide, a Climbing Wall, and an Obstacle Course
- Air Flow Zipper and Misting System
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Wet/Dry
- 1 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L20'(6.1m) W19'(5.8m) H17'(5.2m)
- Shipping weight 380 lbs.





#### **Shooting Stars Basketball Game**



#### \$2,688.46

TERMS 30/60/90

- A Basketball Challenge with Two Hoops for Competitive Play
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spike
- Air Flow Zipper
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L16.5'(5m) W15.5'(4.7m) H16.5'(5m)
- Shipping weight 180 lbs.



# VFLATABLES

#### Marcia ( 12) mile

#### **3 IN 1 Sports Game**



#### \$3,073.08

G1108

FRMS 30/60/90

- Combines Basketball, Soccer, and Football all-in-one
- Safety Mesh Sides and Inflatable Barriers with Air Flow Zipper
- Commercial Grade, Lead Free, and Fire Resistant
- Includes Business Card Holder, Manual, and Safety Rules
- Comes with Storage Bag, Patch Kit, and Anchoring Spikes
- Indoor/outdoor use and Dry only
- 2 Year Warranty
- Suggested Blower: A152 BLOWER 1HP (sold separately)
- Dimensions: L16'(4.8m) W18'(5.4m) H13'(3.9m)
- Shipping weight 270 lbs.



MTA, DISTRIBUTORS

NEW

#### EZ INFLATABLES

#### **Inflatable Blowers**

#### **Blower 2HP**

A154

#### \$179.49

Shipping weight 42 lbs.

#### Blower 1.5HP

A153

#### \$160.<sup>26</sup>

• Shipping weight 37 lbs.

#### **Blower 1HP**

#### A152

#### \$147.44

Shipping weight 35 lbs.



#### **Super Bounce Ride Mover**

#### 1213

#### **\$1,013.**<sup>33</sup>

- 800lb. Max capacity
- Aluminum & steel frame
- Full width handle bar
- 6 air tires 10" diameter
- Wheels have ball bearing hubs
- Powder coat painted frame
- 30" fork length, 24" usable length
- Forks are spaced 15" apart
- Width at main wheels: 33" six wheel
- 63" maximum handle height
- One year warranty against manufacturer defects
- Shipping weight 94 lbs.





#### Tear-Aid Vinyl Repair Type B 334709 \$23.40

- Peel and stick, airtight, watertight see-thru patch
- Elastic patch that won't peel off when stretched
- Kit Includes: (1) 3"x60" Tear-Aid Roll, (2) Alcohol Prep Pads, (1) Illustrated Instructions and (1) Product Repair List.
- Tear-Aid Type B Sticks to vinyl, vinyl coated materials
- Type B has a unique adhesive that resists the oils in vinyl that cause other adhesives to fail for repairing Tents and Bouncers
- Clear in color

Shipping weight 0.25 lbs.







INFLATABLES

#### Presto Pole Tent Packages All White Top

- 14 oz. flame resistant vinyl top, reinforced pole locations, sidewall rope, jump rope, and guy ropes
- 1.75" galvanized sectional side & center poles that secure with push buttons
- Carrying bag for the canopy top and poles for convenient storage
- 24.6" steel anchoring stakes
- Replacement parts available
- This complete canopy package is ideal for backyard gatherings, graduation parties, or rental companies looking for a great return on their investment. The Presto! comes equipped with all the necessary hardware for immediate set up, including installation instructions with illustrations, and a convenient carrying bag for easy mobility. The Presto! is not only a perfect solution for companies that specialize in 1 and 2-day rental events and over the counter rentals, but also any homeowner who simply enjoys outdoor entertaining with friends and family.



# Pole Tent 20' X 20' White Presto 🖘

#### **\$725.**<sup>30</sup>

• Shipping weight 200 lbs.

#### Pole Tent 20' X 30' White Presto 747466-K

#### \$932.81

• Shipping weight 253 lbs.

#### Pole Tent 20' X 40' White Presto

746801-K

TERMS 30/60

#### **\$1,140.**<sup>33</sup>

• Shipping weight 313 lbs.

# TENTS & CANOPIES

#### CELINA

#### **Sidewalls**

#### Sidewall Window 7' X 20' 160Z ACSW720WIN-CA

#### **\$280.**65

Shipping weight 20 lbs.



#### Sidewall Solid White 140Z

Poquired Augetity

- White economy sidewalls are made from 14 oz. vinyl to provide an economical choice for entry-level sidewalls
- Clips used to attach the sidewall to the tent's rope line are color-coded according to the length of the sidewall to eliminate wear and tear on the sidewall caused by needless unfolding and refolding to ascertain the size of the sidewall
- Unlike other sidewalls, economy sidewalls do not come with clips to attached one sidewall segment to another
- Economy sidewalls are available in White only and no custom printing options are available

			Kequirea Quantit	y	
For Pole Tents & Frame Tents		20x20	20x30	20x40	
ACSW720E	Solid 7' x 20'	4	2	6	\$136.85
ACSW730E	Solid 7' x 30'	-	2	-	\$164.23
ACSW720WIN-CA	Window 7' x 20'	4	2	6	\$280.65

#### CELINA

(€,,,)



#### Tent Package 20'X20' Pinnacle

#### 366384

**\$2,045.**48

- TERMS 30/60/90
- Frame tension design with tension cables and optional flag
- 16oz blockout vinyl fabric top (available in white only), heat sealed construction

(€,,,)

- 2 1/2" diameter, heavy-duty anodized aluminum frame with cast aluminum corner fittings & base plates
- Pinnacle sidewalls are unique to this system only. Standard sidewalls are not compatible with the Pinnacle cross cable series
- Includes wind kit: 4-36" heavy duty stakes with 4-2" ratchet straps
- · Sidewalls sold separately
- Shipping weight 307 lbs.

709569	Sidewall Solid 8' x 20'	20 lbs.	\$144.38
536900	Sidewall Window 8'x20'	19 lbs.	\$223.79
CC-WG-20	Gutter 20' Vinyl	7 lbs.	\$131.04
ССРВ	Pinnacle Pry Bar	3 lbs.	\$30.79

#### **Tent Stakes**

PIONEER Tool & Forge, Inc.

#### 5/8"X24" Tent Stake W/1-1/2" Head 2524WH \$6.81

Shipping weight 2.10 lbs.

#### 3/4"X24" Headed Side Hook Stake 2624WHSH \$11.75

• Shipping weight 3 lbs.

#### Tent Stake 3/4"X26" Double Head 2626DH \$8.28

Shipping weight 3.25 lbs.

#### 1"X30" Tent Stake W/Head 2830WH \$14.77

Shipping weight 6.75 lbs.

#### 1"X36" Tent Stake W/2" Head 2836WH

**\$15.**<sup>36</sup>

Shipping weight 7 lbs.



The Pinnacle Series party tent is designed for super fast installation and removal. It is ideal for short term rentals or residential applications and not recommended for long-term, high wind, or inclement weather applications.

Tent Fitting	Required Quantity				
PART #		20′ x 20′	20′ x 30′	Lbs	Price
ACFTRP	Fitting Canopy Pin	56	72	0.10 lbs.	\$0.45
F-01-COR	Fitting Corner	4	4	5 lbs.	<b>\$20.9</b> 4
F-02-ST	Fitting Side Tee	4	6	5 lbs.	\$19.63
F-03-BP	Fitting 6"x6" Base	8	10	5 lbs.	\$10.46
F-05-6WC	Fitting 6 Way Crown	-	2	9 lbs.	\$26.18
F-04-8C	Fitting 8 Way Crown	1	2	5 lbs.	\$35.99

#### **Tube Pole (Singles)**

Single 10'6" X 2" Green	9 lbs.	\$51.58
Single 14'4" X 2" Red	12 lbs.	\$ <mark>68.68</mark>
Single 6'8" X 2" Brown	8 lbs.	\$38.94
	Single 14'4" X 2" Red	Single 14'4" X 2" Red 12 lbs.

#### **Tent Straps**

AC-05S-GR	Ratchet Strap 5' Buckle End 2″	1.25 lbs.	\$10.61
AC08SPGR	Strap 8' Single Loop End Gray	0.50 lbs.	\$3.86

TENTS & CANOPIES

**MTA DISTRIBUTORS** 

#### Stake Driver One Piece

#### 21825-2 \$135.64

- 1-1/8" x 6" Notched Shank
- · 2-1/8" ID
- 1-1/4" Deep
- · Shipping weight 11 lbs.

#### PIONEER Tool & Forge, Inc.

#### Tent Stake 36" Stake

#### **ACTS361**

#### \$25.39

- Drop Ship Only
- Required for securing tents to the ground properly
- Manufactured from high steel carbon steel
- Unpainted and intentionally weathered to reduce slipping in moist applications
- 1" Shaft
- Shipping weight 8.15 lbs.

#### **Steel Stakes**

- These are made from high carbon steel to prevent cracking and breaking
- This stake is raw steel. It has no paint or protective finish

#### Hook Stake 5/8" X 18"

#### 723562

- **\$8.**58
- Shipping weight 1.67 lbs.

#### Hook Stake 5/8" X 24"

#### 747596

#### **\$10.**84

• Shipping weight 2.25 lbs.

#### **Stake/Post Extractors**

#### **Jackjaw Concrete Stake Extractor** JJ0100

#### \$206.50

· Shipping weight 15 lbs.

#### Jackjaw Concrete Stake Extractor JJ0200

#### \$245.00

• Shipping weight 18 lbs.

#### Jackjaw Post Extractor 29" Tall JJ0205

\$245.00

· Shipping weight 18 lbs.



#### CELINA

### **Tent Repair Kit 'White'**

#### **ACRK-WH**

#### **\$33.**32

- Includes a 12"x60" piece of vinyl and a 4 oz. can of cement
- Shipping weight 0.85 lbs.

#### CELINA

#### **Tent Cleaner Gallon**

#### 584843

#### **\$18.**55

- Drop Ship Only
- · First cleaner developed just for tents
- Penetrates and removes dirt film and most mildew stains
- Can be used with a pressure washer while tent is erect or manually while tent is spread on flat surface
- · Leaves whites whiter and colors brighter
- Shipping weight 10 lbs.

#### Pin Hole Patch 4 OZ White **ACPHP00** \$34.88

- · Patches pin holes easily
- Dries fast providing long term outdoor durability
- Brush top lid
- · Ideal for 14 and 16 oz vinyl
- Shipping weight 0.05 lbs.

#### CELINA

#### **String Lights 8 Globe**

#### **STLIGHTAP8**

#### \$124.99

- The most popular selling size in rental
- 25' strand
- 8 globes use standard 40 watt bulbs (not included)
- 4" polycarbonate globes
- Rotating hooks on each globe to attach to sidewall rope
- · Weather and water resistant
- Intended for temporary outdoor use only
- UL Listed
- Maximum of 3 strands can be connected together
- Shipping weight 9 lbs.











MTADISTRIBUTORS.com / 800.264.0225

**TENTS & CANOPIES** 















#### **Inverter Series Generators**

The Honda EU series generators are super quiet. Perfectly portable, they are the right choice for all of your recreational needs. If you are in an RV, or off camping, boating or tailgating at the big game, you can be sure that the EU generators are fuel efficient and have an amazing run time of up to 20 hours on a single tank of gas. The EU generators are also great to have in case you need to back-up your home appliances in an emergency.

	EU2200ITAN	EU2200ITAN1	EU3000IS1AN	EU3200IAC	EU7000ISNAM
MTA Registered Dealer Price	\$1,040.24	\$1,135.37	\$1,882.93	\$2,599.00	\$4,195.12
Power	2,200 Watt	2,200 Watt Companion	3,000 Watt	3,200 Watt	7,000 Watt
Engine	GXR120	GXR120	GX200 OHV	GX130	GX390 EFI OHV
	120V	120V	120V	120V	120/240V
AC Output	2200W max. (18.3A)	2200W max. (18.3A)	3000W max. (25A)	3200W max. (26.7A)	7000W max. (58.3/29.1A)
	1800W rated (15A)	1800W rated (15A)	2800W rated (23.3A)	2600W rated (21.7A)	5500W rated (45.8/22.9A)
AC Receptacles	20A 125V	30A 125V Locking Plug	20A 125V Duplex	30A 125V Locking Plug	20A 125V GFCl Duplex (2) 30A 125V
Ac neceptacies	Duplex	20A 125V Receptacle	30A 125V Locking Plug	20A 125V Duplex	Locking Plug 30A 125/250V Locking Plug
Starting System	Recoil	Recoil	Electric, recoil	Recoil	Electric (recoil back up)
Fuel Tank Capacity	.95 gal.	.95 gal.	3.4 gal.	1.2 gal.	5.1 gal.
Run Time	3.2 hrs. @ rated load	3.2 hrs. @ rated load	6.9 hrs. @ rated load	3.3 hrs. @ rated load	6.4 hrs. @ rated load
per Tankful	8.1 hrs. @ 1/4 load	8.1 hrs. @ 1/4 load	19.6 hrs. @ 1/4 load	8.6 hrs. @ 1/4 load	16.0 hrs. @ 1/4 load
Dimensions L x W x H	20.0" x 11.4" x 16.7"	20.0″ x 11.4″ x 16.7″	25.9″ x 17.6″ x 22.0″	22.5" x 12.0" x 17.8"	47.2" x 27.6" x 28.4" Handles Folded: 33.4" x 27.6" x 28.4"
	57 dB(A) @ rated load	57 dB(A) @ rated load	57 dB(A) @ rated load	58 dB(A) @ rated load	58 dB(A) @ rated load
Decibel Rating	48 dB(A) @ 1/4 load	48 dB(A) @ 1/4 load	50 dB(A) @ 1/4 load	54 dB(A) @1/4 load	52 dB(A) @ 1/4 load
App + Bluetooth Capability	V	<b>v</b>	N/A	v	<b>v</b>
CO-MINDER	×	<b>v</b>	<b>v</b>	<ul> <li>Image: A start of the start of</li></ul>	<ul> <li></li> </ul>
Commercial Warranty	3 Years	3 Years	3 Years	3 Years	3 Years
Shipping Weight	52 lbs.	53 lbs.	145 lbs.	66 lbs.	306 lbs.
California Compliant	CA)	<u>CA</u>		<u>CA</u>	



#### **Smartphone Control**

Easily monitor fuel level, power output, Eco Throttle<sup>®</sup> and much more, all from the palm of your hand. The app includes wireless stop, operation monitoring, and service reminders. Built-in Bluetooth<sup>®</sup> connectivity teams with the exclusive Honda My Generator Bluetooth<sup>®</sup> App for the ultimate in freedom and control.



26

#### **Industrial Series Generators**

The Honda EB series generators feature commercial grade engines and heavy-duty frames. The EB3000 is lightweight at only 71 pounds and EB10000 comes with an electric start. All of the generators in this series have long run-times and are OSHA worksite compliant.

	EB5000XK3AN	EB6500X1AN	EB10000AN
MTA Registered Dealer Price	\$1,999.00	\$2,808.54	\$5,592.68
Power	5,000 Watt	6,500 Watt	10,000 Watt
Engine	iGX390 OHV	iGX390 OHV	GX630 OHV
AC Output	120/240V 5000W max. (41.7/20.8A) 4500W rated (37.5/18.8A)	120/240V 6500W max. (54.1/27.1A) 5500W rated (45.8/22.9A)	120/240V 10000W max. (83.8/41.6A) 9000W rated (75/37.5A)
iAVR Output	7000W (58.3/29.2A) for 10 sec.	7000W (58.3/29.2A) for 10 sec.	N/A
Receptacles	20A 125V GFCl Duplex (2) 30A 125V Locking Plug 30A 125/250V Locking Plug	20A 125V GFCl Duplex (2) 30A 125V Locking Plug 30A 125/250V Locking Plug	20A 125V GFCI Duplex (2) 30A 125V Locking Plug 30A 125/250V Locking Plug 50A 125/250V Locking Plug
Starting System	Recoil	Recoil	Electric
Fuel Tank Capacity	6.2 gal.	6.2 gal.	8.19 gal.
Run Time per Tankful	7.1 hrs. @ rated load 10.5 hrs. @ 1/2 load	6.4 hrs. @ rated load 9.8 hrs. @ 1/2 load	5.4 hrs. @ rated load 7.9 hrs. @ 1/2 load
Dimensions L x W x H	41.1" x 27.8" x 30.4"	41.4"x27.8"x30.4"	41.0" x 27.7" x 35.1" including hanging hook & with handlebars folded
Decibel Rating	65 dB(A) @ rated load 63 dB(A) @ 50% load	67 dB(A) @ rated load 64 dB(A) @ 50% load	73 dB(A) @ rated load 71 dB(A) @ 50% load
CO-MINDER	v	<b>v</b>	<b>v</b>
Commercial Warranty	3 Years	3 Years	3 Years
Shipping Weight	228 lbs.	236 lbs.	445 lbs.
California Compliant	<u>ea</u>	PA	CA



You must register as an MTA Honda power equipment rental dealer to purchase at discount prices on Honda generators, pumps, and tillers outside of TN, KY, MS, AL, GA, FL, AZ, NM, Southern NV, and Southern CA. Contact us for more information: 800.264.0225 or customerservice@mtadistributors.com

#### CALIFORNIA RESIDENTS

Due to Prop 65 and CARB restrictions, we cannot sell certain products to California customers at this time. Contact us for more information.

Please read the owner's manual before operating your Honda Power Equipment and never use in a closed or partly enclosed area where you could be exposed to odorless, poisonous carbon monoxide. Connection of a generator to house power requires a transfer device to avoid possible injury to power company personnel. Consult a qualified electrician.







#### **Mini Tiller**

The FG110 mini-tiller is an extremely versatile tiller, great for a variety of gardening situations. Although many people think of a mini-tiller only for small garden beds, the FG110 can also handle larger areas with ease. It performs equally well in both soft and compacted soil.

Consider the FG110 particularly for: raised bed gardens, tilling in tight spaces, tilling close to existing plants, and easy transportation and storage. The FG110 has a variety of attachments available, so it also provides you with the convenience of a multifunctional tool.

For optimum performance and safety, please read the owner's manual before operating your Honda Power Equipment. ©2025 American Honda Motor Co., Inc.

#### **Mid-Tine Tiller**

Need to till a larger area? Honda's F220 or FC600 mid-tine tillers may be a good choice for you. The larger size allows you to work larger areas quickly and dig deeper than a mini-tiller. These tillers are heavier than a mini-tiller, but their tine configuration makes them easy to balance and maneuver.

#### **Rear Tine Tiller**

The FRC800 is ideal for extra large gardens and breaking new ground quickly. Its heavy duty tines churn through the soil, working it thoroughly.

The FRC800 is also a good choice for its ease of use. Unlike mid-tine and mini-tillers, this tiller is self-propelled. The FRC800 offers three forward speeds as well as one reverse, allowing you to walk with the tiller at a comfortable pace.

	FG110K1AT	F220K1AT2	FC600K2A2	FRC800K1AN
MTA Registered Dealer Price	\$429.27	\$1,024.39	\$1,379.27	\$2,825.61
Tiller Type	Mini	Mid Tine	Mid Tine	Rear Tine
Engine	GX25	GXV57	GX160	GX240
Tilling Width	9″	21″	26″	20″
Tine Diameter	8″	11″	13″	12″
Air filter	Semi-Dry	Dry Paper	Dual Element	Dual Element w/ Cyclone Filter
Fuel capacity	0.60 qt.	0.72 qt	2.8 qt.	4.8 qt
Transmission Speeds	1 - Forward	1- Forward	1 - Forward	3 - Forward 1 - Reverse
Tine speed @max engine speed	294 rpm	130 rpm	78 rpm	219 rpm
Transmission Type	Worm Gear	Gear Drive	Chain Drive	Chain Drive
Commercial/ Rental warranty	12 months	12 months	3 years	3 years
Shipping Weight	34 lbs.	68 lbs.	155 lbs.	347 lbs.
California Compliant	~	~	~	PA







#### CALIFORNIA RESIDENTS

Due to Prop 65 and CARB restrictions, we cannot sell certain products to California customers at this time. Contact us for more information.





WARNING: Cancer and Reproductive Harm www.P65Warnings.ca.gov

#### **General Purpose Pumps**

For general de-watering needs, Honda's popular WB series pumps offer the best features at a value price. These models offer commercial grade components like silicon carbide seals, antivibration mounts, and a fixed-mount cast iron volute and impeller.

#### **Trash Pumps**

Honda Trash Pumps are the ultimate choice for contractors and rental applications. The WT series can handle solids up to 1 1/16" in diameter. These pumps are designed to move water, and lots of it – up to 433 gallons per minute. A quick clean out port and easy maintenance features help to ensure long service life.

	WB20XT4A	WB30XT3A	WT20XK4	WT30XK4	WT40XK3
MTA Registered Dealer Price	\$474.39	\$668.29	\$1,193.90	\$1,480.49	\$2,341.46
Suction/Discharge Port Diameter	2"	3″	2″	3″	4"
Pump Type	General Purpose	General Purpose	Trash	Trash	Trash
Engine	GX120	GX160	GX160	GX240	GX340
Bore and Stroke	2.4″ x 1.7″	2.7" x 1.8"	2.7" x 1.8"	2.9" x 2.3"	3.2″ x 2.5″
Compression Ratio	8.5:1	8.5:1	8.5:1	8.2:1	8.0:1
Oil Alert	Std	Std	Std	Std	Std
Volute	Rigid Mounted Cast Iron	Rigid Mounted Cast Iron	Rigid Mounted Cast Iron w/ Stainless Wear Plate	Rigid Mounted Cast Iron w/ Stainless Wear Plate	Rigid Mounted Cast Iron w/ Stainless Wear Plate
Impeller	Cast Iron	Cast Iron	Conical Cast Iron	Conical Cast Iron	Conical Cast Iron
Mechanical Seal (Pump case / impeller)	Silicon Carbide	Silicon Carbide	Silicon Carbide	Silicon Carbide	Silicon Carbide
Priming Time	110 sec @ 16.4'	150 sec @16.4 ft.	70 sec. @ 16.4'	100 sec. @ 16.4'	160 sec. @16.4'
Drive System	Direct	Direct	Direct	Direct	Direct
Discharge Capacity	152 gal./min.	275 gal./min.	187 gal./min.	319 gal./min.	433 gal./min.
Total Head Lift	92 ft.	85 ft.	98 ft.	89 ft.	85 ft.
Suction Head Lift	26 ft.	26 ft.	26 ft.	26 ft.	26 ft.
Maximum Pressure	40 psi	37 psi	42 psi	39 psi	37 psi
Solids Handling	N/A	N/A	13/16 inches	1-1/16 inches	1-1/16 inches
Dimensions L x W x H	17.9" x 14.4" x 16.5"	20.1" x 15.2" x 17.9"	24.4x18.1x18.3″	26.0x19.5x20.3"	28.9x21.1x22.2″
Commercial Warranty	3 years	3 years	3 years	3 years	3 years
Shipping Weight	52 lbs.	64.10 lbs.	113 lbs.	148 lbs.	182 lbs.
California Compliant	V	<b>v</b>	<b>v</b>	<u>er</u>	<u>CA</u>

For optimum performance and safety, please read the owner's manual before operating your Honda Power Equipment. ©2024 American Honda Motor Co., Inc.

You must register as an MTA Honda power equipment rental dealer to purchase at discount prices on Honda generators, pumps, and tillers outside of TN, KY, MS, AL, GA, FL, AZ, NM, Southern NV, and Southern CA. Contact us for more information: 800.264.0225 or



# 

#### **EDCO DEALER MAP**

Alabama, Alaska, Arizona, Arkansas, California, Connecticut, Colorado, Delaware, Florida, Georgia, Hawaii, Idaho, Kansas, Louisiana, Maine, Maryland, Massachusetts, Mississippi, Missouri, Montana, Nevada, New Hampshire, New Jersey, New York, New Mexico, North Carolina, Oklahoma, Oregon, Pennsylvania, Rhode Island, South Carolina, Tennessee, Texas, Utah, Vermont, Virginia, Washington, Wyoming



#### **SURFACE PREP**

#### **DEPTH STAGES SURFACE PREPARATION CHART**

Different surface preparation machines provide different results. This chart shows the possible depths, aggressiveness, and Concrete Surface Profiles (CSP) that can be created by each EDCO surface preparation machine product family. \*See page 7 for CSP definition.

	FLOOR GRINDER	FLOOR GRINDER	TURBO GRINDER	<b>CRETE-PLANER®</b>	<b>CRETE-CRUSHER®</b>
	LOW-RPM	LOW-RPM	HIGH-RPM	<b>CARBIDE CUTTERS</b>	<b>CARBIDE BITS</b>
	MAGNA-BLADES/ STRIP-SERTS For Glue/Mastic Removal from the top of the surface CSP: 0-1 Removes material on the surface-no stock removal.	DYMA-DOTS/DYMA-SERTS For topical, surface grinding removing about 1/32" per pass Leaving a smooth finish. CSP: 1-2 Removes up to 1/16"	DYMA-DOTS/DIAMOND-DISC For aggressive grinding removing 1/16" per pass leaving a smooth finish. CSP: 1-2 Removes up to 1/4"	For aggressive surface planing removing 1/8" per pass leaving a textured finish. CSP: 3-6 Removes up to a 1/2"	For aggressive removal of concrete removing 1/4" per pass leaving a rough textured finish. CSP: 6-9 Removes up to a 1"
*	ORIGINAL FINISH Single or Dual-Disc Grinder with Magna-Blades	SMOOTH FINISH Single or Dual-Disc Grinder with DYMA-DOTS/ Dyma-Serts	SMOOTH FINISH 10" Turbo Grinder with DYMA-DOTS/ Diamond Disc	MEDIUM-HEAVY TEXTURED FINISH 8" Crete-Planer® with Carbide Drum	HEAVY-ROUGH TEXTURED FINISH 5 Head Crete-Crusher® with Carbide Bits

CRETE-CRUSHI	ER®	CRETE-PLANER®	TURBO GRINDER	FLOOR GRINDER	FLOOR STRIPPER/CHISEL SCALERS/TRAFFIC LINE REMOVER
CD-3		CPL-8	TMC-7	SEC-NG	TS-8
CD-5		CPM-8/CPM-10	TL-9	2EC-NG	ALR & BIG STICK
		CPU-10/CPU-12	TG-10	HEAVY DUTY GRINDER	TLR-7
DEEPEST REMOVAL PER PASS (Average) SHALLOWEST REMOVAL P			SHALLOWEST REMO	OVAL PER PASS (Average	)



3

**MTA. DISTRIBUTORS** 

#### Tile Shark Floor Stripper 8"

#### 94400

- \$1,914.00
- TERMS 30/60/90
- TS-8
- 3/4HP, 115V
- Folding handle for easy transport & storage
- Sharktooth wrench for easy blade changes
- Heavy-duty steel material deflector shield
- Belt-driven oscillating blade system provides 1,850 oscillating hits per minute
- Quick release pin angle adjustment
- 7-Gauge steel welded construction
- · Push plate & built-in weight make material removal a quick & easy job
- Pinch blade system accepts floor stripper blades of any make & size
- Shipping weight 170 lbs.

#### **Big Stick Chisel Scalers**

- Provides 3,500 hits per minute
- Extra large piston for harder hitting action
- Made in heavy-duty steel
- Requires 12-15 CFM at 90 PSI
- Removes up to 300 sq. ft. per hour of 4" ceramic tile set in standard thin-set
- High-strength tubular handle and soft foam hand grips for operator comfort

#### 5' Straight w/3" Chisel

27200

#### \$1,776.00

TERMS 30/60/90

- ALR-BS-Straight
- Shipping weight 23 lbs.

#### 5' Ergonomic w/3" Chisel 27100 \$1,776.00

TERMS 30/60/90

- ALR-BS-Ergo
- Shipping weight 24.50 lbs.





#### **Tile Shark Accessories**

28030	Scraper Blade, 8"Flex (Pack Of 5)	\$54.02
28040	Scraper Blade 8" Rigid 5/PK	\$43.66
28050	Slicer Scraper Blade 8″ 5/PK For Linoleum & Carpet	\$94.72
28060	Scraper Blade 12" 5/PK	\$49 <b>.70</b>

#### **Big Stick Accessories**

27031	Chisel, 2"	\$67.34
27033	Chisel, 3″	\$67.34
27034	BS-3M Blade Adapter, 7/8″Shank	\$ <b>90.2</b> 8
27035	Scraper Blade 6″ (Pack Of 5)	\$118.40

#### **Big Stick & ALR Accessory Packages**

27060	Big Stick Accessory Package 2" Chisel, 3" Chisel, Two-3" Milled Chisels, 6" Scraper Blades (5 Pack), a Chipping Point	\$380.36
C10330	ALR Accessory Package Display Stand, 1" Chisel, 2" Chisel, Two-4" Milled Chisels, One Package of 4" & 8" Scraper Blades	\$564.57
C10341	ALR Starter Package (No Stand) 1" Chisel, 2" Chisel, Two-4" Milled Chisels, One Package of 4" & 8" Scraper Blades	\$383.35

# MTA DISTRIBUTORS

#### **ALR Chisel Scalers**

- Provides 2,500 hits per minute
- · Made in heavy-duty steel or lightweight aluminum
- Requires only 6-8 CFM at 80-90 PSI
- Removes up to 200 sq. ft. per hour of 4" ceramic tile set in standard thin-set
- High-strength tubular handle and soft foam hand grips for operator comfort
- Quick-change, hardened steel tool chuck accepts dozens of accessories

#### Ergonomic w/4" Chisel

#### C10342

#### \$1,125.00

- TERMS 30/60
- ALR-E
- · Shipping weight 22 lbs.

#### 5' Steel w/4" Chisel

#### C10301

#### \$1,122.75

- TERMS 30/60
- ALR-5
- Shipping weight 18 lbs.

#### 4' Steel w/4" Chisel

#### C10308

- **\$994.**50
- ALR-4
- · Shipping weight 12.50 lbs.

#### 2' Steel w/4" Chisel

#### C10309

#### \$953.25

- ALR-2
- Shipping weight 9 lbs.

### 5' Aluminum w/4" Chisel

#### C10301A

#### \$1,071.75 TERMS 30/60

- ALR-5A
- Shipping weight 9 lbs.

#### 4' Aluminum w/4" Chisel

#### C10308A

#### \$1,045.50

- **TERMS 30/60** • ALR-4A
- Shipping weight 8.50 lbs.

#### 2' Aluminum w/4" Chisel

#### C10309A

#### \$992.25

- ALR-2A
- Shipping weight 7.50 lbs.

#### **ALR Accessories**

C10302	Chisel 4"	\$51. <sup>96</sup>
C10303	Chisel 2″	\$51. <sup>96</sup>
C10306	Milled Adapter, 4"	<b>\$89.</b> 59
C10329	Scraper Blades, 4″ 5/PK	<b>\$51.</b> 10
C10304	Scraper Blades, 8″ 5/PK	<b>\$62.</b> <sup>37</sup>
C10339	Shingle Remover w/O Blade	\$187. <sup>93</sup>
C10323	Blades 8-IN Shingle Remover (5/PK)	<b>\$99.</b> 96
C10310	LRS-H Scabbler Head Stem-Use With C10336 Bushing Head	<b>\$39.</b> 39
	with Crosso bushing Head	



# **STRIPPER & CHISEL ACCESSORIES**

# **FLOOR PRODUCTS PAGES 103-109**



**MTA**. **DISTRIBUTORS** 







#### MAGNAOTRAP

# Magna-Trap Single Disc Grinder

#### 59000

\$4,077.75 TERMS 30/60/90

- SEC-NG
- The need for wooden wedges goes away with Magna-TrapSlide-On Tooling
- Leveling System Hand Wheel adjusts the machine's height, uses a wide range of accessories, and truly grinds level. Level grinding is quicker, smoother, easier on the operator, and increases accessory life.
- Heavy-duty Velcro Dust Shroud makes dust prevention easier. Simply readjust the shroud according to the height of the accessory being used.
- Multi-Vac port for use with 2" or 3" vacuum hose
- 11" working width will grind approximately 200-250 sq.ft. per hour at 1/32 with Magna-Trap Dyma-Dots
- Electric machine plugs into dedicated residential wall outlets
- Includes 1 magnetic multi-accessory disc, which accepts Dyma-Serts, Strip-Serts and all other Magna-Trap accessories. 3
- grinding accessories
- Vortex 200 Vacuum System suppresses all the dust created by Grinders (sold separately)
- Shipping weight 287 lbs.



#### Single-Disc Tooling Packages

M103	3 Magna-Blades (Left Hand), 3 Dou- ble Dyma-Dots, 3 Dyma-Segs, 3 PCD w/Backing Seg- ment (Left Hand)	\$631.22
------	---	----------

# Grinding Stones (For Use w/Classic/Low RPM Grinders) \$61.68

11074-12	Grinding Stones Super Coarse 12/PK
11014-12	Grinding Stones Coarse 12/PK
11024-12	Grinding Stones Med. 24 Grit 12/PK
11034-12	Grinding Stones Fine 80 Grit 12/PK
-	



#### **Dual Disc Floor Grinders**

- The need for wooden wedges goes away with Magna-Trap Slide-On Tooling
- Leveling System adjusts the machine's height, uses a wide range of accessories, and truly grinds level. Level grinding is quicker, smoother, easier on the operator, and increases accessory life.
- Heavy-duty Velcro Dust Shroud makes dust prevention easier. Simply readjust the shroud according to the height of the accessory being used.
- Built-in weight tray accepts up to 80lbs. of extra weight
- Multi-Vac port for use with 2 or 3 vacuum hose
- 22" working width will grind approximately 400-500 sq.ft. per hour at 1/32" with Dyma-Serts
- Includes 2 magnetic multi-accessory discs, which accept Dyma-Serts, Strip-Serts and all other Magna-Trap grinder accessories
- Counter-rotating discs prevent machine from pulling side to side and give operator greater control
- 6 grinding accessories required per loading
- Shipping weight 363 lbs.

#### Magna-Trap Dual Disc Floor Grinder Electric 1.5 HP 115/230V

59200 \$5,466.00 TERMS 30/60/90



#### Magna-Trap Dual Disc Floor Grinder Honda GXV340 59300

\$6,713.25 TERMS 30/60/90





#### **Magna-Trap HD Floor** Grinder

#### **2D-HDE**

#### \$9.806.25

TERMS 30/60/90

- 2D-HDE
- 5HP, 230V
- 22" Working Width grinds approximately 500 sq. ft. per hour at 1/32" 1/16" per pass with Magna-Trap Dyma-Dots
- Includes 2-Slide-On Multi-Accessory Discs, which accept all Magna-Trap Tooling
- Overlapping counter rotating heads for full coverage
- 2-3" Vacuum Port and Water Port
- 6 Magna-Trap Tooling accessories required per loading
- · Fully adjustable rubber dust shroud
- · Shipping weight 583 lbs.



#### **Dual-Disc Tooling Packages**

**TERMS 30/60** 

M101	6 Magna-Blades (3 Left Hand & 3 Right Hand), 6 Double Dyma-Dots, 6 Dyma-Segs, 6 PCD w/Backing Segment (3 Left Hand & 3 Right Hand)	16.02 lbs.	\$1,141.82
M102	6 Magna-Blades (3 Left Hand & 3 Right Hand), 6 Double Dyma-Dots, 6 Dyma-Segs,	17 lbs.	\$1,141.82

# Hand) **MORE EDCO FLOOR GRINDER**



6 PCD w/Backing Segment

(3 Left Hand & 3 Right

#### \$3,426.75 TERMS 30/60/90 • TMC-7E

• 2HP, 115V

Grinder

57200

Magna©trap

Magna-Trap 7" Edge Turbo

- Three-position articulating frame adjustment for left angle, right angle or straight position grinding
- Four-position dust shroud allows flush grinding against any vertical surface in the left angle, right angle or straight position

(**E**)

- Multiple-position handle assembly allows the operator to work behind the unit for edge grinding or in front of the unit and control the amount of grinding pressure applied
- Adjustable tubular handle construction provides operator maximum grinding flexibility and allows for complete clearance of any vertical surface
- Comes standard with Flex Head Assembly, but is also available with optional Rigid Head Assembly for doing gutter work
- New & improved tapered roller bearings provide less maintenance and longer life
- Shipping weight 170 lbs.

#### MAGNAOTRAP

#### Magna-Trap 9" Turbo Lite Grinder

#### 58900

#### \$3,141.75

- TERMS 30/60/90
- TL-9
- 1.5HP, 110V
- Resurfaces hundreds of sq ft per hour
- · At only 90lbs, it fits inside car trunks when the handlebar is collapsed
- Compatible with Vortex 200 Vacuum for dust-free working (sold separately)
- Accepts Magna-Trap Slide-On Tooling (sold separately)
- · Shipping weight 112 lbs.



**MTA**. **DISTRIBUTORS** 



#### Magna©trap`

#### Magna-Trap 10" Turbo Grinder

#### 56900

#### \$5.315.25

- TERMS 30/60/90
- TG-10E
- 5HP, 230V, 1-phase
- 10" Working width will grind approximately 400-500 sq. ft. per hour at 1/16" with Dyma-Dots tooling.
- · Grind wet or dry
- Includes 10" Multi-Tooling Disc & standard vacuum port

(**E**.)

- Rounded shroud allows you to grind within 1/2" of any vertical surface and also provides better dust control
- · Less torque on operator
- Tapered roller bearings have improved seals for longer life and less maintenance
- · Shipping weight 286 lbs.



#### **Crete Crusher 5 Head** 63100

#### \$10,730.25

- TERMS 30/60/90
- CD-5
- Air, 160CFM
- Five 5pt Carbide Bits
- Removes up to 250 sq.ft. per hour at Depth Per Pass of 1/4
- Delivers 1,200 hits per minute for fast surface removal
- Requires only 160 CFM at 100 PSI Heavy-duty 1/4 steel frame
- 2 Vacuum Port for dust-free operation
- Automatic in-line lubricator (oiler)
- WHIPCHEK Cable assures safe air hose hookup
- Shipping weight 346 lbs.

#### Crete-Crush Accessories

#### 18810 Bit w/ Pins, 5-Point, CD-3/5 \$105.82 18820 Bit w/ Pins, 9-Point, CD-3/5 \$123.58 63220 Bit Removal Tool \$66.83



#### **CPM-8 Cutter Accessory Packs**

A201	Carbide Cutter Pack f/CPM8 78 CP206-T, 215 Spacers, 6 Shafts	\$481.00
A209	CPM-8 Fine Cutter Start Up Pack (96 CP206-T, 174 Spacers, 6 Shafts)	\$504.74
A211	CPM-8 Edger/CPM-4 Carbide Cutter Startup Pack;54 CP206-T;114 Spacers	\$316.38



#### **Crete Planer 8'' Walk Behind**


#### 79500


\$5,719.50

TERMS 30/60/90

- CPM-8E
- 5HP, 230V, 1-phase
- Includes 78 cutters & 215 spacers
- 8" working width will scarify approximately 350-500 sq. ft. per hour at Depth Per Pass of 1/8
- Removes traffic lines at 800-1,000 lineal ft. per hour
- Power source over drum to eliminate vibration and maximize surface contact
- Front-mounted lifting handle makes loading and unloading easy
- Vacuum port equipped
- Optional water misting system
- Optional edger attachment allows the CPM-8 to get within 1 3/4" of any vertical
- surface Shipping weight 340 lbs.







TERMS 30/60/90

**MTA DISTRIBUTORS** 

#### **Crete Planer 8" Walk Behind**

#### 79300

\$5,754.75

- Honda GX270 engine
- Includes 78 cutters & 215 spacers
- A207 Drum Installed
- 8" working width will scarify approximately 350-500 sq. ft. per hour at Depth Per Pass of 1/8
- Removes traffic lines at 800-1,000 lineal ft. per hour
- · Power source over drum to eliminate vibration and maximize surface contact
- Vacuum port equipped
- · Optional water misting system
- Optional edger attachment allows the CPM-8 to get within 1 3/4" of any vertical surface
- · Shipping weight 295 lbs.

#### **CPM-8** Accessories

65080	Water System Kit For CPM-8/10	\$60.01
39808	DCC-05S Diam Blade, 7 X .090 X 1.25	\$180.14
65074	Blade Spacer, 6OD X 1 1/4ID X 1THK	\$31.70
65050C	Drum 8 Carbide Cutter Assy Complete	\$860.74
65050	Drum Assembly Includes 6-Shafts	\$475.53
65027	Edger Assy	\$317 <b>.0</b> 3
C66040	Drum	\$399.29
20150	CP407 Shaft 1/2 X 8-9/16″L, CPL/M-8	\$8.57
C66043	CP410 Shafts; Use On CPM-4; 5-3/16-IN X 1/2-IN	\$9.43
12230-30	Spacers 30/PK	\$9.00
20156	6 PT Tung Carb 1-3/4X5/8	\$4.18
<b>NEW</b> 65170 TERMS 30/60/90	4″ PCD Drum Flat Tooth Complete CPM-8	\$6,063.56
<b>NEW</b> 65160	PCD Drum Flat Tooth 8" Complete	\$6,868.98



#### **Crete Planer Scari Lite**

#### 69300 \$3,766.<sup>50</sup>

TERMS 30/60/90

- CPL-8E
- 1.5HP, 115V
- 8" working width will scarify approximately 175-250 sq. ft. per hour at a Depth of 1/32" Per Pass

(€,,,,)

- · 6-Shaft drum accepts carbide and steel cutters
- · Etch the surface for new
- coatings · Comes standard with universal vacuum port hookup
- Uses same carbide & steel cutters as the CPM-8 Model Crete Plane scarifier
- · Shipping weight 233 lbs.



#### **CPL-8** Accessories

66309 CPL-8 Drum Assembly 6-Shafts \$322.64

#### CRETE

**Crete Planer 10" Walk Behind** 

69100

```
$6,711.00
TERMS 30/60/90
```

- CPM-10G
- Honda GX390 engine
- A207 Drum Installed
- 10" working width will scarify approximately 500-700 sq. ft. per hour at Depth Per Pass of 1/8

POWERED by

- 1/4 steel frame
- Heavy-duty, oversized bearings
- Weighs 299 lbs. with cutters
- Tethered emergency stop switch
- Larger 6" wheels in the rear for
- easy handling
- · Vacuum port standard for dustfree cutting
- · Shipping weight 369 lbs.



### TERMS 30/60/90





HONDA

#### **CPM-10 Cutter Accessory Packs**

A207	CPM-10 Startup Pack (6-Shaft Drum) 102 - 308T, 252 Spacers, 6 Shafts	\$800.68

#### **CPM-10 Accessories**

65270	CPM-10;6- Shaft Drum	\$582.65
<b>NEW</b> 65270C TERMS 30/60	CPM-10: Drum Assy 6-Shaft with Carbide 102	\$1,315.93
20170	Shaft for CPM-10	\$12.85
20180	CPM-10; 8-Shaft Shaft	\$9.43

#### **Concrete Plane Cutters**

12206	Cutter 2IN Pointed Steel	\$1.71
20206	Cutter 2IN Flat Tip Steel	\$1.71
20336	CP207; Carbide Milling Cutter	\$14.06
20326	Cutter Carbide 8 PT.	\$6.27
20136	CP408TV Cutter, 3-1/8" Carbide	<b>\$7.06</b>
20236	CP204P Cutter Wheel, Pointed Steel	\$0.73
20056	CP405P; 3-IN Pointed Steel	\$3.00
20086	CP-405 Flat Tooth 3/4 IN	\$3.03
20316	12 Point Carbide Cutter	\$7.84

#### Vacuum Vortex Hepa 🕖 W/Hose

#### ED33125HCONK

#### \$2,850.00

- TERMS 30/60/90
- VAC-200
- 200 CFM, HEPA 2.0
- 9 gallon capacity
- 94" lift column
- Helps exceed the OSHA Respirable Crystalline Silica Regulations
- Filters air to HEPA Standard 99.97% @ 0.3 Microns Efficiency. Ideal for fine dust capture
- 2 HEPA Filters and 1 unique MicroClean Filter standard
- 3-Year MicroClean Filter guarantee
- Built of Cast-Composite Material. Lifetime-Guaranteed Not to Crack
- Dual Motor Electric 110 Volt, 16 AMP
- 13 Sq Ft of Filter Area
- Dust Bagging Conversion Kit available for all Vortex 200 Vacuums
- 25', 2" Hose Included
- Shipping weight 141 lbs.

## \$6.27 \$7.06 \$0.73 \$3.00 ED5004K Wand

EDJUU4K		3303.77
ED7004 TERMS 30/60	Vac-290; 32-IN Floor Sweep Kit	\$1,029.53
ED20091	Filter; 13 SQ/FT; 1.2M2	\$ <b>408.48</b>
ED30091	Filter; 28 SQ/FT; 2.6M2	\$583.12
ED35211CON	Replacement Hepa Filter 2.0 (Vac-200/290)	\$214.51

Wand Floor Tool



#### Vacuum Vortex Hepa Max W/Hose ED33280K

Cast-composite material guaranteed for life not to crack

• Micro-clean filter with a HEPA MAX filter, guaranteed for 3

\$4,158.00 TERMS 30/60/90

• 290 CFM, HEPA MAX

• 28 SqFt of filter area

Electric 110 volt 3-motor system9 gallon capacity dust pan

25 ft, 3" diameter hose included Shipping weight 209 lbs.

• VAC-290

years



\$363 77

#### MTADISTRIBUTORS.com / 800.264.0225

#### Walk Behind Saw 20" Gas Downcut



Blades Sold

Separately

30100

#### \$2,590.50

TERMS 30/60/90

- DS-20
- Honda GX390 engine
- 20" blade capacity, downcut
- NEW & improved throttle cable
- · Easy turn crank, for lowering and raising blades in and out of cut
- Heavy-duty anti-vibration engine mount!
- Screw boot belt tensioner prevents frame damage
- 7-gauge steel blade guard with welded protective segment flap
- · Heavy-duty lifting bail for easy loading and unloading
- Heavy-duty 7-gauge steel laser cut frame
- Large screw-type depth control
- · Wide-T handles with rubber grips
- Solid-steel lifting handles
- High quality molded rubber wheels
- HONDA
- Shipping weight 340 lbs.

#### Walk-Behind Saw Accessories

52075	Water Tank Assy. Option, SK-14 New	\$313.76
50445	1 1/2-IN Arbor Wrench	\$19.82
56310	Water Tank Assy. Option; DS-18/DS-20	\$175.38

#### Walk Behind Saw 18" 5HP Electric 230V **1 Phase Downcut**



#### \$3,852.<sup>00</sup>

TERMS 30/60/90

- DS-18
- Electric, 5HP, 230V, 1 phase, 60Hz
- 18" blade capacity, downcut
- Heavy-Duty Anti-Vibration engine mount
- Screw boot belt tensioner prevents frame damage
- 7-gauge steel blade guard with welded protective segment flap
- · Heavy-Duty 7-gauge steel laser cut frame
- · Heavy-Duty lifting bail
- Large screw-type depth control
- Wide-T handles with rubber grips
- · Solid-Steel lifting handles
- · High quality molded rubber wheels
- Shipping weight 333 lbs.





#### Self Propelled Saw 16" 13HP Gas

32800

#### \$5,787.44

TERMS 30/60/90

- SS-20
- Honda GX390 engine
- Stressproof, precision-machined, 1 3/4" steel arbor shaft
- Includes electric start, 12-volt battery and heavy-duty 15-amp charging system
- Swing-away, rear 3-gallon fuel tank
- Screw-type depth control w/lock guarantees accurate cutting
- · Shipping weight 438 lbs.





#### AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES

Blades Sold Separately



Blades Sold

Separately

#### Self Propelled Saw 20" 20HP Gas



Blades Sold Separately

#### 32600

#### \$8,801.25

TERMS 30/60/90

- SS-20
- Honda GX630 engine
- Stressproof, precision-machined, 1 3/4" steel arbor shaft
- Includes electric start, 12-volt battery and heavy-duty 15-amp charging system
- Swing-away, rear 3-gallon fuel tank
- Screw-type depth control w/lock guarantees accurate cutting
- Shipping weight 578 lbs.



#### Saw 30" Self Propelled 35HP

Blades Sold Separatelv

#### 31400-30

#### \$16,462.50

TERMS 30/60/90

- Stress-proof, precision-machined, 2 steel arbor shaft
- Includes electric start, 12-volt battery and heavy-duty 30-amp charging system
- Locking depth control allows operator to easily return to same depth, cut after cut
- Positive-traction, chain drive rear axle prevents slippage and improves cutting speeds
- Swing-away, rear 6.4-gallon fuel tank

 Can be fitted with a 30" Blade Guard to

- Guard to accommodate a 30" Diamond Blade
- Shipping weight 1,040 lbs.



#### Self Propelled Saw 24"



#### \$9,954.75 TERMS 30/60/90

- TERMS 30/6
- SS-24
- Honda GX690 engine
- Self-Propelled gear drive system
- Stress-proof, precision-machined, 1 1/4" steel arbor shaft
- Includes electric start, 12-volt battery and heavy-duty 15-amp charging system
- Inside mounted, 3-gallon fuel tank
- Screw-type depth control w/lock guarantees accurate cutting
- Heavy-duty lifting bail
- Shipping weight 662 lbs.



Crack Chasing Saw 8″ Gas 13HP

POWERED by

Blades Sold Separately CONCRETE SAM

#### 49600 \$4,671.75

TERMS 30/60/90

- C-10Honda GX390
- engine
- Maximum depth of cut is 1"
- Caster wheels
   allows operator to
   follow any random
   crack pattern
- Combination depth control knob and engage/disengage lever allow exact depth cutting
- Standard with dual
   3 vac ports for dry cutting
- Shipping weight 267 lbs.
- Shipping weight 267 lbs.

#### **Crack Chasing Saw Accessories**

CC0837P3	Diamond Blade 8 X 375 X 1 Cured	<b>\$229.40</b>
CC0850P3	Diamond Blade 8 X 500 X 1 Cured	\$273 <b>.0</b> 6

**DISTRIBUTORS** 

Blades Sold

Separately

#### Walk Behind Saw 14" Gas Downcut Honda GX200

39200

#### \$1,827.00 TERMS 30/60/90

- KL-14
- Honda GX200 engine w/Cyclone air filter
- 14" Blade Capacity Downcut
- Specifically Designed Collapsable Handlebar For Easy Storage under Shelving
- Heavy-Duty Box Frame Construction
- Laser Fabricated Thick Steel Material
- Easy-Use Hand Wheel Depth Control
- Misting system for wet cutting
- Thick steel blade guard for added safety
- Easy access belts and bearings for fast maintenance
- Existing and proven EDCO Saw features condensed into a 3ft x 1.5ft footprint
- Shipping weight 158 lbs.

#### Walk Behind Saw 18" Honda GX390 Downcut

#### 39600

Blades Sold

Separately

#### \$2,367.75 TERMS 30/60/90

- KL-18
- Honda GX390 engine
- 18" blade capacity, downcut
- NEW & improved throttle cable
- Easy turn crank, for lowering and raising blades in and out of cut
- Screw boot belt tensioner prevents frame damage
- · 7-gauge steel blade guard with welded protective segment flap
- Heavy-duty 7-gauge steel laser cut frame
- · Large screw-type depth control
- Wide-T handles with rubber grips
- · High quality molded rubber wheels
- Shipping weight 305 lbs.

POWERED by



Blades Sold

Separately



## **NEW ITEMS ADDED EVERY MONTH!**



http://mta.li/hotdeals

40

#### 14" Masonry Saws

Honda GX270 engine

• Rolling table will accommodate 16" blocks

Rounded blade guard with splash proof protection

• Portable model with 14" blade capacity

• BB-14

Blades Sold Separately

- **Blades Sold** Separately
- Freestanding model with 14" to 20" blade capacity
- · Large capacity, 3-stage air filter protects from wear
- · Belt driven diaphragm water pump is standard and can be disconnected when cutting dry
- Fixed or adjustable cutting head for extra versatility
- Extra-large rolling table supports large materials
- · Double-sided table rails are easy to replace
- · Standard foot pedal for hands-free operation
- · Patented fixed engine platform

#### Masonry Saw 20" 13HP Gas

20" Masonry Saws

27700

#### \$5,241.75

TERMS 30/60/90

- GMS-20
- Honda GX390 engine · Shipping weight 533 lbs.





#### 26500 \$3,419.25

Masonry Saw 14" 9HP Gas

TERMS 30/60/90

- BB-14
- Honda GX270 engine
- Shipping weight 175 lbs.

#### Masonry Saw 14" 1.5HP Electric

22300

#### \$2,528.25

TERMS 30/60/90

- BB-14
- Electric, 1.5HP, 1-phase, 60Hz, 115/230
- Shipping weight 259 lbs.



#### 24200

#### \$2,167.50

- TERMS 30/60/90
- TMS-10
- Cuts up to 12" tiles diagonally or 20" tiles lengthwise; 2-position tray makes it easy to cut large or small tile
- · Vertical and horizontal shielded bearings provide smoother rolling table for cleaner cuts
- Rolling table is locked to guide rails so it can not be misplaced
- Adjustable water flow and electric water pump included
- · Shown with optional blade and stand that are not included
- · Shipping weight 111 lbs.





#### \$5,260.50

- TERMS 30/60/90
- MS-20
- · Shipping weight 440 lbs.

wood block eliminates cutting through tables • 1/4" steel arbor wrench with saw-mounted wrench holder

· Universal cutting table with water drain holes and centered

- · Adjustable cutting head can be used manually or locked in a fixed position
- Folding upright stand or expandable ProCart for convenient working height (sold separately)
- · Shipping weight 175 lbs.

Masonry Saw 20" 5HP Elec MS-20-5

21200

- Electric, 5HP, 1-phase, 60Hz





#### Stand f/Edco

24150	Saws	\$91.50
42160	Straight Cut Guide	\$14.80

#### 14" Masonry Saws

#### Masonry Saw 14" 5.5HP Gas

#### 26300

\$2,856.75 TERMS 30/60/90

- Honda GX160 engine
- BB14G
- Portable model with 14" blade capacity
- Universal cutting table with water drain holes and centered wood block eliminates cutting through the table
- Includes 1/4" steel arbor wrench
- Saw-mounted wrench holder
- Vacuum hookup optional for dust-free cutting
- Water pump mount for easier adjustment
- Easier belt adjustments
- Arbor size 1"
- Blade sold separately
- Shipping weight 280 lbs.



14" Masonry Saw Accessories		
40631	Stand For Masonry Saw	\$165.00
24950	Procart For BB14 Saw	\$618.00

#### Turbo Grinder Tooling Package










#### **Concrete Classification**



#### STRIP

 MAGNA-BLADE TOOLS are designed to strip soft/ thick coatings\* without grinding or removing concrete surfaces. They feature

8 stripping sides per replaceable Tungserts.

- \* strip off soft material that can be cut with a utility knife
- SOFT GLUE & ADHESIVE
- FOAM RUBBER CARPET BACKING
- FLAKING PAINT
- SOFT MASTIC
- THICK INDUSTRIAL BUILDUP

#### Magna-Blades 3/PK

Left Hand - Black 12501LC \$187.50



Right Hand - Black 12501RC \$187,50

• Dual disc grinders only

Magna-Blade 8-Sided Carbide

300101

\$101.90





Dyma-Arrows 3/PK Specialty Striping

**\$90.**00

Left Hand Medium - Gray QCAR-MC-0030



Right Hand Medium - Black QCAR-MC-0030-R

Dual disc grinders only

Left Hand Soft - Yellow QCAR-SC-0030-L

Right Hand Soft - Green QCAR-SC-0030-R • Dual disc grinders only









AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES

**MTA DISTRIBUTORS** 

#### GRIND

- DYMA-DOT and DYMA-SEG TOOLS are designed to grind hard/thin coatings and lightly level concrete. Both tools create smoother concrete surfaces.
- HARD THIN COATINGS
- CONCRETE SEALERS
- MORTAR BASED THINSET
- LIGHT CONCRETE LEVELING
- SMOOTH/LEVEL CONCRETE IMPERFECTIONS

#### **Double Dyma Dots 3/PK General Purpose Grinding**

#### Hard - Red

QC2B-HC-0030	30 Grit	\$67.50
QC2B-HC-0070	70 Grit	\$85.00
QC2B-HC-0120	120 Grit	\$85.00



#### Medium - Gray

QC2B-MC-0030	30 Grit	\$67.50
QC2B-MC-0070	70 Grit	\$67.50
QC2B-MC-0120	120 Grit	\$85.00



#### Soft - Yellow

QC2B-SC-0030	30 Grit	\$67.50
QC2B-SC-0070	70 Grit	\$85.00
QC2B-SC-0120	120 Grit	\$85.00


#### Single Dyma Dots 3/PK **30 Grit Specialty Grinding**

\$60.00

Hard - Red QC1B-HC-0030

Medium - Grav QC1B-MC-0030

Soft - Yellow QC1B-SC-0030



OC2S-HC-0018

Medium - Grav QC2S-MC-0018 \$67.50

Soft - Yellow QC2S-SC-0018 \$67.50

#### **Economy Grinding Tools 3/PK Retail Blister Pack**

Medium - Grav M501MC \$50.00

Soft - Yellow M501SC

\$57.50



EDCO



MAGNA-TRAP TOOLING

#### **Tooling Display Stand** 22430002 \$80.00

- Tooling sold separately
- FREE when you buy \$1,000 of core tooling (mix & match)



### **MORE EDCO** FLOOR GRINDER **ACCESSORIES**

## Dyma Segs 3/PK

\$88.80



#### REMOVE

CCESSORIES

- PCD with BACKING SEGMENT TOOLS are designed to remove thick industrial strength coatings. This tool creates textured concrete surfaces.
- INDUSTRIAL STRENGTH COATING
- WATERPROOF MEMBRANE
- HARD-THICK COVERINGS
- POOL/COOL DECK
- EPOXY & POLYUREA

#### **Dvma PCDs** w/Backing Segment 3/PK \$112.50

#### Left Hand - Blue QC-PCD1-LB



**Right Hand - Black** QC-PCD1-B • Dual disc grinders only



#### **Accessories and Retrofits**

77506	Weight Block; 40 LB.; 2DP \$121.36	
101201	Disc Assembly w/ Larger Spacer	\$361.86
100054	3-Pocket Disc w/ Carbide Pockets Universal	\$232.36
100292	Disc Assembly w/ Carbide Pockets & Hub	\$276.75
77618	Adapter Plate For 10-IN Diamond Disc	\$178.86
58956	TL-9 Dust Ring	\$166.34
72312	Head Assy. w/ Full Cover, Rigid	\$512 <b>.0</b> 8
72313	Head Assy. w/ Cut Cover, Flex, TMC7	\$512.08
86326LB	TG-10 Morflex Coupler Assembly (Less Bearings)	\$430.99

#### **Classic Wedge-Style Accessories - Grind**

19360	QC Dyma-Sert Holding Case w/ Pad	\$53.28
19120	Holding Case f/Dymasert	\$14.86
19110	Dyma-Sert Eg-1X 30-40G	\$75.00
19130	Dyma-Sert, Eg-2X, 30-40 Grit	\$75.00
19180	Dyma-Sert, Eg-3X, 30-40 Grit	\$75.00
77630L	Stone Holder Left	\$56.24
77630R	Stone Holder Right	\$56.24

#### **Classic Wedge-Style Accessories - Strip**

12424	Strip-Sert Assembly Slide On RH	\$164.28
12420	Strip-Sert Assembly Slide On LH	\$164.28
12400	Strip-Sert Assembly "Old Style"	\$100.64
12407	Strip-Sert Tungsten Carbide 6/PK	\$111.74
12160-12	Wooden Wedges 12/PK	\$4.00

**MTA. DISTRIBUTORS** 

## **Dyma PCDs** 3/PK Extreme Removal

#### \$120.00

**Left Hand - Blue** QC-PCD1-L



**Right Hand - Black** QC-PCD1 · Dual disc grinders only



#### **Economy Removal Tools 3/PK Retail Blister Pack**

\$67.<sup>50</sup>

#### Left Hand - Blue M401PL





· Dual disc grinders only



#### **Classic Wedge-Style Accessories -Remove**

12114	CG221 Scarifier Holding Case	\$22.94
12120	CG222 Taw Scarifier, Standard	\$28.86
12130	CG223 Taw Scarifier, Heavy Duty	\$35.52

#### **Classic Wedge-Style Accessories - Misc**

12170	Wire Brush w/Wedge	\$10.58
77049	55 LB Weight	\$91.02
8888	Multi-Accessory Disc RH	\$173.21
9999	Multi-Accessory Disc LH	\$173.21

#### **GRINDER ACCESSORIES**

#### 7" Turbo Grinder Bolt on Tooling

Diamond Cup Wheel 40-50 Grit 72030 \$138.<sup>38</sup>



#### 10" Turbo Grinder Bolt on Tooling

• Ideal for removing coatings and leaving a smooth finish to the surface



10 Segment Economy - Silver 19167 \$74.00

20 Segment Hard Bond General Purpose - GreenPremium 19165 \$277.50



20 Segment Medium Bond General Purpose - White 19161 \$277.<sup>50</sup>



#### Grinding Disc Orange 10"-20 Segment 19162 \$436.60



Diamond Disc STD. 10"-20 Segment 19170 \$222.00



#### CATALOG FREIGHT PROGRAM

#### **GROUND FREIGHT**

Invoice	Shipping Charge
Under \$50	\$24.99
\$50 - \$249	\$35.99
\$250 - \$999	\$59.99
\$1,000 - \$2,999	\$99.99
\$3,000 - \$4,999	\$149.99
\$5,000 - \$7,499	\$199.99
\$7,500 +	

#### LTL FREIGHT

Invoice	Shipping Charge
Under \$500	\$155.00
\$500 - \$999	\$175.00
\$1,000 - \$1,499	\$195.00
\$1,500 - \$2,999	
\$3,000 - \$4,999	
\$5,000 - \$7,499	\$399.00
\$7,500 +	FREE Freight

• Program applies to stock MTA catalog items. Excludes JLG Lifts. Special order products and repair parts are not eligible.

- Program only applies to shipping points in the 48 contiguous United Sates.
- All orders that cannot be properly handled by UPS will ship LTL.
- Orders weighing 150 lbs or more will ship LTL.
- Posted shipping rates for back-ordered shipments will apply.
- For all expedited shipment requests or special\* handling options, carrier expedited rates/surcharges will apply.
- Shipping charges will be due on the first payment for orders with extended payment terms.
- Terms and conditions of this program subject to change without notice.
- \* Special handling examples: appointment request, construction site delivery, limited access delivery (school, hospital, military base), residential delivery, inside delivery, lift-gate service, over length freight (8' to 40'), guaranteed delivery.



#### **Non-Reflective Safety Cones Orange**

- Stem of the cone is molded from LDPE to provide superior cold/hot weather performance
- Excellent 100% UV resistance/color retention, and superior impact performance
- Base of the cone is molded from recyclable rubber and make up 80% of the total weight
- Dimensions of the base are to be 15-3/4" x 15-3/4". Cone base is removable so that the stem can be replaced.
- Base will lock onto the stem with molded-in locking lugs on the stem
- Tipping angle of the cone shall be no less than 76° from vertical

#### Safety Cone Orange 18" 726684



#### \$6.63

· Shipping weight 3 lbs.

#### Safety Cone Orange 28" 726685

#### \$11.50

Shipping weight 7.52 lbs.



#### Rebar Caps Osha 100/BX #3-#8

#### 14640-4

- \$107.50
- Bright orange color offered in two sizes
- Fits #3-#8 rebar
- · Large caps are certified to meet CA & Fed. impalement protection regulations
- · Shipping weight 49 lbs.

## MORE SAFETY ITEMS



#### **Reflective Safety Cones Orange**

- 6" & 4" reflective collars, MUTCD Compliant
- Stem of the cone is molded from LDPE to provide superior cold/hot weather performance
- Excellent 100% UV resistance/color retention, and superior impact performance
- Base of the cone is molded from recyclable rubber and make up 80% of the total weight
- Dimensions of the base are to be 15-3/4" x 15-3/4". Cone base is removable so that the stem can be replaced.
- Base will lock onto the stem with molded-in locking lugs on the stem
- Tipping angle of the cone shall be no less than 76° from vertical

#### Safety Cone Orange 28" Reflective 726686

#### \$17.50

• Shipping weight 7.48 lbs.

#### Safety Cone Orange 36" Reflective 726687

#### \$21.88

· Shipping weight 11 lbs.





#### Cortina (

#### **Barricade, Engineer Grade**

#### 97-01-001-5

#### \$43.88

- Meets MUTCD standards
- Folded dimensions are 2.5"H x 24" W x 45.5"L
- 12"x24" top panels and 8"x24" bottom panels
- NCHRP-350 Certified with/without barricade lights
- Engineered Grade reflective sheeting
- · Built in bracket accommodates light
- · Closed hinge feature prevents pinched fingers during placement & retrieval
- All-Plastic Type I 24" x 8" x 8"
- Sundowner LED Barricade Light part # 3019298 sold separate
- · Shipping weight 16 lbs.









#### Silt Fence 36" X 100'

#### SF1273611E **\$37.**73



- · Designed to meet a wide range of job site needs from the open-spec to the DOT markets
- Allows water to pass through the fabric, while suspended soil particles are trapped to settle to the ground
- · Restricts the loss of costly job site material
- · Keeps roads and highways free of mud
- Protects our lakes and streams from harmful silt build-up
- · Five fastenings per post
- · Shipping weight 21 lbs.

#### **Orange Barrier Fence** 4'X100'



#### **BFW4100E**

#### **\$26.**25

- · A lightweight warning barrier that is ideal for temporary barriers on construction sites and Haz Mat sites
- The most economical fence for the budget conscious contractor
- Produced from a blend of UV treated polypropylene and polyethylene, this fence is flexible, strong, reusable, recyclable, and long lasting
- 4" x 1" Mesh
- · Shipping weight 7 lbs.



#### Caution Tape 3"X 1000' 6/BX

#### BTCC31000G

#### \$68.64

- · Ideal for identifying jobsite hazards, work area, and for crowd control
- 1.5 Mil polyethylene
- · Individually wrapped and labeled rolls
- Suitable for peg hanging or shelf display
- Open top display cartons
- · Shipping weight 13 lbs.

#### **POWERWELD®**

#### Welding Glove, Large 1PAIR

#### 10-2101

- \$6.75
- · Shoulder split cowhide
- Wing thumb • 13" length
- Shipping weight 0.65 lbs.



#### Safety Glasses Octane 12/BX

- Fits all face sizes
- Wraparound temples
- Rubberized temple tips allow additional grip
- 8.5 base curve
- Soft rubber nose pads

#### Safety Glasses Clear WEL15324BKCL



• Shipping weight 1.08 lbs.

#### **Safety Glasses Octane Gray** WEL15326BKGY

#### \$33.00

· Shipping weight 1.08 lbs.



#### Saftey Glasses Blue Mirror 12/BX WEL15332BKBM

#### \$44.55

· Shipping weight 1 lbs.



			2		
١	DELTA	PLUS	С	OMPANY	

Safety Glasses Gray Anti-Fog 10/PK	NEW
15327	

· Shipping weight 1 lbs.

#### NEW Safety Glasses Economy Clear 10/BX WELBRAVAINAB

#### \$14.25

• Shipping weight 1.32 lbs.

#### Safety Glasses Econo Gray BX/12 **WELBRAVAFU**



#### \$13.50

· Shipping weight 1.32 lbs.

## \$48.00









EYEWEAR & GLOVES



#### **Americana Hardhats**

- Americana<sup>®</sup> MEGA Ratchet<sup>®</sup> Cap Style Hard Hat
- Meets ANSI/SEA Z89.1, Type 1, Class C, E and G requirements
- 4-Point woven nylon suspension
- · Features a short peak and low profile
- Functional rain trough
- · Accessory slots accommodate a wide variety of eye, face and hearing products
- · Accommodates chin strap
- Goggle retaining slots on suspension
- Moisture wicking brow pad is removable, washable & replaceable
- · Certified when headband is installed in reverse position
- Ratchet size adjustment for head sizes 6.5-8

#### **Hardhat White**

#### WEL19361WH

#### \$8.99

• Shipping weight 0.90 lbs.

#### **Hardhat Yellow** WEL19362YE

#### \$8.24

• Shipping weight 0.90 lbs.

#### Hardhat Lime Hi-Viz WEL19360HL

#### \$8.24

· Shipping weight 0.90 lbs.

#### **Hardhat Blue** WEL19366BL

#### \$8.24

· Shipping weight 0.90 lbs.

#### **JACKSON**<sup>\*</sup>

#### **Hardhat Western**

- Wide brim for protection against harmful UV rays
- · Stylish, comfortable and fits all head sizes
- 4 pt. ratchet suspension
- Excellent protection against sun, rain, heat and glare



#### **Full Brim Hardhats**

- Americana<sup>®</sup> MEGA Ratchet<sup>®</sup> Full Brim Style Hard Hat
- Meets ANSI/SEA Z89.1, Type 1, Class C, E and G requirements
- 4-Point woven nylon suspension
- · Accommodates chin strap
- · Goggle retaining slots on suspension
- · Moisture wicking brow pad is removable, washable & replaceable
- SEI Certified
- Ratchet size adjustment for head sizes 6.5-8

#### **Hardhat White Full Brim** WEL19221WH

#### \$12.29

• Shipping weight 0.95 lbs.

#### Hardhat Yellow Full Brim WEL19222YE

#### \$11.26

· Shipping weight 0.95 lbs.



#### \$11.26

• Shipping weight 0.95 lbs.

#### Hardhat Blue Full Brim WEL19226BL

- \$11.26
- · Shipping weight 0.95 lbs.





#### Hardhat Western Tan 19502

#### \$34.21

· Shipping weight 0.50 lbs.

#### Hardhat Western White 19500

\$34,21

· Shipping weight 0.50 lbs.





48

**MTA**. **DISTRIBUTORS** 











#### **3 Piece Rain Suit PVC/Poly**

#### \$11.88

- 3-Piece rain suit consists of a 32" jacket with detachable hood, and bib overall pants
- Reinforced seams for strength and durability
- Made from 100% Non-Conductive Material
- Entirely Waterproof
- Comfortable, over sized fit

#### Rainsuit 3 Piece PVC/Poly Large 14505-0-3

• Shipping weight 0.50 lbs.

#### Rainsuit 3 Piece PVC/Poly XL

- 14505-0-4
- Shipping weight 0.50 lbs.

#### Rainsuit 3 Piece PVC/Poly 2X 14505-0-5

Shipping weight 0.50 lbs.

#### ArcherPlus

#### **Chainsaw Safety Chaps**

#### TSC

#### \$58.93

- Durable polypropylene leg straps and Delrin quick-release buckles allow easy adjustment and fast on and off
- Adjustable leg length
- 100% water-resistant nylon 400 Denier shell is also snagresistant
- Machine-washable and dry-able
- Meets APA Class "A" specifications. UL-Classified.
- One size fits most
- Shipping weight 4 lbs.

#### **Respirator Multi Purpose**

#### SWX00320

#### **\$34.**24

- Flexible facepiece material provides an excellent face-to-respirator seal which improves fit and comfort
- Long-life cartridges are approved to the NIOSH P100 Class, so they are at least 99.97% efficient against oiland non-oil based contaminants, and are oil-proof so they have no time use limitation
- The cartridges are also NIOSH Approved against Chlorine, Hydrogen Chloride, Hydrogen Sulfide, and Organic Vapors
- The included hygiene cover helps keep dirt out of mask when not in use and helps keep shape of seal intact
- Shipping weight 0.50 lbs.





#### Safety Vest Mesh Hi-Viz Orange Class II

#### **\$4.**<sup>34</sup>

- AWARELite<sup>™</sup> Reflective Trim
- Conforms to ANSI/ISEA 107
   Standard
- 100% polyester mesh
- Hook & Loop
- No Pockets
- Shipping weight 0.10 lbs.



Medium	WEL61433HOMD
Large	WEL61434HOLG
X-Large	WEL61435HOXL
2X-Large	WEL61436HO2X

#### 

#### Safety Vest Mesh Lime ANSI Class II

- AWARELite<sup>™</sup> Reflective Trim
- Lime Green
- 100% Polyester mesh
- 2 exterior waist pockets with hook & loop closure, 7" W x 7.5" D
- 1 exterior left chest pocket, 4" x 4"
- Zipper
- Shipping weight 0.10 lbs.



Medium	\$5.40	WEL61647HLMD
Large	\$5.40	WEL61648HLLG
X-Large	\$5.40	WEL61649HLXL
2X-Large	\$4.95	WEL61650HL2X







- · Moldable metal noseband reduces fogging in glasses
- · Latex-free and hypoallergenic for users with sensitive skin
- Heavy-duty elastic strap keeps mask secure
- Light green color highlights lawn and garden applications



5/PK	25/PK	50/PK	
10028549	10059526	10028560	
<b>\$4.</b> 24	<b>\$21.</b> <sup>18</sup>	<b>\$42.</b> 35	
<ul> <li>Shipping</li> </ul>	<ul> <li>Shipping</li> </ul>	<ul> <li>Shipping</li> </ul>	
weight 0.03 lbs	weight 0 25 lbs	weight 0 45 lbs	



#### **Respirator 2/PK**

#### 817633

#### \$5.66

MASK & RESPIRATORS

- Standard Harmful Dust Respirator
- · Patented nosebridge with molded
- noseband improves comfort and fit · Electrostatic filter media traps dust while maintaining low
- breathing resistance
- Latex-free and hypoallergenic for users with sensitive skin
- NIOSH approved (N95 Class)
- Shipping weight 1 lbs.



#### **Respirator Half-Mask**

#### WEL13533

#### \$24.09

- Assembly includes half facepiece, respirator and particulate filter 2091 P100
- Half facepiece design combines comfort and convenience
- Remarkably comfortable, soft, lightweight facepiece and easy-to-adjust head straps
- Removable filters can be replaced with NIOSH approved 3M filters and cartridges
- NIOSH approved for environments containing certain oil and non-oil based particles
- Shipping weight 0.34 lbs.



#### Face Shield Kit 24/BX

#### 773290

#### \$77.40

- Includes 4160 face shield and 17942 compatible safety alasses
- Lightweight
- Acts as additional barrier or separator between people
- Can be used for sanitary purposes acting as a sneeze guard, low velocity splash or particle guard
- Good for use in industrial settings, restaurants, food preparation, etc.
- This does not take the place of a face mask where face mask is required to be worn
- · Shield fits under the brim of ERB Safety's hard hats and bump caps
- Shipping weight 0.10 lbs.

#### ERB

#### Headgear W/ PC Shield WEL15160BK

#### **\$28**,05

- Push and turn ratchet head sizing adjustment from 6.75 to 8
- Four-position locking shield with adjustable tension
- · Side knobs increase and decrease tension of shield replacement
- Shield measures 8"x12"x0.60
- · Clear, hard-coated polycarbonate shield provides excellent scratch resistance
- Meets ANSI Z87.1
- Shipping weight 1.35 lbs.



#### **Harness Construction Plus 3-D S-XL**

#### 48303

#### \$45.99

- Three D-ring ConstructionPlus<sup>™</sup> harness
- Sliding D-ring at center of back
- D-ring on each hip
- · Parachute-mating buckles on leg straps
- Made of polyester
- · One size fits most
- Max. weight capacity 310 lbs.
- · Meets ANSI and OSHA requirements at time of manufacture
- Shipping weight 2.30 lbs.







#### Harness Construction Plus 1-D S-XL

#### 48113

#### \$65.70

- One D-Ring ConstructionPlus<sup>™</sup> Harness with attached Lanyard
- Sliding D-ring at center of back
- Made of Polyester and Nylon
- Max. weight capacity 310 lbs
- One Size Fits Most
- Meets ANSI and OSHA requirements at time of manufacture
- Shipping weight 3.90 lbs.







#### Harness Bag For Kits 88000

#### \$11.19

• Shipping weight 0.30 lbs.





#### Aerial Kit K121013

#### **\$77.**22

- Harness and Lanyard in convenient toolbag
- BaseWear Std Harness with Single Back D-ring and Pass Through Legs
- 6 ft DeCoil Lanyard with Snap Hooks
- Meets all OSHA and ANSI requirements
- Universal fit
- Weight rating 110-290lbs
- Includes: C311100 lanyard and H411002 harness
- Shipping weight 6 lbs.





#### Fall Protection Kit M-XL

#### 05593

#### **\$87.**73

Personnel Fall Protection Kit Includes: 48113 Construction

Harness, with one D-Ring center of back with attached 1-1/2" NoPac shock absorbing lanyard with 13102 3/4" throat opening Centurion auto-lock snaphook

- Includes Red Carry-all bag
- One size fits most
- Shipping weight 2.40 lbs.





#### Fall Protection Kit 05513

#### **\$86.**14

- 48013 CP Harness with Mating Buckles and attached 1-1/4" x 6' NoPac Energy-Absorbing Web Lanyard with 13102 Snaphook
- Parachute mating buckles on chest and leg straps
- Made of polyester
- Max. Weight Capacity 310 lbs.
- One size fits most
- Meets ANSI and OSHA requirements at time of manufacture
- Shipping weight 3.70 lbs.



#### Lanyard 1-1/2" X 6' No-Pac Lanyard

#### 35326

#### \$55.41

- 1" x 6' NoPac Shock Absorbing Web Lanyard, Polyester
- Max. weight capacity 310 lbs
- Meets ANSI and OSHA requirements at time of manufacture
- Shipping weight 2.70 lbs.

# MTA DISTRIBUTORS







#### 

#### Radio VHF 8 Channel, 2 Watt 2 Way

#### RMV2080

#### **\$228.**00

- 27 Selectable VHF frequencies (RMV2080 only)
- 219 interference eliminator codes
- Meets MIL-SPEC 810 & IP55 specifications for demanding environments
- Channel scan with selectable scan list
- 2 Programmable buttons
- Voice inversion
- IVOX and VOX Voice-activated control
- Tri-color LED with transmit, receive & low battery indication
- Channel announcement with voice alias
- NOAA weather alert (RMV2080 only)
- 2100 mAh Li Lon rechargeable battery
- 8 Hr. drop-in charging tray w/wall adaptor
- Swivel Belt Holster with 3.5 Spring Clip
- Shipping weight 1.25 lbs.

#### 

#### Radio UHF 4 Channel, 1 Watt 2 Way

#### CLS1410

#### **\$214.**67

- 1100 mAh NiMH Rechargeable Battery
- 3-hour Drop-In Charging Tray w/ Wall Adapter
- Swivel Belt Holster with 2.5" Spring Clip
- UHF Business Band Operation (56 selectable UHF frequencies)
- 38 analog and 83 digital interference eliminator codes
- Keypad lock, 3 audible tones, VibraCall, Scan and VOX
- Cloning capable (Multi-Unit Charger required)
- Alkaline battery compatible (AA Battery Tray required part #53879, provides up to 10 hrs. of use)
- Compatible with UHF XTN Series, and other Two-Way Radios on the same frequency & code
- Shipping weight 1 lbs.

#### Cortina

#### Roll-Up Road Safety Signs

- Non-Reflective, Mesh Roll-Up Sign
- Meets NCHRP-350 Certification and MUTCD standards
- Manufactured from tightly woven polyester fabric with specially formulated PVC foam extruded over polyester yarn
- Fiberglass Ribsets are included and are ready for use
- Shipping weight 4 lbs.

#### Men Working 36"

#### **3006521 \$41.**<sup>53</sup>

#### **3006543 \$48.**29 • Shipping weight 2.10 lbs.

Men Working 48"

Shipping weight 2.10 lbs.

#### Construction Ahead 48" 3006555

#### \$48.29

• Shipping weight 2.10 lbs.



#### Stop/Slow Paddle 18" W/6' Staff

#### 14983-6

- \$29.06
  18" stop/slow masonite paddle with 6' wood staff
- Large 6" letters with "Stop" on one side and "Slow" on the other
- Shipping weight 3 lbs.



#### Aluminum Sign 727907

#### **\$24.**13

- Made from durable, lightweight aluminum without any sharp edges
- Paddle measures 18" x 18" and features a 1-1/4" x 12" diameter hardwood handle
- Non-reflective surface
- Shipping weight 1 lbs.



#### **\$245.**33

- Business-exclusive frequencies operates on 99 UHF business exclusive frequencies and features 219 PL/DPL codes, including 6 customizable codes to help ensure a clear signal.
- 2 Watt UHF radio provides coverage up to 250,000 Sq. Ft./20 Floors.
- Quickly copies settings from radio to radio (between RM series radios or between RM and RDX series radios). Cloning is done with radio-to-radio cloning cable or through the multi-unit charger
- Shipping weight 1.25 lbs.





STOP

MOTOROLA

TWO-WAY RADIOS & SAFETY SIGNS

#### 52

MTA. DISTRIBUTORS

#### **AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES**



#### Wan Mark

#### **Bending Brake Mark II W/Power Lock**

#### **TM10**

**\$1,879.**<sup>32</sup>

- TERMS 30/60/90
- User friendly for both the contractor and DIY/Homeowners
- For builders, contractors, hobbyists, and do-it-yourselfers
- New Power Lock Bar with dual hollow-core construction provides stronger clamping pressure
- Increased bending radius simplifies hemming
- New powder coat finish eliminates UV fading and oxidation
- Standard 5/8" Bends for soffit and siding
- Maintenance free -no lubrication needed
- High rental return
- 10' Length
- Leg kits sold separately
- LTL oversize charges apply
- Shipping weight 151 lbs.



#### **Unistand Adjustable F/Brake**

#### USA1

- **\$416.**<sup>16</sup>
- Durable steel channel construction
- Rugged composite wheels provide maneuverability over all terrains
- Adjustable mounting hardware for clamping of brakes and saw tables
- Support base for mounting brakes inside trailers and cube vans.
- Fits all series brakes
- Shipping weight 49 lbs.



#### Van Mark

#### Bending Brake Mark I W/Power Lock

#### M10

 $\boxed{0}$ 

\$1,791.57 TERMS 30/60/90



For builders, contractors, hobbyists, and do-it-yourselfers

- New Power Lock Bar with dual hollow-core construction provides stronger clamping pressure
- Increased bending radius simplifies hemming
- New powder coat finish eliminates UV fading and oxidation
- Maintenance free no lubrication needed
- High rental return
- Durable hinge that "auto-measures" 3/4" hem with ease
- 10' Length
- Leg kits sold separately
- LTL oversize charges apply
- Shipping weight 147 lbs.



## Ц

#### Uni-Leg UNL1 \$237.<sup>50</sup>

- Wide balanced base for easier bending & hemming
- Welded steel with durable powder-coat finish
- Fits Van Mark brakes, Trim-A-Gutter, & saw tables
- Cross braces strengthen legs and improve stability
- Manufactured and assembled in the USA
- Sets up in seconds, no tools required
- Shipping weight 28 lbs.



MTA DISTRIBUTOR

**BENDING BRAKES** 

#### Wan Mark

#### Trim-A-Brake

#### T1050

\$1,199.25 TERMS 30/60/90

- Minimal maintenance only periodic cleaning and lubrication needed
- High rental return
- 10' length
- Leg kits sold separately
- LTL oversize charges apply
- Shipping weight 100 lbs.



#### Van Mark

#### Trim Cutter

3017V \$479.00

- Eliminates knife wear on brake
- Knives made from 100% hardened tool steel
- Tool uses 4-point roll bearing track system
- Use with Mark I, Mark II, and Mark IV series brakes
- Designed to use with aluminum
- Shipping weight 9 lbs.

#### Van Mark

#### Leg Kit F/M10 & TM10 3002

#### \$152.00

- Durable steel frame construction
- Lightweight design for easy transport
- Shipping weight 15 lbs.



#### Leg Kit F/T1050

#### 3000

#### \$116.54

- Durable steel frame construction
- Lightweight design for easy transport
- Shipping weight 14 lbs.



#### Wan Mark

#### Wheel Kit F/Brakes

3004V \$88.17

- Works on all Bending Brakes
- Durable steel, ball-bearing wheels
- Quick setup and no need to remove for transport
- Shipping weight 3 lbs.



#### **PARTS SUPPORT**

Lost time from equipment failure means lost profits. That is why we stock parts for many of the items you will find in our catalogs. MTA can sell you parts for equipment you purchase from us or for equipment you already own within our brands.

Genuine Honda Parts - Honda is the world's largest engine manufacturer with extensive engine experience. By utilizing routine service and genuine Honda replacement parts, you are assured your Honda equipment remains the quality equipment you purchased. It will continue to perform at peak performance and efficiency levels. The use of genuine Honda engine parts assures that the engine is meeting all local and federal emission (CARB and EPA) regulations.

Some restrictions may apply to Honda parts availability.

#### AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES





#### **Talon Mini Skid Steer**

#### TMS700HPX

#### \$34,999.00

- TERMS 30/60/90
- 24.8 Horsepower Kubota diesel engine
- Expandable track that can retract the unit width less than 36Ó to fit in tight spaces

NEW

- Spring-assisted platform design with generous hip padding for operator comfort
- Speeds up to 4.5 mph
- 700 lb operating capacity
- Shipping weight 2,880 lbs.



#### ENGINEERING

#### 14CF Power Buggy

- 14 Cubic foot fixed bucket with a 2,100 lb payload capacity
- Poly bucket design allows bucket to be cleaned more efficiently
- Tie down rings to secure on a trailer
- Rubber tracks for extra load capacity and traction
- Narrow 31.5" width allows buggy to fit through 36" doors
- Engine cover fully encloses the engine components
- 3 Gal Fuel Capacity
- Honda GX630 with electric starter



#### **Power Buggy 14CF Poly Bucket Fixed**



**\$16,820.**<sup>00</sup> TERMS 30/60/90

#### Power Buggy 14CF Poly Bucket Swivel

AT14PBESD

\$20,760.00 TERMS 30/60/90

#### Power Buggy 14CF Poly Bucket Fixed, Lithium Battery

AT14FEB

\$47,000.00 TERMS 30/60/90



#### AW16 Power Buggy NEW

- 16 cubic foot capacity, heavy duty poly dump bucket
- Hydraulic dump action
- Foam filled tires
- 2" solid steel frame
- Low center of gravity
- · Foot-operated brake mechanism
- 1.7 Gal fuel capacity
- Shipping weight 1,365 lbs.



#### Power Buggy 16CF Poly Bucket Kohler

**AW16-KR** 

#### \$12,960.00

TERMS 30/60/90

· Kohler CH440 with recoil start

#### Power Buggy 16CF Poly Bucket Kohler





#### \$13,200.00

TERMS 30/60/90 Kohler CH440 with electric start

**Power Buggy 16CF Poly Bucket** 



**AW16-HR** 

Honda

#### \$13,200.00

- TERMS 30/60/90
- Honda GX390 with recoil start

#### Power Buggy 16CF Poly Bucket Honda



#### **\$13,520.**<sup>00</sup>

TERMS 30/60/90


Honda GX390 with electric start



HONDA

## 







#### 

#### **Power Buggy 16CF Poly Bucket Honda**

AW16-P

#### \$16,680.º

- TERMS 30/60/90
- Honda GX390
- Propane powered with electric start
- Shipping weight 1,370 lbs.



#### Power Buggy 16CF Poly Bucket Batt NEW







#### AW16-B

#### \$36,000.00

TERMS 30/60/90

- 16 cubic foot capacity, heavy duty poly dump bucket
- 110 Volt charging port
- Foam filled tires
- 2" solid steel frame
- · Lifting points
- Rubber isolators for operator comfort
- Control panel with electronic diagnostic readout
- · 6 plus hours battery life
- 48 Volt Lithium Ion Battery
- Shipping weight 1,507 lbs.





#### SEASONAL FINANCING TERMS

#### **Order September 1 - December 31**

No Payments Until Spring of 2026, No Interest (if paid on time)

or Receive the 2% Net 10 Days Discount on Qualifying Orders

All Units & Accessories\* In Catalog - Mix & Match

See Inside Cover For Details

\* Parts are not eligible



#### Power Buggy 16CF Poly Bucket Kohler **AT16F**

#### \$19,960.00

- TERMS 30/60/90
- Largest track buggy payload available at 2,500 lbs
- Equipped with a 90-degree dump angle
- · Two LED work lights for greater work site visibility
- 16 Cubic Foot heavy-duty poly dump bucket for long life
- Rubber tracks for extra load capacity and traction
- 6 Gal fuel capacity
- Kohler CV740 with electric start
- Shipping weight 1,475 lbs.







POWERED by

#### **Power Buggy 19CF Poly Bucket Swivel AT19S**

#### \$26,300.00

TERMS 30/60/90

- 19 Cubic foot swivel bucket with a 2,900 lb payload capacity
- Steel Bucket design allows bucket to substain most materials
- · Engine cover fully encloses the engine components
- Rubber tracks
- 4 Gal fuel capacity
- Kubota 16 HP diesel with electric start
- · Shipping weight 2,180 lbs.



MTA. DISTRIBUTORS

56

POWER BUGGIES & TRACK BUGGIES



#### 21CF Poly Bucket Power Buggy



- 21 Cubic foot capacity, heavy-duty poly dump bucket
- Easy-squeeze speed control lever
- · Enclosed engine shroud
- Foot-operated dumping mechanism
- · Side to side and rear to front forklift pockets
- 2.1 Gal fuel capacity
- Honda GX630 with electric start
- Shipping weight 1,475 lbs.

#### Power Buggy 21CF Poly Bucket Honda

#### AW21-HE

#### \$15,080.00

TERMS 30/60/90

- Honda GX630 with electric start
- Shipping weight 1.475 lbs.

HONDA

#### **Power Buggy 21CF Poly Bucket Kohler**

#### **AW21-KE**

#### \$14,760.00

TERMS 30/60/90

- Kohler CH640 with electric start
- · Shipping weight 1,475 lbs.



### OREC

#### **Trailblazer Transporter**

LS360

\$3,900.00

TERMS 30/60/90

- Honda GX120 engine
- Dual track drive
- Max. Payload 650 lbs.
- Durable metal bed
- Bed size normal 36"L x 23"W
- Bed size expanded 43"L x 37"W
- Manual dump
- Shipping weight 384 lbs.





#### Track Dumper 22CF Steel Bucket NEW ATD3300



TERMS 30/60/90

- 29 cubic foot swivel bucket capacity
- · Adjustable operator seat in central rear position with access from both sides
- Foldable ROP's for operator protection
- Easy access to the Kubota 20 HP engine transmission and more
- · Spacious ground clearance and rubber tracks provide greater mobility at higher speeds
- 7 Gal fuel capacity
- · Shipping weight 2,930 lbs.



NEW



#### **Track Dumper 1 Cubic Yard Steel**

#### ATD5000

#### \$43,020.00

TERMS 30/60/90

- 41 Cubic foot swivel bucket capacity
- · Adjustable operator seat central rear position with access from both sides
- · Foldable ROPs for operator protection
- Easy access to the Kubota 24 HP engine transmission and more
- · Spacious ground clearance and rubber tracks provide greater mobility at higher speeds
- 7 Gal fuel capacity
- Shipping weight 5,038 lbs.



ONSTRUCTION

MTADISTRIBUTORS.com / 800.264.0225

MTA DISTRIBUTORS





### Corded Drywall Sander DWE7800

#### \$612.08

CONSTRUCTION

- Maintain contact at multiple angles with articulating head
- Controlled use in a range of applications with variable speed dial
- Tool-free connection: Quick and secure connection to DeWalt dust extractors via Airlock
- Fast connection: 9" hook-and-loop sanding pad quickly connects to sanding paper and mesh
- Application versatility: Dual-action trigger enables momentary and locked-on usage
- Includes 1 soft backing pad and Velcro hose straps
- Hose DWV9316 sold separately
- Shipping weight 23 lbs.

#### Vacuum Hose, Anti Static 15' f/ DWE7800 DWV9316

#### \$82.49

Shipping weight 2 lbs.

#### DEWALT.

#### Sander Pads 5/PK

#### **\$47.**84

• Shipping weight 0.80 lbs.

#### 80 Grit

77085Textured paint removal, wallpaper paste removal

#### 120 Grit

#### 77125

• For all-purpose applications

#### 180 Grit

#### 77185

• Light weight quick-dry drywall sanding and smoothing, paint conditioning

#### 100 Grit

#### 77105

• For fast sanding and smoothing

#### 150 Grit

- 77155
- · For final sanding and smoothing

#### 220 Grit

#### 77225

• Light weight quick-dry drywall sanding and smoothing, paint conditioning

#### FLEX

#### Drywall Sander Giraffe Kit 427632

#### \$640.00

- Model Number GE5+SH KIT 120/USA
- Includes 13' Anti-Static Hose and Carrying Case
- Gimbal-Mounted Sanding Head
- Dust Proof On/Off Switch
- Ergonomically shaped Guide Tube made of Aluminum
- 16.4 FT Cord
- 500 Watt Input Power
- Shipping weight 10 lbs.



## BOSCH9" Drywall Pole Sander Kit

#### GTR55-85 \$470.<sup>50</sup>

- Kit includes Drywall Sander, Sanding Sheet, GTR801 Soft Backing Pad, GTR024 Extension Pole, Cable Clips, 5mm Wrench, VAC024 Vacuum Hose Adapter, Carrying Case
- Drywall sander makes ceiling or wall sanding quicker, easier
- Ceiling-suction feature and T-Handle grip
- Ultra-Flexible Head enhances smooth sanding for less damage
- Shipping weight 28 lbs.



#### 9' Porter Cable Sanding Discs 10/Box

#### 80 Grit

#### 703921 \$14.40

• Shipping weight 0.38 lbs.

#### 100 Grit 703922

#### \$13.50

• Shipping weight 0.38 lbs.

#### 150 Grit

#### 703924

- \$14.09
- Shipping weight 0.38 lbs.



MTA. DISTRIBUTORS







#### **Drywall Panel Lift**

#### 138-2 \$610.83

- Fast-action single stage with silent cam lock brake
- Compact 3-section telescoping system
- · Unique tilting cradle for easy loading and work on walls as well as sloped ceilings
- Knock-down design assembles in seconds without tools and fits in a car trunk
- Ceilings up to 11' standard
- Wallboard size capacity up to 4' x 16'
- 150 lb. Load rating
- Shipping weight 110 lbs.

#### Panel Lift Extension 6'

#### 186-00

#### \$185.71

- Extend reach by 4' on model 138-2
- · Easy to install
- Preloaded steel cable
- · Shipping weight 22 lbs.

#### SUMNER

#### Contractor Lift 24'

#### 2124

#### \$4,879.40

- TERMS 30/60/90
- 650 lb capacity
- · Loading Bar great for overhead cranes
- · Pulley Guards prevent cable from coming off
- · Reversible forks
- Plunger pins for quick readjustment and compact storage
- · No tools needed no loose parts
- Variety of attachments
- Large 7/32" load cable
- Max height 23' 9-3/8"
- Operating height 84"
- Operating length 73"
- Base width 32.25"
- Minimum load height 6"
- Outrigger assembly 783935 sold separately
- Shipping weight 419 lbs.



#### **Contractor Lift 12'**

#### 2412

- **\$3,363.**57
- TERMS 30/60/90
- Compact 12' lift · Lifting capacity up to 450 lb
- One piece construction no loose pieces • Extremely portable for one man operation
- · Fits in most vans and SUVs
- 11'-3/4" height when forks reversed
- Height stowed 62.8"
- Length stowed 23"
- Width stowed 26.4"
- · Shipping weight 205 lbs.

#### SUMMER

#### **Panel Lift Chain Drive**

#### 439

#### \$1,285.71

- TERMS 30/60
- Sheets up to 4'x16'
- Torque limiter prevents overloading
- · Max load rating 200 lbs.
- Steel body
- Chain-driven
- Ceilings up to 14'5"
- · Easy assembly no tools required
- · Extension and accessories available
- 3-year limited warranty
- · Shipping weight 141 lbs.

#### STUNNE:

#### **Contractor Lift 18'**

#### 2118

#### \$4,300.<sup>09</sup>

- TERMS 30/60/90 · Designed for loads up to 650 lbs.
- · Easily flown in using the integrated lifting eye
- · Pulley Guard provides 360° of cable protection
- · Forks reverse to maximize lifting height
- · Plunger pins eliminate extra tools and loose parts
- · Quickly breaks down for storage and transportation
- Shipping weight 377 lbs.

ups

# STRIBUTORS



#### MTADISTRIBUTORS.com / 800.264.0225





IFTS

#### Powered Hand Truck W/ Hook

#### **PHT2-140-US**

#### \$3.498.75

TERMS 30/60/90

- · Provides a quick and easy alternative to using a forklift or tailgate loader for small loads
- · Lets one person safely lift and load small equipment weighing up to 300 lbs.
- · Includes hook for lifting object via lifting eye
- · Easy to use and requires no licenses to operate
- · Folds flat for easy storage and transportation
- · Shipping weight 136 lbs.

#### 

#### **Push-Around Mast Lift 10'**

#### 1030P

\$8,512.18 TERMS 30/60/90

- Platform height 10' 2"
- Platform size 30" x 60"
- · Platform capacity 550 lbs.
- Machine width 2' 6"
- · Auto-lock wheels on elevation
- · Non-marking caster wheels
- Heavy-duty aluminum platform
- Protective wall bumpers
- Tool tray
- · Frame-mounted bubble level
- Integrated fork pockets
- Indoor Use Only
- MTA Catalog Freight Program does not apply
- · Contact us for Pricing & Availability
- · Shipping weight 866 lbs.





#### Eco Lift 7' **ECO70**

#### \$6,131.33

#### TERMS 30/60/90

- Platform Height 7' 3"
- Platform size 33" x 25"
- Platform capacity 330 lbs.
- Machine Width 2' 4"
- Intuitive operation turn handle to elevate
- Patented stored power lift/
- lower system needs no oil, batteries, or hydraulics · Fewer parts for minimal maintenance
- Auto-lock brake on elevation
- Tool tray
- Forklift pockets
- Saloon-style doors
- Indoor Use Only
- MTA Catalog Freight Program does not apply
- Contact us for Pricing & Availability
- Shipping weight 672 lbs.

#### 

#### Vertical Lift 25'

#### **25AM-DC**

#### \$11,061.88 TERMS 30/60/90

- Platform height 24' 10"
- Platform size 26" x 26"
- Platform capacity 350 lbs.
- Machine width 2' 6"
- Lanyard attachment anchor for body harness
- Quick-change gull-wing entry platform
- Quick-change platform mounts
- Low maintenance anodized mast
- Non-marking tires
- 110 volt double receptacle in platform
- 93 AH lead-acid battery
- Descent alarm
- Automatic battery charger
- · Battery discharge indicator (BDI)
- Hourmeter
- · Roller loading device for loading on pickup trucks
- Auto power saver shuts off power when idled
- ANSI, OSHA, & CSA compliant
- Indoor Use Only
- MTA Catalog Freight Program does not apply
- Contact us for Pricing & Availability
- · Shipping weight 905 lbs.





**MTA**. **DISTRIBUTORS** 







#### **Electric Scissor Lifts**

- Flashing Amber Beacon LED
- AC Receptacle in Platform
- Active Pothole Protection System
- 27 amp Multi-Function Universal Charger
- Fork Lift Pockets, Lifting and Tie Down Points
- Movable, Removable Platform Control
- MTA Catalog Freight Program does not apply

#### 19' Lift

#### R1932

#### \$12,977.13

- Machine Width 2' 8"
- Platform Height 19'
- Platform Height Lowered 3' 3"
- Platform Size 25.4" x 62.7"
- Platform Capacity 507 lbs.
- Shipping weight 3,450 lbs.

#### 26' Lift

#### R2632 \$27,065.00

- Machine Width 2' 8"
- Platform Height 25' 6"
- Platform Height Lowered 3' 8"
- Platform Size 25.4" x 84"
- Platform Extension Length 2' 10"
- Platform Capacity 507 lbs.
- Platform Capacity Extension 265 lbs.
- Shipping weight 4,310 lbs.

PRO Charging Systems

#### Eagle Series Chargers 24V 20A

- Enhance battery performance and increase life span
- Charge 20% faster than the fastest competitors charger
- Batteries last 20%-25% longer because they are charged more efficiently
- Chargers are fully repairable
- Monitor Battery/Charge with ProView Link App
- Low Voltage turn on capability
- Monitor Battery / Charge with ProView Link App
- Easy Installation Plug 'N Play Technology
- For use with Lead Acid (Wet/AGM) and Gelled Electrolyte batteries
- Automatically detects and configures for battery type.
- Factory customized to meet your installation requirements
- Multiple connector options
- Multiple mounting bracket options





#### **Tow-Pro Boom Lifts**

- Platform Size 2' 6" x 4'
- Platform Capacity 500 lbs.
- Swing 410 Degrees
- MTA Catalog Freight Program does not apply

#### 35' Lift

#### T350

#### \$31,071.<sup>63</sup>

- Machine Width 4' 9"
- Horizontal Outreach 20' 2"
- Platform Height 34' 5"
- Up and Over Height 15'
- Shipping weight 3,600 lbs.

#### 50' Lift - Electric

T500J PKG 1

#### \$51,843.<sup>17</sup>

- Machine Width 5' 8"
- Horizontal Outreach 36' 6"
- Platform Height 50' 1"
- Shipping weight 5,200 lbs.



#### Charger for JLG Towable Boom Lift 779164

#### \$485.38

- 7.75"H x 8.50"W x 7.10"L
- Model # i2420OBRMJLGTTB

#### **Charger for JLG Scissor Lift**

#### 779165

#### **\$485.**<sup>38</sup>

- 7.75"H x 8.50"W x 7.10"L
- Model # i2420OBRMJLG

#### Charger for RM Lift IEC Powercord Genie

#### 779166

#### \$489.88

- 5.75"H x 8.50"W x 9.00"L
- Model # i2420OBRMLIFTIEC

#### Charger For RM Lift Skyjack 779167

#### \$489.88

- 5.75"H x 8.50"W x 9.00"L
- Model # i2420OBRMLIFT

NCTRIICTION

MTADISTRIBUTORS.com / 800.264.0225

MTA DISTRIBUTORS





## **CONSTRUCTION**

#### BOSCH

#### Self-Leveling Rotary Laser Kit GRL900-20HVK \$565.99

- Comprehensive rotary laser kit features a horizontal/ vertical rotary laser with working range of up to 1,000' and includes an LR10 laser receiver, a remote control, a tripod, a grade rod, wall mount, laser glasses, target card and a carrying case
- Vertical-beam functionality provides a vertical beam and 90 degree point for layout, squaring and plumb applications
- Electronic self-leveling allows for easy setup and use on the job
- Disturbance monitor indicates if tool position changes, ensuring consistent leveling accuracy
- Reliable accuracy delivers +/-1/8" accuracy at 100' for confidence in the job setup
- Long-range capability provides up to 1,000' working range
- Variable-speed and scan-angle selection allows for maximum visibility at different lighting conditions
- Shipping weight 32



#### BOSCH

#### Automatic Level Kit GOL32CK \$397.21

- Accurate up to 1/16" at 100'
- Large aperture 26x-power lens
- Self-leveling compensator with transport lock
- Both horizontal/vertical Crosshairs
   and Stadia lines
- Top mount quick sight
- Circular bubble vial with 90-degree prism
- Mount thread 5/8-11
- Range 330'
- Includes: Instrument, plumb bob, case, tool kit, and tripod
- Shipping weight 17.90 lbs.



#### BOSCH

#### **Rotary Laser HV Kit**

#### GRL2000-40HVK

#### \$861.<sup>13</sup>

- Complete kit features a laser receiver, tripod, grade rod, remote control, wall mount and all-in-one hard carrying case
- All-in-one hard carrying case designed to hold included accessories: receiver with bracket, tripod, grade rod and more
- Manual Dual Slope allows the user to adjust the slope angle on the laser on both the X- and Y-axes
- Electronic self-leveling allows for easy setup and use on the job
- Disturbance monitor indicates if tool position changes, ensuring consistent leveling accuracy
- Reliable accuracy delivers +/-1/16" accuracy at 100'
- Long working-range capability provides up to 2,000' working range
- Laser receiver with mounting bracket allows for easy-to-read LCD dual display and easy attachment to leveling rod
- Vertical-beam functionality provides a vertical beam at 90<sub>i</sub> point for layout, squaring and plumb applications
- Lightweight aluminum tripod features quick-clad release on legs and durable finish
- Robust design features cage overmold and two large easy-togrip carrying handles for convenience and additional drop protection



Shipping weight 39 lbs.

#### BOSCH

#### Rotary Laser Detector For GRL Series

#### \$175.00

- Range up to 650'
- Dual-sided LCD display for easy visual readout on both sides of receiver
- Built-in heavy duty magnets for secure attachment to metal surfaces, ideal for suspended ceiling installations
- LCD arrow display and selectable audio signal give clear high/low on-grade position indication
- Works with Bosch and all red light rotary lasers
- Shipping weight 2 lbs.



**MTA**. **DISTRIBUTORS** 

#### Thermal Camera 12V

#### GTC400C

#### \$1,100.68

TERMS 30/60

- · Fast thermal camera operation detects temperature anomalies in seconds by just squeezing the trigger and freezing the image
- 12V Max Lithium-ion power
- Shipping weight 3.20 lbs.

#### **BOSCH**

#### **Light Weight Tripod Quick Clamp BT160** \$62.57

- Lightweight and durable aluminum, adjustable legs
- 65" Extended height
- 38" Closed height
- Designed for exterior use
- · Universal flat head
- String hook for plumb bob
- · Painted casting for a durable and long lasting finish
- Flat, elevator head type with 5/8 11 thread
- Shipping weight 9.30 lbs.

#### **CST**/berger

#### 25' Rod

06-925C

#### \$120.45

- Universal spring loaded button
- · Assembly is interchangeable between all sections
- Snug fitting telescoping sections minimize side to side and front to back play
- · Easy-to-read graduations
- · Shipping weight 9.16 lbs.

#### CST/berger

#### Grade Rod 16' Aluminum Feet/10ths

#### 06-816

- \$44,64
- The 5 anodized sections are imprinted with weather resistant and corrosion resistant inks
- 16' Telescoping leveling rod with reliable and wearresistant polycarbonate buttons that lock each section
- Made of a light and durable aluminum alloy
- Tight tolerances on extruded aluminum sections
- Shipping weight 4.45 lbs.



#### Measuring Wheel 12" RRT12

#### \$78.61

- Top reading
- Pistol grip handle
- · Re-set on handle
- Brake on pistol grip
- Center-line handle design
- Flip down kickstand
- Gear and shaft transmission
- Handle lock
- Measures in ft & in
- 12" Wheel diameter
- 36" Wheel circumference
- Shipping weight 4 lbs.



#### Pocket Tape Measure 25'

#### **PG25**

#### \$6.19

- Economy series
- Lacquer coated steel blade
- Measures in feet, inches, 1/8", and 1/16"
- 1" wide
- 6'-8' stand out
- Rubber grip housing
- Shipping weight 1 lbs.



#### **Tape Measure Nylon/Steel 200'** NRS18200

#### \$86.37

- · Metal, planetary gearing for super fast rewind
- 3/8" Perma-Clad steel blade
- High visibility orange
- Tough, double nylon-coated steel assures long life under field abuse
- Rubber grip shovel handle for comfortable, rapid reeling
- Wide base crank handle for increased durability
- Measures in ft., in., 1/8
- · Shipping weight 2.20 lbs.



MEASURING TOOLS





ONSTRUCTIO







#### Tape Measure 300' Ultra Glass OTRS1810300E \$35.47



- 1/2" blade
- Ring attachment for surveyors
- Metal, planetary gearing for super fast rewind
- Rubber grip shovel handle for comfortable, rapid reeling
- Wide base crank handle for increased durability
- Measures in ft., in., 1/8, 1/10, 1/100
- Shipping weight 1.80 lbs.



#### Chalk Line Reel 150' Bold String

#### G150BOLD

#### **\$19.**31

- For use in higher traffic and outdoor areas
- Holds over 1 pound of chalk for fewer refills
- 2.0mm bold string 150'
- Pull ring
- One-piece steel crank for long life
- Shipping weight 2 lbs.



#### **Paint Marking Wand**

#### PA35

#### **\$20.**<sup>84</sup>

- 36" Paint applicator for inverted spray paint
- Handles 16 and 20oz spray cans
- Wheel at base to aid in running smooth lines across smooth surfaces
- Compatible with Krylon and Rustoleum inverted marking paint.
- Shipping weight 2 lbs.



#### **RUST-OLEUM**®

#### Inverted Striping Paint 6/BX \$44.40

- 18oz Cans
- For use in 2395000 Striping machine
- Creates bright, sharp, well-defined lines; resists smudging
- For indoor/outdoor use on concrete, gravel or other types of pavement
- Dries in less than 10 minutes

1648838	Yellow 🛛	
1691838	White	



#### RUST-OLEUM®

#### Inverted Marking Paint 12/BX \$56.%

- 17oz Cans
- Marks up to 250% more linear feet than other brands; precision tip—virtually no overspray
- Resists early fading and chalking
- Adheres to hot surfaces; can be sprayed in the cold (to 25°F)
- Dries in under 5 minutes
- Shipping weight 17.40 lbs.

Solvent Based		Water Based	
203022	Caution Blue	203031	Caution Blue
203027	Fluorescent Orange	203035	Alert Orange
203030	White	203039	White




#### RUST-OLEUM®

#### **Striping Machine**

#### 2395000 \$187.<sup>24</sup>

- Adjustable for 2-4" wide lines
- Sturdy steel construction
- Includes convenient storage compartment
- Ideal for use on parking lots, roads, paths and more
- Shipping weight 16.29 lbs.





**MTA**. **DISTRIBUTORS** 

.







#### Marking Chalk 8 OZ 12/BX

- Premium grade marking dye
- Great flow for easy reel fill-up
- 12-15 strikes usual line yield
- · Eliminates the need for chalk line saver in most environments
- Brilliant weather-proof color
- Water-resistant lines hold your mark
- Shipping weight 7.70 lbs.





#### Chalk Box 110' Little Giant Pro G110

#### **\$20.**97

- The world's premier chalk box for frequent snaps and bold lines
- "Gloveable" grip for cold weather or rough conditions
- Huge Big Mouth" opening to ease fill up
- Steel rewind crank
- ABS Orange housing
- 12 oz capacity
- 1/8" x 110' polycord
- Shipping weight 1 lbs.





#### Shingle Remover 54"

13828 \$63.45

- Ergonomic, rugged steel tear-off tool for the removal of asphalt shingles, cedar shakes, and underlayments
- Vinyl grip handle
- Heat tempered teeth for longer life
- Available in four sizes (21.5", 38", 47.5", & 54")
- Shipping weight 9 lbs.





#### **Platform Hoist**

#### TP-250-K \$3,534.05

- Honda GX120 engine
- Non-slip deck
- Heavy-duty steel frame
- Easy assembly and disassembly
- Wide-foot pedal control
- Collapsible plywood brackets
- 4' aluminum base track with three 8' ladder sections
- Tie down slots for plywood or rolled goods
- Diamond tread foot plate and belt guard
- · Lifts up to 250 lbs.
- Reaches up to 28' off the ground
- Foot pedal and handle brake controls
- LTL oversize charges apply
- Shipping weight 230 lbs.




POWERED by

## MTA. DISTRIBUTORS



#### Abrasive Type 1 Cut-Off Wheels 10/BX f/Portable Gas & Electric Saws



Metal 12" x 1/8" x 1" 84234

Ductile

84434

\$68.14

\$41.14 Shipping weight 12 lbs.

14" x 1/8" x 20MM


#### Masonry/Asphalt 14" x 1/8" x 20MM 80431 \$68.14 · Shipping weight 17 lbs.

14" x 1/8" x 1" 80430 \$68.14 · Shipping weight 19 lbs. 14" x 1/8" x 1" 84433 \$68.14 Shipping weight 19.50 lbs.

Shipping weight 22 lbs.

### **B**A

#### Abrasive Type 1 Cut-Off Wheels 5/BX f/Walk-Behind Saws



#### Cured Concrete 14" x 3/16" x 1"

#### 76450

- \$35.57
- Shipping weight 12 lbs.



#### Adapter, 1" To 20MM

Converts 1" to a 20mm

· Shipping weight 0.10 lbs.

1700134 \$4.25





#### Cup Wheel Premium 4.5"

#### SEN45CW9-2 \$14.29

- An aggressive design provides a very fast curing action on masonry and stone
- Leaves little or no swirl marks
- 40% added life and a faster and smoother grind
- Includes wheel nut
- Shipping weight 1 lbs.

#### ( NED

#### Diamond Cup Wheel 4" Single NGCS01

#### **\$18.**12

- Applications: concrete, masonry, general purpose
- Shipping weight 1 lbs.



#### NED

#### Blue Eagle Diamond Blades

 Applications: General purpose, masonry, cured concrete, pavers, brick and block-Wet/Dry-cut



**\$59.**73 Shipping weight 4.35 lbs.

14"X.125"X1" 20MM-DP

#### 20"X.140"X1" **BE-20140**

**BE-14125** 

#### \$198.49

· Shipping weight 12 lbs.







**NEW ITEMS ADDED EVERY MONTH!** 



ABRASIVE BLADES & GRINDING WHEELS

MTA. DISTRIBUTORS





#### **Red Eagle Diamond Blades**

 Applications: Wet/Dry-cut asphalt, green concrete, cured concrete, block, brick

#### 14" Wet/Dry Cut LDH-6SW-141251

#### \$150.65

• Shipping weight 5 lbs.

#### 18" Wet/Dry Cut

LDH-6SW-181251

#### **\$273.**91

• Shipping weight 8 lbs.



#### **Diamond Blades Premium Blade U-45**

- · High speed specialty blades
- Cured concrete, asphalt, green concrete, brick, block, concrete overlay
- NED
- Equipped with wedge segment undercut protection
- Alternating turbo segments for faster cutting
- Segment height 15mm (.591")

#### 14"X.125X1-20MM

#### 10045UR1403

#### \$100.69

· Shipping weight 12 lbs.

#### 20"X.145"X1"

#### 10045UR2014

#### \$287.90

• Shipping weight 12 lbs.



#### Rescue 14"

#### 2000RES1403

#### **\$164.**45

- High Speed Segmented Rescue Blade with Abrasive Side
- Application: High speed specialty blade
- Spec: Rescue abrasive side
- Usage: Cuts plastic, metal, wood, concrete & masonry
- Max RPM: 4365
- Shipping weight 5 lbs.



#### ( NED Tile Blade Wet Cut

 Applications: Cutting continuous rim, wet-cut ceramic tile, granite, porcelain, brick, etc.

#### Wet Cut Tile Blade 7"X5/8" TK-710

#### **\$21.**77

• Shipping weight 1 lbs.

#### Wet Cut Tile Blade 10" X 5/8" TK-1010

#### \$37.56

Shipping weight 2 lbs.



#### 10″ Ceramic

#### SEN10CT-2



- No chipping or vibration while cutting porcelain tiles, ceramic tile, granite, or marble
- Patterned diamond technology
- Shipping weight 2 lbs.

#### General Purpose SEN14GP

#### **\$28.**57

- Low cost with high performance
- Sintered technology gives lowest initial blade cost
- Economical cutting of general purpose concrete
- Shipping weight 4.40 lbs.

#### 14" Bullshark SEN14BULL-2

#### **\$48.**57

- Cuts concrete, brick, masonry, block, slate, and field stone
- Works well on masonry saws, brick saws, concrete saws, cut-off saws, and circular saws
- Shipping weight 4.40 lbs.

#### 14" Asphalt/Green CC SEN14BLACKFIN-2 \$92.<sup>86</sup>

- Cuts asphalt and green concrete
- Narrow U-Gullet blade along with deep segments cut smoothly
- Harder bond will give great life when cutting straight asphalt
- Shipping weight 4.40 lbs.

















#### Hammerhead Diamond Blades

- RAMINURHERAD 9 State CERECERE CERECERE
- Increased diamond concentration
- Segment height of 13mm, which is one of the industries highest
- 6 over-sized cooling holes to give the blade a better cooling capacity
- Thinner core at only .118" thickness to allow much higher speed thru the cut and minimize the chipping.
- Concrete, brick, block, pavers, precast, blue stone, sandstone

#### 12" SEN12HH-2 \$57.14

SEN18HH-2 \$128.57

• Shipping weight 4.40 lbs.

18"

• Shipping weight 3 lbs.

SEN14HH-2

#### \$64.29

14″

• Shipping weight 4.40 lbs.

SENCORE

#### Diamond Blade 14" Shark SEN14SHARK

#### **\$85.**71

- An Oversized 12 mm split turbo segment with the best of both speed and life
- 39 Segments-Twice the industry average
- Three oversized segments to provide protection from undercutting when cutting asphalt or green concrete
- 6 oversized cooling holes maximizes blade life and cutting speed
- Double laser welded for increased durability, blade life, and safety
- Pin hole for use on walk behind saws
- Smoothest most accurate cut of ANY blade on the market today
- Tensioned to 5500 rpm for maximum cutting speed
- Cuts any hard or soft materials unlike any blade designed
- Wet & Dry Cuts
- Shipping weight 4.40 lbs.



#### BOSCH

#### Wet/Dry Vac Airsweep HEPA

- Automatically cleans filter every 15 seconds
- HEPA filter captures 99.97% of particles at 0.3 microns or larger
- Bosch PRO+GUARD is an end-to-end dust system
- Strong airflow and suction power
- Power tool activation
- Power broker dial
- Fleece filter bag
- Wet vacuuming water-level sensor
- Lightweight and portable
- Hose wrap
- Drain and drain hose
- Cord wrap
- On-board storage of attachments
- Rugged construction and polypropylene tank
- Rubber wheels tires and two locking casters
- L-Boxx integration
- 150 CFM
- 9.5 Amps 120 Volt
- Shipping weight 38.75 lbs.

#### 9 Gallon

#### VAC090AH \$544.50

 Includes VAC090AH, VF130H HEPA filter, VB090F fleece filter bag, VH1035 hose, VX100 bend nozzle, and VX120 power tool adapter nozzle



#### 14 Gallon VAC140AH



 Includes VAC140AH, VF130H HEPA filter, VB140F fleece filter bag, VH1035 hose, VX100 bend nozzle, and VX120 power tool adapter nozzle





MTA. DISTRIBUTORS



#### Kwik Can Cover White 33 GAL 50/BX

#### CANCVR-33-W

#### **\$85.**64

- Don't let your waste containers be an eyesore
- Our line of plastic Kiwk Can Covers fit 33 gallon trash cans
- Sold by box of 50
- Shipping weight 18 lbs.

#### CARLISLE

#### Push Broom 24" Gray Fine

#### 3621952423

#### \$16.84

- Soft, lightly crimped, flagged filament for sweeping dust and fine particles on smooth surfaces
- Handle (4526700) sold separately
- Shipping weight 3.27 lbs.





#### Push Broom 24" W/Handle & Squeegee

#### 3621962414

#### **\$26.**73

- Sweep has plastic block and fill with integrated squeegee
- Comes with 60", 3-piece aluminum handle with brace
- Dual-fill bristles ideal for a variety of sweeping applications
- Integrated squeegee helps pick-up spills without changing tools
- Non-absorbent block and bristles allow for wet and dry use
- Lightweight design reduces sweeping fatigue
- Steel brace for handle for extra stability and durability
- Shipping weight 3.20 lbs.



#### CARLISLE

#### Push Broom 24" Palmyra Garage

#### 3621912400

#### \$17.86

- Hardwood blocks
- Natural fiber Palmyra bristles for sweeping heavy debris
- Street sweeps are durable, tough, long-wearing; perfect for street crews, construction, and other demanding work sites
- Tampico fibers resist heat and chemicals
- Handle (4526700) sold separately
- Shipping weight 3.27 lbs.



#### CARLISLE

#### Wood Handle 60"

#### 4526700



- Metal tip
- Shipping weight 1.17 lbs.

#### CARLISLE

#### Push Broom 24" Tampico Black

#### 3621922403

#### **\$15.**77

- Fibers resist heat and chemicals
- Natural bristles are great for sweeping heavy debris
- Hardwood block
- Handle (4526700) sold separately
- Shipping weight 3.27 lbs.



# MTA DISTRIBUTORS

#### CARLISLE

## **CLEANING**

#### Mop 4-Ply Cotton Blend Loop End

#### 369424B00

#### **\$9.**64

- Highly absorbent and durable blended 4-ply yarn
- Looped-end construction provides greater floor coverage
- Mops are not pre-shrunk
- Color-coded mops allow for assignment to specific work areas
- Handles sold separately
- Available in a new brick pack to reduce shelf space
- Environmentally friendly pack
- Sold each
- Shipping weight 1.43 lbs.

## ack

#### CARLISLE

#### Mop Handle Quik-Release 36959500 \$17.93


- Metal heads feature standard wing nut construction with a quick release cross bar
- Grips any size mop band and secures it to the handle for optimum performance
- Vinyl-coated metal handle with swivel hang up cap
- Sold each
- Shipping weight 1.20 lbs.



#### Spray Bottle W/Trigger 32 OZ 539820 \$2.03

• Shipping weight 0.20 lbs.





**MOBILE APP** Have you had a chance to try our mobile application? Find it in the App Store for Mac and Google Play for Android or download it with one of the links below. The app uses the same login as mtadistributors.com. All of your settings and shopping cart items seamlessly sync from app to website and website to app. Quickly find a product's current price or availability, and fill your cart. The MTA mobile app also features parts breakdowns that can be accessed through the main menu or on the product page. We're confident that you'll enjoy using our official app, but if you find something that isn't working as you expect, please give us a shout at 800-264-0225 or website@mtadistributors.com.







# Masonry Saw 14" Electric

#### CC300M-K \$1,677.<sup>23</sup>

TERMS 30/60/90

- 115V, 15A, 60Hz
- The most cost-efficient way to cut masonry

NEW (===)

- Cuts 5" deep with 14" blade
- Max length of cut 16"
- Material capacity 8" x 8" x 16"
- Powerful 3HP electric motor
- Durable frame design
- Tool-free air filter replacement
- · Longer motor life due to a superior foam air filter
- Smooth sliding material cutting table
- Cutting head is pulled down into the material
- Includes stand, wet kit, rip guide, and 2 spare air filters
- Arbor size 1"
- Blades sold separately
- Shipping weight 130 lbs.



# Cut-Off Saw 14" Electric W/Blade

#### **\$989.**41

- 15 Amp, 120 Volt
- 1" Arbor
- Max cutting depth 5"
- 4500 RPM
- Wet or dry cutting
- Overload protection with load warning LED light visible to operator
- Detachable guide rollers
- Splash guard to protect from water spray
- Handles designed for optimal control
- Tool-free blade guard angle adjustment
- Lightweight magnesium blade guard
- Externally accessible motor brushes
- Standard water feed system with fine adjustable flow
- Quick release coupling and durable hose
- Dust port
- Shipping weight 18 lbs.





For Qualifying Orders.



Order Year-Round & Receive Up to 3 Equal Payments

No interest (if paid on time)

All Units, Accessories, & Parts - Mix & Match

 \$0.00 to \$999
 Net 30 Days

 \$1,000 to \$1,499
 30/60 Day Terms (2 Equal Payments)

 \$1,500 to \$4,499
 30/60/90 Day Terms (3 Equal Payments)





# Plate Compactor 21" X 22"

#### 3550GH

\$2,204.00 TERMS 30/60/90

- Honda GX160 Engine
- Plate 21" x 22"
- Centrifugal force 3550 LBF
- Exciter speed up to 4400 VPM
- Compaction depth up to 18"
- Travel speed up to 110 FT/MN
- Compaction area 11,000 SOFT/HR
- High production compactor with life expectancy that runs to decades with reasonable maintenance
- Shipping weight 226 lbs.

#### Rammer R422

#### 422H

\$2,797.00

TERMS 30/60/90

- Honda GX100 engine
- Shoe size 11" x 13"
- Travel speed up to 55 FT/MN
- Percussion rate up to 750 BPM
- Compaction depth up to 18"
- · Highly productive percussion rammer at 145lbs
- 4 Cycle engine
- Elevated bellows placement for trench applications

HONDA

· Polyethylene slide bearings provide minimal internal wear

HONDA

- High density ductile cast iron tamping shoe
- · Shipping weight 163 lbs.

#### **Plate Compactor** 18" X 22.5"

#### **18AHC**

#### \$1,859.00

TERMS 30/60/90

- Honda GX160 engine • Operating Weight - No
- Water 178 lbs. and Full Water 200 lbs.
- Centrifugal force 2780 lbs.
- Exciter speed 5240 VPM
- Compaction depth up to 10"
- Compaction area 6750 sqft/hr
- Water tank capacity 2.33 gal
- · Shipping weight 178 lbs.



POWERED by



#### Plate Compactor 13" X 22.5" **12GHC**

#### \$1,496.00

TERMS 30/60/90

- Honda GX120 Engine
- Plate 13" x 22.5"
- Centrifugal force 1920 LBF
- Exciter speed 5240 VPM
- Compaction depth up to 10"
- Travel speed up to 83 FT/MN
- Compaction area 4875 SQFT/HR
- 13" overall width enables operation in narrow trenches, curb forms, and other confined spaces
- · Ideal for various residential, commercial, utility, sidewalk, paving block, and landscaping applications
- Lift cage standard
- Shipping weight 129 lbs.



#### Plate Compactor 20" X 22"

#### 2000GH

#### \$2,065.00

- TERMS 30/60/90
- Honda GX160 Engine
- Plate 20" x 22"
- Centrifugal force 3250 LBF
- Exciter speed up to 5050 VPM
- Compaction depth 12"
- Travel speed up to 120 FT/MN
- Compaction area 10,800 SQFT/HR
- · Specially designed for sand and gravel
- Frequency, amplitude, centrifugal force, and mass are all established at optimal levels for maximum productivity on asphalt





**MTA**. **DISTRIBUTORS** 

### HONDA









#### HONDA

#### Plate Compactor 18" X 22.5"

#### **18GHC**

#### \$1,739.00

TERMS 30/60/90

- Honda GX160 engine
- Plate 18" x 22.5"
- Centrifugal force 2780 LBF
- Exciter speed 5240 VPM
- Compaction depth up to 10"
- Travel speed up to 75 FT/MN
- Compaction area 6,750 SQFT/HR
- · Specially designed for small to medium soil compactor applications
- Shipping weight 173 lbs.



#### Plate Compactor 20" X 22"

#### 2000AH \$2,050.00

TERMS 30/60/90

- Honda GX160 engine
- Operating Weight No Water 168 lbs. and Full Water 193 lbs.
- Plate 20" x 22"
- Centrifugal force 2475 lbs.
- Exciter speed 4400 VPM
- Compaction depth up to 12"
- Travel speed up to 90 ft/min
- Compaction area 9000 sqft/hr
- Water tank capacity 3 gal
- Designed for asphalt applications
- · Stress relieved steel plate housings are crack resistant and provide long wear
- Self cleaning plate prevents dirt build-up
- Shipping weight 185 lbs.

#### 3/4" Nail Stake 10/BX



HONDA

- · Ideal for all types of concrete flatwork projects; slabs, footings, driveways, sidewalks, curbs, and braces
- Removable and reusable to hold forms in place during a pour

STKR18	18″	18.30 lbs.	\$38 <b>.6</b> 7
STKR24	24″	24.70 lbs.	\$42.40
STKR30	30″	36 lbs.	\$46.53
STKR36	36″	39 lbs.	\$78.53

# KUSHLAN PRODUCTS, LLC

#### Concrete Mixer 3.5 Cu FT Direct

#### 350DD

#### \$477,18

- Holds up to 160lbs
- 3/4 HP Direct drive motor provides 28 rotations per minute
- 2 Steel blades to enhance mixing action
- Polyethylene drum
- Lightweight but durable
- Quiet operation
- 120 voltage
- 3.5 cu.ft. capacity dry
- 2 cu.ft. capacity wet
- Flat free tires

KUSHLAN

**FT Direct Drive** 

600DD

\$555.57

- CE, UL, and CSA approved
- Shipping weight 102 lbs.



- · Holds up to 280lbs • 3/4HP Direct drive
- motor provides 28 rotations per minute
- 3 steel mixing blades
- · Polyethylene drum
- · Easy assembly
- 120 voltage
- 6 cu.ft. capacity
- Flat free tires
- CE, UL, and CSA approved
- · Shipping weight 119 lbs.

#### MENEGOTTI

#### Wheelbarrow Concrete Mixer 5 Cuft

783997

#### **\$677.**<sup>22</sup>

- Unload by inclination
- Light and compact
- Steel drum
- · Capacity (unmixed) 2.8 Cu Ft
- 15 cycles/hour
- 49" x 26" x 46"
- Monophase 1/2 hp 4P 110/220V
- · Shipping weight 130 lbs.

COMPACTORS

# **NTA DISTRIBUTO**

€⊒₀

#### MENEGOTTI

#### Concrete Mixer 11 CU FT w/Light Kit

- · 2-1/2" Tow bar, with 2" ball hitch included
- Axle springs, for impact absorption
- · Reinforced structure, for heavy duty operation
- Quick and easy maintenance
- Segmented ring gear in six interchangeable pieces, allowing better adjustment against the pinion and economy on the replacement of the gear
- · Gravity center balanced with the chassis, assuring more efficiency and less engine efforts
- · Reinforcements on the chassis and yoke arm, increasing the resistance for impacts and allowing the operation on uneven ground
- Reinforced drum base, with 1/4" thick steel plate
- Better design of drum, allowing higher production capacity (1-1/2 bags of cement)
- · Efficient paddles design, improving the quality of the mix
- Pneumatic tires 13"

#### **GX200** NEW 975579-200LK

**\$2,911.**39

TERMS 30/60/90

 Shipping weight 713 lbs.



#### Shipping weight 731 lbs.

1GT

### MENEGOTTI

#### Mortar Mixer

- Honda GX240 engine
- · Provide a fine and more homogeneous mixture, greater mortar fluidity due to a horizontal rotating mixture with 4 blades
- Unique lever system with two stages to tilt, providing better ergonomics for the worker
- Reinforced 3/16" drum thickness
- · Solid 2" paddle shaft in square hardened steel
- Heavy duty 1/2" steel bars safety grid
- · Isolated bearings with cast iron pillow blocks, assuring life time performance
- Powder coat painting, for greater protection and finishing

**1**Gī

 Heavy duty 2" axle, with high speed hubs and pneumatic 13" tires

**7 CU FT** 

959620-240

#### \$3,601.27

TERMS 30/60/90

- Drum capacity 1-1/2 to 2-1/2 Bags
- Shipping weight 888 lbs.



#### \$3,936.71 TERMS 30/60/90

NEW

- Drum capacity 2-1/2 to
- 3-1/2 Bags
- Shipping
- weight 935 lbs.

WVCN



#### Concrete Vibrator Kit, 10' 15A,

#### 704030-K

#### \$1,388.00

TERMS 30/60

- Up to 3HP
- · Energy efficient system
- · One motor drives any shaft or head
- · Performs in a variety of slumps
- · Ergonomic hand grip and shoulder strap
- Lightweight design
- UL60745 Electrical certification
- OSHA 29CFR 1919.95 for noise decibals
- Threaded motor connector
- Includes motor, 10' core/casing, 1" square head, and grease
- · Shipping weight 28 lbs.





CONCRETE

# CONCRETE VIBRATORS

# wyco.

#### Shaft Grease

514-B

\$32.<sup>67</sup>

• Shipping weight 1 lbs.

Quick Disconnect Adapter W423-500 \$101.73

• Shipping weight 2 lbs.



#### Motor 15A Grounded 3 Wire WSS2G1T

#### \$861.60

- Sure Speed 2.0
- 115V
- Energy efficient system
- One motor drives any shaft or head
- Adapts to slump automaticallyErgonomic hand grip and



LISTED 64N7

- shoulder strapUL60745-12 Electrical certification
- OSHA 29CFR 1919.95 for noise decibels
- Threaded motor connector
- Shipping weight 13 lbs.



#### Concrete Vibrator Backpack W402558

#### \$2,466.40

- TERMS 30/60/90
- Honda GXH50
- 25% weight reduction
- Runs all Wyco heads and shafts
- Lock-in and controlled speed feature w/digital read out
- Rugged lightweight steel frame
- Flexible throttle and shut-off
- Shipping weight 43 lbs.





750-EH	Head 1"	\$207.20
C-9010	Core 10'	\$60.00
K-8910	Casing 10'	\$231.20
514-B	Shaft Grease	\$32.67
750-FI	Head 1-3/8″	\$376.80
C-9210	Core 10'	\$56.00
K-9310	Casing 10'	\$240.00
C-9214	Core 14'	\$76.80
K-9314	Casing 14'	\$314.40
514-B	Shaft Grease	\$32.67
750-LI	Head 2″	\$432.00
C-9210	Core 10'	\$56.00
K-9310	Casing 10'	\$240.00
C-9214	Core 14'	\$76.80
K-9314	Casing 14'	\$314.40
514-B	Shaft Grease	\$32.67

#### Vibrator Assemblies for W402558

514-B

W423-500

750-EH	Head 1"	\$207.20
C-9010	Core 10'	\$60.00
K-8910	Casing 10'	\$231.20
514-B	Shaft Grease	\$32.67
W423-500	Quick Disconnect Adapter	\$101.73
750-FI	Head 1-3/8"	\$376.80
514-B	Shaft Grease	\$32.67
W989-512	Core And Casing 10' W/ Adapter	\$317.60
750-FI	Head 1-3/8"	\$376.80
C-9214	Core 14'	\$76.80
K-9314	Casing 14'	\$314.40
514-B	Shaft Grease	\$32.67
W423-500	Quick Disconnect Adapter	\$101.73
750-LI	Head 2"	\$432.00
C-9214	Core 14'	\$76.80
K-9314	Casing 14'	\$314.40

Shaft Grease

Adapter

**Quick Disconnect** 

\$32.67

\$101.73



#### XGT 8' Concrete Vibrator Kit 40V GRV02L1

#### \$1,106.31 TERMS 30/60

- Only 99" long
- Weighs only 17.2 lbs.
- 1-1/2" vibrator diameter
- Only use genuine Makita<sup>°</sup> Batteries and Chargers
- Includes Concrete Vibrator, 1 Battery (BL4080F), Charger
- 3-year limited warranty on tool, battery and charger
- Shipping weight 30 lbs.

# Tnakita

#### XGT 5-1/2' Concrete Vibrator Kit

#### GRV01M1 \$832.05

- Makita-built motor delivers up to 15,500 VPM
- Two-power mode selection (normal/ power) allows the use for a wide range of job site applications
- Only 77" long
- Weighs only 10.6 lbs.
- 1-1/4" vibrator diameter
- Only use genuine Makita<sup>®</sup> Batteries and Chargers
- Includes Concrete Vibrator, 1 Battery (BL4040), Charger
- 3-year limited warranty on tool, battery and charger
- Shipping weight 21.41 lbs.



#### Handle Bullfloat Threaded 72″

#### **B5 72** \$31.27

- Lightweight aluminum handles
- Large threads interchange with other brands
- Shipping weight 3 lbs.



#### Bullfloat Kit 48"

- Handles constructed of thick-walled aluminum tubing; heat treated, lightweight; quick connect snap spring positively lock handles in place
- Bull Float extruded from magnesium alloy; lightweight, long wearing
- Bracket allows multi-angle floating; enables use with extension handles for extremely long ranges; full pitch controlled by half turn of handle; fits all magnesium bull floats without adapters; fits all snap 1 3/8" and 1 3/4" snap handles without adapters
- Tote open ended with bracket window to fit any length pole, bull float or fresno; made of double layer durable water resistant nylon with a rigid reinforced base and stiffened side panels; specially designed reinforced nylon pole retainers will accept any 1 3/8" or 1 3/4" bullfloat handles; outside cinching straps are perfect for holding 4-ft levels, darbies, long trowels and brooms; multiple pockets hold a variety of finishing tools
- WARNING: When using handle extensions, always avoid contact with electrical power lines or any electrical source

#### Round End BFKIT10 \$300.15

- 17-6ASU Handles
- MB48RB Bull Float
- BF9 Bracket
- 17302 Tote
- Shipping weight 29 lbs.



#### Square End

BFKiT11

#### \$306.59

- 17-8ASU Handles
- MB48B Bull Float
- BF9 Bracket
- 17302 Tote
- Shipping weight 29 lbs.



MTA. DISTRIBUTORS

CONCRETE

notor ode mal/





#### **Bullfloat 48" Aluminum**

#### **BF428**

#### **\$97.**03

- Aluminum blade
- Double rib construction
- Long wearing
- Properly balanced

Asphalt Lute 36"

SA-72-36-K

\$80.86

catching

· Includes handle bracket for threaded handles

ups

Marshalltown #838 lightweight "T" section blade

Rugged formed steel pole connector

• Blunt teeth allow material to pass through without

• Marshalltown #839 72" x 1 1/4" aluminum handle included

• Shipping weight 11 lbs.





#### **MVPR100H**

MULTI Quality

#### \$1,416.00 TERMS 30/60

- Honda GX35
- Used for placing concrete when using
- wet pads • No tools required to attach screed bar

# **NTA** DISTRIBUTORS

#### • Shipping weight 4.80 lbs. Screed bars sold Ammini separately Shipping weight 40 lbs. MULTI MA Quality Concrete Placer W/O Hook **Screed Bars Aluminum AP753** · Only for Multi Vibe screeds \$25.12 LTL Oversize Charges Apply Powder coated aluminum construction Braced for additional strength 10' 12' Soft grip end cap AL110 AL112 • 19 1/2" x 4" Blade 60" Aluminum handle \$478.67 \$546.67 • Shipping weight 3 lbs. Shipping Shipping weight 10 lbs. weight 30 lbs.

MTADISTRIBUTORS.com / 800.264.0225



#### **Power Screed Dual Handle**

#### 500H

#### \$1,430.00

TERMS 30/60

- Honda GX35 engine
- ScreeDemon is the most innovative and ergonomically designed wet screed on the market
- Variable throttle
- Tool-free adjustable handle
- · Patented dual level anti-vibration system
- Sealed exciter with oversized bearings
- Clamping mechanism allows quick and easy attachment of bar to screed
- Screed bar sold separately
- Shipping weight 29 lbs.



A

# MBW

#### **Screed Bars**

- Only for MBW screeds
- LTL Oversize Charges Apply

#### 8' Bar 17808 \$454.00

 Shipping weight 16 lbs.

#### 12' Bar 17812

\$676.00

 Shipping weight 24 lbs.

#### 16' Bar

#### 17816

- **\$905.**00
  - weight 32 lbs.

#### 10' Bar 17810 \$585.00

 Shipping weight 20 lbs.

#### 14' Bar

#### 17814 \$796.00

 Shipping weight 24 lbs.



# MBW

#### **Power Screed Dual Handle 18V**

#### 500M

#### \$1,866.00 TERMS 30/60/90

- ScreeDemon Powered by M18
   REDLITHIUM
- Quieter than the engine version
- Worklights for indoor jobs
- Zero emissions making it perfect for indoor work
- Use any M18 REDLITHIUM battery (specs based on the 12 Ah battery)
- Screed bar sold separately
- Shipping weight 47 lbs.



# MBW

#### Trowel 24" Edger F24/4

#### 248288

#### \$2,198.%

- TERMS 30/60/90
- Honda GX160 engine
- Ideal for jobs that require a lightweight, highly maneuverable, professional finishing tool
- Allows professional results even with confined areas or weight restricted areas
- Tool free height adjustable operator handle folds down for transport
- Trowel speed 50-135 rpm
- Shipping weight 150 lbs.



€....,

**MTA**. **DISTRIBUTORS** 

CONCRETE



#### Trowel 36" Combo

- New ISO compliant stationary guard ring
- 37.5" Ring outside diameter
- · New ring enables easier blade changing and cleaning
- New Low-Vib handle
- 70 RPM Trowel speed
- · Tool free height adjustable operator's handle



#### GX270 36HLLVCC \$3,095.00

TERMS 30/60/90

- 36HLLV
- Shipping weight 245 lbs.





HONDA

#### Bolt On Blades 4/BX

• Fits most popular brands

#### Finish 6 x 14, 36"

#### WX-614F

#### **\$59.**14

 Shipping weight 11 lbs.

#### Finish

6 x 18, 46" WX-618F

#### \$68.<sup>37</sup>

 Shipping weight 16 lbs.

#### Finish HD 6 x 14, 36" WX-614PRO

\$**67.**<sup>38</sup>

 Shipping weight 16 lbs.

#### Finish HD 6 x 18, 46" WX-618PRO

#### **\$83.**88

 Shipping weight 16 lbs.

#### Adapter 'A' For 28-42" Trowels WED-01A-4

#### \$271.<sup>20</sup>

- Shipping
   weight 4 lbs
- weight 4 lbs.

### Combo 8 x 14, 36" WX-8140

 \$80.49
 Shipping weight 13.95 lbs.

#### Combo 8 x 18, 46" WX-8180

\$95.02Shipping weight 18.05 lbs.

#### Combo HD 8 x 14, 36" WX-8140PRO

**\$101.**78 • Shipping

weight 16 lbs.

#### Combo HD 8 x 18, 46" WX-8180PRO

# \$112.98 • Shipping

weight 21 lbs.

# MTA DISTRIBUTORS

TROWELS

Trowel 46" F46 GX270

### 46HSLVCC

- \$3,233.00 TERMS 30/60/90
- Honda GX270
- New ISO compliant stationary guard ring
- 46" Ring outside diameter
- New ring enables easier blade changing and cleaning
- New Low-Vib handle
- 70 RPM Trowel speed
- · Tool free height adjustable operator's handle
- Shipping weight 293 lbs.



# CONCRETI

ROOTERS & ACCESSORIES

#### **Mini Rooter**

- Clears lines from rooftop to basement including kitchen, bath and laundry drains
- Quickly-removable cage for more portability
- Safety slip clutch to protect cable and operator
- · Air foot switch and ground fault interrupter
- · Flexicore wire rope center cable resists kinking and breaking

#### 1/2"x50' Cable

#### MR-C-O

#### \$909.22

- Includes (50EM3) 50 ft. x 1/2" cable for 2" to 4" lines, (MRCS) cutter set, leather gloves, and "how-to" video · Shipping weight 71 lbs.
- 1/2"x75' Cable

#### **MR-D-O**

#### \$1,107.90

TERMS 30/60

- Includes 75 ft. x 1/2" cable for 2" to 4" lines, cutter set, leather gloves and "how-to" video
- · Shipping weight 81 lbs.

#### Flexicore Cable 1/2"x50'

#### 121070

· Shipping weight 31 lbs.

#### Quick Fix Connector 1/2" 130855

**\$20.**28 · Shipping weight 0.20 lbs.

#### **Cutter Set**

130050

- \$42,66
- · Shipping weight 0.30 lbs.



#### Heneral PIPF CIFANFRS



# Hanaral

#### Spin Drive 1/2"x50' Cable

#### X550-EM3

#### \$543.60

- · Plated reinforced frame with self-aligning bearings
- · Convenient carrying handle on cage
- Flexicore cables for strength and flexibility
- Includes (50EM3) 50 ft. x 1/2" cable for 2" to 4" lines, (11/2UC) 1'1/2" U-cutter and (2UC) 2" U-cutter
- · Shipping weight 50 lbs.

#### **Flexicore Cable** 1/2"x50'

#### 121070

#### **\$176.**84

• Shipping weight 31 lbs.

#### U Cutter 1-1/2" 130420

# \$16.86

 Shipping weight 0.10 lbs.



 Shipping weight 0.25 lbs.

#### **General** PIPE GLEANERS

#### Speedrooter 92R 1/3HP

P-S92-C-O

#### \$2,299.00

- TERMS 30/60/90
- Drum holds 100' ft x 3/4" or 5/8" cable
- 1/3 HP motor with capacitor, forward-off-reverse switch
- 20" Power cord
- Pneumatic foot switch
- · Power cable feed drives and retracts at variable speeds of up to 20 ft per minute
- · Cable guide tube keeps operators hands clean and off spinning cable
- 10" Heavy duty wheels with roller bearings
- Includes: 100' x 3/4" (100EM5) cable, SRCD-R cutter set, power cable feed and guide tube
- · Shipping weight 242 lbs.



MTA. DISTRIBUTORS



\$176.84

#### **Easy Rooter JR**

- A large capacity machine for 2" to 4" lines
- · Patented chuck tightens firmly on cable with just a quarter turn
- 1/3 HP motor with thermal overload protection
- Pneumatic foot pedal and ground fault interrupter for safety



#### \$1,734.30

#### . TERMS 30/60/90

- Includes (75EM3) 75 ft. x 1/2" flexible cable and (EJCS) cutter set
- · Shipping weight 103 lbs.

#### **Flexicore Cable**

#### 1/2"x75'

121080

#### \$258.45

· Shipping weight 33 lbs.

#### Flexicore Cable 1/2"x100'


#### 121090

#### \$338.34

• Shipping weight 57 lbs.



### \$1,808.<sup>10</sup>



- · Shipping weight 133 lbs.
- **Cutter Set**

130060

- \$54.72
- Shipping weight 5 lbs.

#### **Easy Rooter**

- Heavy duty machine for clearing tough stoppages and tree roots
- · Patented chuck tightens firmly on cable with just a quarter turn.
- Rugged steel frame with roll bars
- Plated cage rides smoothly on roller bearings
- · Handle folds down and locks for storage/transport
- 10" ball bearing wheels mounted on reinforced axle

#### 3"-6" Lines

#### ER-E

#### \$1,821.60

TERMS 30/60/90

- Includes (100EM4) 100 ft. x 5/8" cable for 3" to 6" lines, (SRCS-R) cutter set, leather gloves and "how-to" video
- · Shipping weight 185 lbs.

#### 4" To 10" Lines

#### ER-D

\$2,215.80

- TERMS 30/60/90
- Includes (100EM5) 100' x 3/4" cable for 4" to 10" lines, (SRCS-R) cutter set, leather gloves, and "how-to" video
- · Shipping weight 193 lbs.

# Flexicore Cable 5/8"x100'



· Shipping weight 83 lbs.

#### **Quick Fix Connector 5/8**"

#### 130860

- \$21.52
- · Shipping weight 0.24 lbs.

#### **Cutter Set**

#### 130080

#### \$112.58

· Shipping weight 1.25 lbs.



**MTA** DISTRIBUTORS

# напан

#### Gen-Eye Pod w/Locator Wifi

#### **SL-GPW-F2**

#### \$9,085.50

TERMS 30/60/90

- · Integral camera system camera, reel, monitor in an all-in-one package
- 7" LCD color monitor mounted on a gooseneck for easier viewing
- Self-leveling color camera automatically keeps the picture right side up
- Full size reel carries 200 ft. Gel-Rod® to inspect 3" to 10" lines
- Rugged frame can be operated vertically or horizontally
- Includes LED dimmer control, and AC/DC power cords
- · Video connection to record on external device
- Wi-Fi sends video to smartphone or tablet to record and send to customers
- 512 Hz Transmitter for easy camera location
- · Shipping weight 84 lbs.



#### General PIPF CIFANERS

# **Snake Oil 1 Gallon**

#### SOG \$47.61

- · Protects cable from rust and corrosion better than common lubricants
- · Cuts through moisture and replaces with rust-resistant coating
- Lemon scented-comes in one gallon containers
- · Shipping weight 7.50 lbs.





#### **Super-Vee Unit Without Case**

#### **R-SV-A**

#### \$480.60

- · Opens clogged sinks, bathroom drains and roof drains
- · Double insulated reversible motor with variable speed control
- Gear reducer/drum support system
- Heavy gauge stamped aluminum container with inner drum to prevent cable tangling
- · Grip shield slides back to engage cable; forward to release it.
- · Automatically adjusts to different cable diameters
- Includes (25HE1) 25 ft. x 1/4" cable for 1-1/4" to 2"lines and (25HE2) 25 ft.x 3/8"cable for 2"to 3" lines, (HECS) cutter set, and "how-to" video
- Shipping weight 20 lbs.



#### Cable 3/8"X25' Female 120160

#### \$78.49

• Shipping weight 6 lbs.

# **Cutter Set**

#### 130010

#### \$50.35

Shipping weight 0.50 lbs.

120010 \$43.61

Cable 1/4"x25' Curled

#### • Shipping weight 4.20 lbs.

#### Heneral PIPE CLEANERS

#### X-25 Handy 5/16" X 25'

#### X25-8-A

#### \$156.02

- Patented collet chuck tightens firmly on cable with just a quarter turn
- Wood turning handle and tubular grip handle eliminate wear on hands
- Includes (L-25FL1-A) 25 ft.x 5/16" cable for 1-1/2" to 2" lines
- Shipping weight 10 lbs.

#### Cable 5/16"x25' 200140

#### \$52.39

· Shipping weight 5.58 lbs.







#### **Starting Drills**

#### **Arrowhead Starting Drill**

130110

\$7.08



• Shipping weight 0.05

#### **Spear Head Starting Drill** 130300

#### \$13.54

- SHD
- General Spear Head starting drill
- · Starting drill gets the water flowing
- For 5/8" and 3/4" cables
- Shipping weight 0.20 lbs.



#### **Telescoping Closet Auger 6'**

#### T6FL

#### \$74.75

- Telescoping auger clears stoppages beyond bowl
- Extra three feet of cable in handle
- Double spring gives tremendous resistance to kinking
- Flexible downhead slides through bowl, springs around corners
- Vinyl bowl guard and vinyl handle with "grip clip" to attach cable
- Guaranteed against breaking for a full year
- Shipping weight 6 lbs.





**CLEANING PRODUCTS PAGES 66-68** 



#### **Flexicore Cables**

- Flexicore<sup>®</sup> with Male & Female Connector
- · Heavy-gauge wire coiled tightly around 49-strand aircraft-type wire rope and heat treated
- · Unequalled strength and the right amount of flexibility
- Carries a one-year warranty against defect or breakage

#### 1/2"x50'

#### 121070

- \$176.84
- 50EM3
- Shipping weight 31 lbs.

#### 1/2"x100'

#### 121090

\$338.34

- 100EM3
- · Shipping weight 57 lbs.

#### 3/4"x100'

#### 122080

#### **\$464.**52

- 100EM5
- · Shipping weight 104 lbs.

#### **Feneral** PIPE GLEANERS

#### **Saw Blades**

**Rotary Saw Blades** 130210

\$20.<sup>62</sup>

• Shipping weight 0.30 lbs.

**Heavy Duty Saw Blade** 130240

**\$30.**12

· Shipping weight 0.40 lbs.



#### 1/2"x75' 121080 \$258.45

- 75EM3
- Shipping weight 33 lbs.

## 5/8"x100'

#### 122040 \$392.68

- 100EM4
- Shipping weight 83 lbs.

# 



#### **General** PIPE CLEANERS

#### **Clog Choppers**

- Multi-function cutting tools
- Six blades dig into encrusted debris and root masses, easily grinding up stoppages, scale, and crystallized urine, without risking pipe damage



- The spherical design maneuvers around tight bends and traps, thoroughly and safely cleaning metal, plastic, and clay pipes
- As it spins it also self-sharpens as it scrapes along the pipe walls
- Excellent for clearing stacks, downspouts, mains, as well as for drain lining jobs



#### \$32.06

- 1-1/2CG
- Shipping weight 0.80 lbs.

# 2" Chopper For 1/2", 9/16", 5/8", & 3/4" Cables

#### **\$52.**87

- 2CG
- Shipping weight 0.54 lbs.

# 2-1/2" Chopper For 5/8" & 3/4" Cables

#### **\$73.**53

- 2-1/2CG
- Shipping weight 0.69 lbs.

#### **General** Cup Type Connector

**PIPE CLEANERS** • Sheath fits over cable for easier repairs.

130560	1/2″	\$6.37
130595	5/8″	\$11.49
130625	3/4″	\$11.50



Conn Screw 1/2″ Cup Style 5/PK

#### 130790 \$4.09

- 1/2 CS
- Fits 3/8", 1/2" and 5/16" cables
- Shipping weight 0.01 lbs.

#### Conn Screw 5/8 Cup Style 5/PK 130800

- **\$4.**<sup>09</sup>
- 5/8 CS
- Fits 5/8" & 3/4" cables
- Shipping weight 0.08 lbs.

#### **General** PIPE CLEANERS

#### Springs

#### **Flexible Arrowhead**

130120

#### **\$12.**<sup>63</sup>

- FAH
- Shipping weight 0.10 lbs.

#### **Boring Gimlet**

#### 130130

- **\$9.**56
- BG
- Shipping weight 0.10 lbs.

#### **Downhead Boring Gimlet**

130140

#### **\$13.**25

- DHBG
- Shipping weight 0.10 lbs.

# Small Retrieving Tool

#### \$11.07

- RTR-1
- Shipping weight 0.15 lbs.

# Retrieving Tool

#### 13037

- \$25.64 • RTR-2
- For removing loose objects and broken cables
- For 5/8" and 3/4" cables
- Shipping weight 0.50 lbs.

#### Flexible Leader

#### 130340

#### **\$29.**43

- LE-1
- Helps cable get around tight bends and traps
- Shipping weight 1 lbs.

#### 

















#### **Cutter Sets**

#### 130050

#### \$42.66

- MRCS
- Includes: AH Arrow Head, 1 1/2UC 1 1/2" U Cutter, 2SCB - 2" Side Cutter Blade, BG - Boring Gimlet
- Shipping weight 0.30 lbs.

#### 130010

- \$50.35
- HECS
- Includes: AH Arrow Head, FAH Flexible Arrow Head, 11/4SCB - 1 1/4" Side Cutter Blade, BG - Boring Gimlet, DHBG - Down Head Boring Gimlet
- Shipping weight 0.50 lbs.

#### 130060

- **\$54.**72
- EJCS
- Includes: AH Arrow Head, 11/2UC 1 1/2" U Cutter, 2UC -2" U Cutter, RTR-1 - Small Retrieving Tool
- Shipping weight 5 lbs.

#### 130080

#### \$112.58

- SRCS-R
- Includes: SHD Spear Head Starting Drill, 2UC 2" U-cutter, 3HDSC - 3" Heavy Duty Side Cutter, 3HDB - 3" Heavy Duty Saw Blade and RTR-2 - Large Retriever Tool
- Shipping weight 1.25 lbs.

#### 130090

- **\$155.**<sup>14</sup>
- COCS-R
- Includes: SHD Spear Head Starting Drill, 2UC 2" U-cutter, 3HDSC - 3" Heavy Duty Side Cutter, 3HDB - 3" Heavy Duty Saw Blade, RTR-2 - Large Retriever Tool, AH - Arrow Head, 11/2UC - 1 1/2" U Cutter, RTR-1 - Small Retrieving Tool
- Shipping weight 2.05 lbs.

#### **General** PIPE CLEANERS

#### **Quick Fix Repair Coupler**

	-	-		
130855	1/2″	0.20 lbs.	\$20.28	
130860	5/8″	0.24 lbs.	\$21.52	
130870	3/4″	1 lbs.	\$22.90	



#### Cutters

#### **Side Cutter Blades**

- 130170 \$9.36
- Shipping weight 0.10 lbs.

#### **Side Cutter Blades**

- 130180
- **\$11.64** • Shipping weight 0.15 lbs.

Side Cutter Blades 130190 \$11.64

Shipping weight 0.15 lbs.



**\$25.08** • Shipping weight 0.45 lbs.

#### U Cutter 1-1/2"

130420

**\$16.86** • Shipping weight 0.10 lbs.

#### U-Cutter 2"

130430

#### **\$19.86** • Shipping weight 0.25 lbs.

U Cutter 3"

130450

#### **\$22.04**

• Shipping weight 0.30 lbs.



#### **Repair Sleeve**

130835	1/2″	0.50 lbs.	\$5.18	- 10
130840	5/8″	0.10 lbs.	\$ <b>6.0</b> 8	



# **FLEET MAINTENANCE**

#### **Fuel Cans**

- Push button control
- View stripes front and back
- Auto flow stop
- Fastest flow rate
- Large neck opening
- Wide, stable design
- High density polyethylene
- Rental quality
- 1 Year commercial warranty

## 1-1/4 Gallon Gas 6/BX

- 1415
- **\$96.**40
- Shipping weight 9 lbs.

#### 2-1/2 Gallon Gas 6/BX 1405 \$114.80

Shipping weight 12 lbs.

# 5 Gallon Gas 4/BX

1460 \$128.53 • Shipping weight 14 lbs.

#### 5 Gallon Diesel 4/BX

1467 \$128.53 • Shipping weight 14 lbs.

#### Nozzle Assembly 6132

#### **\$8.**13

Fits all No Spill<sup>®</sup> portable fuel containers built in 2011 and after
Shipping weight 0.30 lbs.



NO-SPILL®









# 🕢 Justrite.

#### Gas Can w/Funnel CA Style

- The sealed lid features automatic positive-pressure relief to guard against rupture or explosion.
- Made from high-grade coated steel
- Leakproof construction
- Resists chemicals and stands up to demands of rigorous use
- Each Justrite safety can is equipped with a stainless steel flame arrester
- Large label ID zone on swing-handle cans provides writing space to identity contents
- Certified by FM, UL/ULC.
- Justrite safety cans also meet OSHA and NFPA requirements
- Ten-year warranty

#### 2-1/5 Gallon

#### 7125110

#### \$76.43

• Shipping weight 4.45 lbs.

• Shipping weight 8.30 lbs.

#### 5 Gallon

#### 7150110

**\$76.**43





#### Gas Can Metal Type I

- Galvanized steel
- Meets OSHA requirements
- UL approved, ULC approved, FM approved
- Not Sold in California

#### 1 Gallon

#### **Ui-10S**

**\$63.**94

Shipping weight 3 lbs.

#### 2 Gallon

#### Ui-205

#### \$66.<sup>07</sup>













#### **Fuel Can 5 Gallon** Metal Type I

- Type 1 Safety can
- Galvanized steel
- · Meets OSHA requirements
- UL approved, ULC approved, FM approved
- 12.5" Diameter, 13.5" height
- · Not Sold in California

#### Gas

#### **UI-50S**

\$71,20

• Shipping weight 7 lbs.

#### Diesel

**UI-50-SY** 

\$86.69

• Shipping weight 7 lbs.

#### Gas w/Funnel

#### **UI-50-FS**

#### \$76.73

• Shipping weight 7.10 lbs.











# VECTOR

#### **53 Gallon Pro Refueling Tank** \$728.75



- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure<sup>®</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- Shipping weight 117 lbs.



4519-BLK



NEW

White 4519-WHT

#### Fuel Caddy 30 Gallon w/Pump



John Deer

- Performance Reliability Commitment
- · Heavv-duty bi-directional pump for suction
- UL listed

• 30 gallon steel tank

- 5.7 gallons/minute @ 72 RPM (1-gal. per 12 turns)
- 10" x 2.75 semi-pnuematic wheels for safety and easy movement
- 2" filler neck for bulk filling
- 8' clear hose with anti-static grounding line
- · Please Note: fuel caddy not intended for transport of fuel in a motor vehicle

#### Gas

#### **HGC-30**

\$688.15

• Shipping weight 110 lbs.

#### Pump Assembly

#### JDI-35-UL

#### \$134.29

• Shipping weight 12.25 lbs.

#### Diesel

#### HGC-30-D

#### \$688.15

· Shipping weight 110 lbs.



# VECTOR

#### **55 Gallon Dot Refueling System**



TERMS 30/60/90

- DOT compliant for the transfer and dispensing of Gasoline, Diesel, and Kerosene
- Equipped with a reliable GPI 12-Volt, 8 Gallons Per Minute fuel transfer pump, 12 ft. dispensing hose, and a manual shut-off nozzle
- Auto-Reversing feature removes fuel from hose and nozzle when not in use
- 6 position LED display provides clear fuel level
- Lock out system and keyed gas cap helps eliminate fuel theft
- Shipping weight 202 lbs.



6912-WHT

Black 6912-BLK

NEW

# VECTOR

#### **64 Gallon Pro Refueling Tank** \$741.25

- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure<sup>®</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- Shipping weight 156 lbs.

White

Black

4520-BLK

4520-WHT



NEW

# VECTOR

#### 66 Gallon Pro Refueling Tank \$992.50

- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure<sup>"</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- · Shipping weight 182 lbs.

White

Black 4463-BLK

4463-WHT



#### 92 Gallon Pro Refueling Tank



NEW

- \$1,088.75 TERMS 30/60
- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure" Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- · Shipping weight 239 lbs.

#### White 6965-WHT



NEW

Black 6965-BLK

# VECTOR

#### 93 Gallon Dot Refueling System

#### 6983-WHT



- DOT compliant for the transfer and dispensing of Gasoline, Diesel, and Kerosene
- Equipped with a reliable GPI 12-Volt, 8 Gallons Per Minute fuel transfer pump, 12' dispensing hose, & a manual shut-off nozzle
- Auto-Reversing feature removes fuel from hose and nozzle when not in use
- 6 position LED display provides clear fuel level
- Lock out system and keyed gas cap helps eliminate fuel theft
- Built-in hose and nozzle storage for cleaner truck bed
- Pressure relief roll over valve
- Integrated Mounting System
- Mounting hardware included
- Shipping weight 293 lbs.

White 6983-WHT

Black 6983-BLK



FUEL STORAGE & PUMPS





#### **100 Gallon Pro Refueling Tank**

\$1,095.00 TERMS 30/60

- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure<sup>®</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- Shipping weight 248 lbs.



NEW

Black 4522-BLK

White

4522-WHT



# VECTOR

#### NEW **100 Gallon Dot Refueling System**

\$1.728.75

- TERMS 30/60/90 • DOT compliant for the transfer and dispensing of Gasoline, Diesel, and Kerosene
- Equipped with a reliable GPI 12-Volt, 8 Gallons Per Minute fuel transfer pump, 12 ft. dispensing hose, & manual shut-off nozzle
- Auto-Reversing feature removes fuel from hose and nozzle when not in use
- 6 position LED display provides clear fuel level
- Lock out system and keyed gas cap helps eliminate fuel theft
- Built-in hose and nozzle storage for cleaner truck bed
- · Pressure relief roll over valve
- Integrated Mounting System
- Mounting hardware included
- Shipping weight 287 lbs.



Black 6970-BLK



# VECTOR

#### **102 Gallon Pro Refueling Tank** \$1,101.25



Diesel Transfer Tank

TERMS 30/60

- Mechanical Fuel Gauge
- SpinSecure<sup>®</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve
- Mounting hardware included
- Shipping weight 245 lbs.

# White

#### 4523-WHT



#### Black 4523-BLK



NEW

# VECTOR

#### **108 Gallon Pro Refueling Tank \$828.**75

- Diesel Transfer Tank
- Mechanical Fuel Gauge
- SpinSecure<sup>®</sup> Vented Fuel Cap
- Integrated Mounting System
- Reinforced 2" NPT Flanges
- Pressure Relief Safety Vent Valve

#### White 4521-WHT



Black 4521-BLK



FUEL STORAGE & PUMPS

# VECTOR

#### 111 Gallon Dot Refueling System **NEW**

#### **\$1,911.**25

TERMS 30/60/90

- DOT compliant for the transfer and dispensing of Gasoline, Diesel, and Kerosene
- Equipped with a reliable GPI 12-Volt, 8 Gallons Per Minute fuel transfer pump, 12 ft. dispensing hose, and a manual shut-off nozzle
- Auto-Reversing feature removes fuel from hose and nozzle when not in use
- 6 position LED display provides clear fuel level
- Lock out system and keyed gas cap helps eliminate fuel theft
- Built-in hose and nozzle storage for cleaner truck bed
- · Easy access filter bowl for filter element replacement
- Pressure relief roll over valve
- Integrated Mounting System
- Mounting hardware included
- Shipping weight 304 lbs.



Black 6968-BLK

White

6968-WHT



#### EX50 120V 15GPM UL Fuel **NEW** F0037450C

#### \$418.85

• Shipping weight 10 lbs.



# <u>Piusi</u>

#### EX50 120V 15GPM UL Fuel Pump

#### F0037451C

#### \$581.15

- UL-Listed Motor
- Sturdy and Compact Cast Iron Body
- High Efficiency can deliver up to 15 GPM at-the-nozzle
- Anti-Noise Filter
- Flanged Components
- Bypass Valve Built-In
- Thermal Overload Protection
- Suction Unit with Integrated Filter
- Shipping weight 35 lbs.



NEW CA



\$307.69

#### EX50 12V 15GPM UL Fuel

F0037250D



- UL-Listed Motor
- Sturdy and Compact Cast Iron Body
- High Efficiency can deliver up to 15 GPM at-the-nozzle

NEW

GA

- Anti-Noise Filter
- Flanged Components
- Bypass Valve Built-In
- Thermal Overload Protection
- Suction Unit with Integrated Filter
- Shipping weight 10 lbs.



#### EX50 12V 15GPM UL Fuel Pump

#### F0037252A

#### \$469.23

- UL-Listed Motor
- Sturdy and Compact Cast Iron Body
- High Efficiency can deliver up to 15 GPM at-the-nozzle
- Anti-Noise Filter
- Flanged Components
- Bypass Valve Built-In
- Thermal Overload Protection
- Suction Unit with Integrated Filter
- Shipping weight 32 lbs.



NEW

(CA)

FUEL STORAGE & PUMPS

Blac



#### EX50 12V 15GPM UL Fuel

#### Pump

#### F0037251D

#### **\$538.**46

- UL-Listed Motor
- Sturdy and Compact Cast
   Iron Body
- High Efficiency can deliver up to 15 GPM at-the-nozzle

NEW

- Anti-Noise Filter
- Flanged Components
- Bypass Valve Built-In
- Thermal Overload Protection
- Suction Unit with Integrated Filter
- · Shipping weight 33 lbs.



# EX75 12V 20GPM UL Fuel

#### **\$423.08** • cULus-Listed



- 1/4 Horsepower Motor
- Thermal Protection
- Built-In Bypass Valve
- Non-Return Valve and Pressure Relief Valve
- Nozzle Holder
- Flanged Components
- Spring-Loaded, Reinforced Vanes Provide Higher Suction Capabilities
- Keeps Consistent Pressure and Fluid Displacement at all Times
- Shipping weight 22 lbs.



#### EX75 12V 20GPM UL Fuel Pump

#### F00378530 \$576.<sup>92</sup>

- cULus-Listed
- 1/4 Horsepower Motor
- Thermal Protection
- Built-In Bypass Valve
- Non-Return Valve and Pressure Relief Valve
- Nozzle Holder
- Flanged Components
- Spring-Loaded, Reinforced Vanes Provide Higher Suction Capabilities
- Keeps Consistent Pressure and Fluid Displacement at all Times
- Shipping weight 37 lbs.



#### EX75 12V 20GPM UL Fuel Pump

#### F0037851A \$653.85

- cULus-Listed
- 1/4 Horsepower Motor
- Thermal Protection
- Built-In Bypass Valve
- Non-Return Valve and Pressure Relief Valve
- Nozzle Holder
- Flanged Components
- Spring-Loaded, Reinforced Vanes Provide Higher Suction Capabilities
- Keeps Consistent Pressure and Fluid
   Displacement at all Times
- · Shipping weight 38 lbs.



#### EX75 12V 20GPM UL Fuel Pump Basic+

# **F0037852A**

- cULus-Listed
- 1/4 Horsepower Motor
- Thermal Protection
- Built-In Bypass Valve
- Non-Return Valve and Pressure Relief Valve
- Nozzle Holder
- Flanged Components
- Spring-Loaded, Reinforced Vanes Provide Higher Suction Capabilities
- Keeps Consistent Pressure and Fluid Displacement at all Times
- Shipping weight 42 lbs.



#### Pitstop 12V 15GPM NEW

#### F0021202A

#### \$1,538.46 TERMS 30/60/90

- Ready to install
- Versatile and Sturdy Structure
- Shipping weight 108 lbs.



FUEL STORAGE & PUMPS

FUEL STORAGE & PUMPS

# <u>Piusi</u>

#### Pitstop Suction Kit NEW 😡 **RKPITSSUCT**

#### \$200.00

- Fast and Efficient tool for removing fuel
- · Shipping weight 3 lbs.



#### **Piusibox Pro - Portable Diesel Transfer Kits**

· Portable, Easy to Handle, and Ready to Use

NEW

CA

- SEC Connection Adapter
- Designed for Application on Large Vehicles and Heavy-Duty Machinery
- Shipping weight 28 lbs.

12V 12GPM F0023101B \$352.31



NEW 24V 12GPM F0023201B CA \$352.31



# FOLLOW MTA ON SOCIAL MEDIA!



/mtadistributors



/@mtadistributors

@mta-distributors



 $\mathbb{X}$ 

/company/mta-distributors





#### Three25 120V 9GPM NEW

#### F00101A0H \$1.161.15



Certified cCSAus

**TERMS 30/60** 

- Specifically Designed for IBC Tanks
- Suzzarablue Diaphragm Pump
- Easy to Install / Replace the IBC Tank
- Automatic Nozzle
- Built in Filter
- · Shipping weight 33 lbs.

# PIUSI

#### Three25 12V 9GPM NEW

CA

#### F00101A1A

#### \$1,161.15 **TERMS 30/60**

- Specifically Designed for IBC Tanks
- Suzzarablue Diaphragm Pump
- Easy to Install / Replace the IBC Tank
- Automatic Nozzle
- Built in Filter
- · Shipping weight 33 lbs.



#### Def Rotary Hand Pump Kit NEW

#### F00332A3A

\$179.23



- Features Sturdy Connector and Heavy Duty Lever
- High Efficiency, Adjustable Suction Pipe
- Built-in Non-Return Valve
- · Shipping weight 7 lbs.









# FLEET MAINTENANCE

# <u>Pi**u**si</u>

#### EX100 25 GPM 120V UL Pump Only



#### \$1,033.85 TERMS 30/60

- Fan-Cooled Aluminum Motor
- Easy-Access Filter Strainer
- Nozzle Holder + Switch
- Optional Detachable Wiring Box
- Shipping weight 62 lbs.



NEW CA

NEW Or



#### EX140 37 GPM, 120V UL Pump Only

#### F0039600A

\$**1,307.**69

- TERMS 30/60 • UL-Certified
- UL-Certified
- Fan-Cooled Aluminum Motor
- Easy-Access Filter Strainer
- Nozzle Holder + Switch
- Optional Detachable Wiring Box
- Shipping weight 70 lbs.





#### **MOBILE APP**

Have you had a chance to try our mobile application? Find it in the App Store for Mac and Google Play for Android or download it with one of the links below. The app uses the same login as mtadistributors.com.



All of your settings and shopping cart items seamlessly sync from app to website and website to app. Quickly find a product's current price or availability, and fill your cart. The MTA mobile app also features parts breakdowns that can be accessed through the main menu or on the product page. We're confident that you'll enjoy using our official app, but if you find something that isn't working as you expect, please give us a shout at 800-264-0225 or website@mtadistributors.com.





FUEL STORAGE & PUMPS

#### **Auto Shut-Off Nozzle**

- Designed for fuel applications requiring an auto shut-off
- · Hold open handle clip for fast, effortless filling
- Small, trim, and lightweight with a low profile aluminum body and a full hand insulator that protects the nozzle and vehicle, and insulates hand when in use
- 15 PSI is required to operate shut-off

#### Unleaded

#### 99000246

#### \$39.20

• For use with gasoline, 15% ethanol, methanol, and gasoline blends



- Inlet; 3/4" female NPT
- Shipping weight 4.50 lbs.

#### Diesel

#### 99000247

#### \$56.51

• For use with diesel



Shipping weight 3.50 lbs.



#### Fuel Stabilizer (8 OZ.)

#### 08732-0800 \$6.<sup>08</sup>

- Keeps treated gas fresh for up to 12 months and equipment ready to use
- Developed to combat problems from fuels containing Ethanol
- Helps prevent performance issues in fuel/ lines, carburetors and injectors
- Contains fuel system cleaners
- Helps maintain engine performance when used in every tank full
- Contains corrosion inhibitors
- Helps prevent formation of damaging fuel system rust and corrosion
- Manufactured for Honda in conjunction with STA-BIL<sup>®</sup>
- State-of-the-art technology from industry leaders
- Shipping weight 0.55 lbs.



#### Oil; Engine (QT) 10W30

#### 08207-10W30

#### \$8.06

Shipping weight 1.93 lbs.



**Drainzit** 

#### **Oil Drains**

- Fits Honda with 10mm, 12mm, or 14mm oil port
- Fittings convert to SAE wrench sizes
- EFFICIENT Custom-made metric fittings seal kit to engine with o-ring
- Rubber retainer loop holds kit in place when not in use
- All brass fittings for quality and service
- Pressure tolerance: 300psi
- Overall length: 14

#### 1/4" Hose Fitting

HON1010	10mm	Honda GX100, GX120, GX160, GX200   Kohler CS4, CS6	\$16.30
HON1012	12mm	Honda GX240, GX270, GX340, GX390, GC160   Kohler CS8.5, CS10, CS12	\$16.30
HON1014	14mm	Honda GX610, GX620, GX670   Kawasaki 3.7	\$16.30
STAN1025	1/4″	Most Briggs & Stratton, Tecumseh engines with 1/4" pipe thread oil drain port	\$16.30

#### 3/8" Hose Fitting

HON1414	14mm	Honda GX610, GX620, GX670	\$17.62
HON1420	20mm	Honda GX630, GX660, GX690, GXV530, GXV610, GXV620, GXV660, GXV670	\$19.32
STAN1438	3/8″	Most Briggs & Stratton, Tecumseh engines with 3/8" pipe thread oil drain port; Kohler Command and OHC 16 & 18 HP	\$17.62

94







#### **Grease Gun Coupler**

#### W54212

#### \$1.86

- Fits most hand operated grease guns
- Working Pressure (PSI): 3,000
- Burst Pressure (PSI): 6,000
- NPT (IN): 1/8"
- Shipping weight 0.40 lbs.



#### **Grease Gun Economy**

#### W54203

#### \$11.51

- · Heavy duty construction with rust resistant paint
- Short stroke lever action for easy use in tight spaces
- Vented zinc die cast head cap
- · Positive lock for easy filling
- · Knurled thick wall barrel for secure grip
- Uses standard 14 oz. grease cartridge
- · Shipping weight 2.50 lbs.



#### **Lever Action Grease Gun**

#### W54201

#### \$13.26

- Heavy duty construction for long service life
- Short stroke lever action for easy use in tight spaces
- Vented zinc die cast head cap
- Positive lock for easy filling
- Knurled thick wall barrel for secure grip
- Uses standard 14 oz. grease cartridge
- Shipping weight 3 lbs.



#### **Grease Fitting Cleaning Tool**

#### W54209

#### \$15.39

- Fits both angled and straight grease fittings
- Clears grease fittings of hardened matter
- · Simply draw oil or grease into the tool, place on fitting, and strike with a hammer
- · Shipping weight 0.30 lbs.



#### **Grease Gun Red**

#### W54292

#### \$26.00

- Heavy duty cast head with bulk load, and pressure release valves
- Zinc plated lever handle with a PVC grip for comfort
- Extra heavy t-handle and internal return spring
- 3-way loading and accepts standard 14oz cartridge
- Shipping weight 3.40 lbs.



#### Grease Gun Flex Hose 12" 4500 PSI W54210

#### \$3.70

- 12" Hose for hard to reach areas
- · For use with hand and air powered grease guns
- Working pressure (PSI): 4,500
- Burst pressure (PSI): 12,000
- NPT (IN): 1/8"
- Shipping weight 0.20 lbs.



# **Pro Pistol Grip Grease Gun**

#### \$16.53

- Professional quality heavy duty construction and chrome plated finish for long service life
- · Pistol grip action for easy use
- · Vented zinc die cast head cap
- Positive lock for easy filling
- Air bleeder valve eliminates air lock
- 3-Way loading: tube, bulk, or suction
- · Accepts standard 14 oz. cartridge
- Comfort grip lever handle
- · Shipping weight 2.60 lbs.



#### MTADISTRIBUTORS.com / 800.264.0225





#### **Pro Series Jack 2K**, **Retaining Ring Swivel,** Weld-On

#### 1401140303

#### \$53.03

- Pro Series<sup>™</sup> Weld-on Jack, Topwind
- 2000 Lbs Capacity w/Footplate
- · Limited 3 year warranty
- · Shipping weight 11.30 lbs.



#### Jack A-Frame w/ **Support Foot**

#### 0091260

#### \$46.39

- A-Frame, Includes Support Foot
- Capacity: 2,000 lbs.
- Travel: 15"
- Wind: Top
- Shipping
- weight 12.78 lbs.



#### Square Jack 4" Heavy Duty, w/Handle 10,000 LB Capacity

#### 0091410H

#### \$193.60

- 4" Sq. HD Side Wind Jack w/ Side Pin
- Capacity: 12,000 lbs. static / 10,000 lbs. dynamic
- Travel: 12" screw travel w/14" adjust.
- Wind: Side
- · Shipping weight 67 lbs.



#### Coupler 2-5/16" 15,000 M.G.T.W

#### 0091550

- \$79.17
- · Easy one-hand latch operation
- · Keep it conveniently pinned open while coupling the trailer
- Rugged cast steel construction
- · Mounts to a channel for height adjustability
- · Shipping weight 14 lbs.





#### **Receiver Mount Pintle** Hook 5 Ton

#### RM5P

#### \$84.86

- · Single piece drop forged lower jaw is designed with an integral shank to fit 2" receiver tubes.
- Black powder coat finish.
- Drawbar eye dimensions- 2" to 3" I.D. with 1-1/4"-1-5/8" diameter section
- M.V.L. 2,000 lbs.
- M.G.T.W. 10,000 lbs.
- Shipping weight 14.20 lbs.



#### Tri-Ball Hitch 1-7/8", 2", 2-5/16"

#### 1802202

#### \$45.10

- This tri-ball mount features a tubular shank for 2" receiver tubes
- · Welded steel towing balls
- Black powder coat finish
- 5/8" hitch pin hole
- Individually boxed for shipping
- 1-7/8" Ball Capacity 6,000 lbs. M.G.T.W.
- 2" Ball Capacity 7,500 lbs. M.G.T.W.
- 2-5/16" Ball Capacity 10,000 lbs. M.G.T.W.
- Pintle Capacity 7,500 lbs. M.G.T.W
- · Shipping weight 11.70 lbs.



**Chrome Hitch Balls** 



1802134	2" x 1" x 2-1/8" 5,000 LB	2.50 lbs.	\$9.39
1802136	2″ x 1″ x 2-3/4″ 10,000 LB	5.50 lbs.	\$11.13
1802161	2-5/16″ x 1″ x 2-1/8″ 6,000 LB	3.20 lbs.	\$12.54
1802026	2-5/16″ x 1″ x 2-1/8″ 7,500 LB	4.20 lbs.	\$13.91
1802025	2-5/16″ x 1-1/4″ x 2-3/4″ 10,000 LB	3.20 lbs.	\$16.73











# **Buvers**

#### **Receiver Ball Mount** 2" Drop

#### 1803007

#### \$19.19

- Length 10"
- Max. Drop" 2"
- 3/4" Rise
- M.V.L. 600 lbs.
- M.G.T.W. 6,000 lbs.
- Shipping weight 5.75 lbs.

#### **Receiver Ball Mount 4**" Drop, 23/4" Rise 6000LB M.G.T.W

#### 1803010

#### \$23.04

- High-Low tube style ball mounts
- Fit 2" receiver tubes
- Two piece welded steel construction
- Tongue accepts 1" diameter shank towing balls
- Black powder coat finish
- Shipping weight 7.50 lbs.



Redline **Combo Pintle & Ball Hitch** 

#### **DPR2516** \$134.92

- Pintle & Ball Hitch for 2-5/16" Ball for 2" Receiver
- 10,000 lbs. trailer capacity
- Shipping weight 18 lbs.





#### 8" Keyed Ball Mount

• Shipping weight 17.32 lbs.

TRZ8AL

\$242.40









#### **Buyers** 8-Ton Combo Hitch 2" Ball w/ **Mounting Kit**

#### 10050

#### **\$90.**76

- Drop forged
- Black powder coat finish
- · Forged steel ball
- Interchangeable hitch balls
- Drawbar eye dimensions 2-1/2" to 3" I.D. with 1-1/4" to 1-9/16" diameter section.
- Individually boxed (Retail Packaging) with drilling template and capacity decals.
- M.V.L. 3,000 lbs.
- M.G.T.W. 16,000 lbs.
- Shipping weight 13.80 lbs.





#### Wheel Lock - Keyed Alike

#### **RA-25K10**

#### \$89.81

- Deter theft of anything with wheels
- Fits most wheel types and sizes
- Easy to use
- Keyed alike for your convenience when securing several pieces of equipment
- 1 year warranty against manufacture defects
- Shipping weight 11.60 lbs.





TRAILER SECURITY



# Wheel Chock Lock Deluxe NEW

**\$88.**59

- Closed 7', Open 11-1/4', Reach 10-1/2'
- Shipping weight 7.94 lbs.



#### Master Lock

#### Braided Cable, Looped Ends 72DPF

#### \$19.31

- 15' galvanized steel cable 3/8" dia.
- Braided steel wires for strength and flexibility
- Convenient end loops
- Vinyl coating
- 2-year limited warranty
- Shipping weight 2 lbs.

#### Master Lock

#### Python Adjustable Locking Cable

#### 8413KACBL6 \$20.94

- Python lock
- 6 ft. adjustable locking cable
- 100% steel braided cable
- Vinyl sleeve and lock body bumper
- Rekeyable cylinders
- Keyed alike
- 3/8 in. OD of cable
- Shipping weight 2 lbs.





Anti-Rattle Clamp 2″ NEW Draw Bar

#### **THC200**

- \$29.<sup>08</sup>
- Shipping weight 2.3 lbs.

#### Master

#### Universal Trailer Coupler Lock 379ATPY

#### \$31.71

- Improved design fits all tongue type couplers 1-7/8", 2", 2-5/16"
- Commercial Version
- Python rekeyable cylinder
- Powder coat finish resist corrosion
- Displayed in four color retail box
- Shipping weight 2.69 lbs.



# Adjustable Coupler Lock **NEW**

## \$15.86

- Triple Plated Chrome Finish
- Universal Coupler Fits 7/8" 3-1/2" Span
- Shipping weight 0.51 lbs.





# Dual Locking Coupler Lock





- Die Cast Patented Dual Purpose Coupler Lock and U-Lock Feature
- Dual Ratchet Locking System
- Fits Most Couplers (1-7/8", 2, to 2-5/16")
- Rugged Corrosion Resistant Finish
- Shipping weight 3.91 lbs.









**UMAX100** 

\$75.98

#### **Premium Coupler Lock**



Patented Dual Purpose Coupler Lock

NEW

- Fits Most Couplers (1-7/8", 2", to 2-5/16")
- Ballistic Grade Nylon Housing Absorbs Hammer Blows & Protects Against Weather
- Shipping weight 4.57 lbs.



#### **Trigger Coupler Lock**

#### TMC10 NEW

#### \$15.10

- Deluxe Key Coupler/Door Latch Lock
- Fits Couplers up to 3/4" Span
- Machine Forged Chrome Steel
- Protective Rubber Bumper
- Cap to help protect from grime and corrosion
- Shipping weight 0.65 lbs.



#### Receiver Lock **NEW** Chrome Steel



#### \$20.95

• Shipping weight 0.71 lbs.



#### Receiver Lock 5/8 X 3-1/2" NEW

#### **T5**

#### **\$21.**<sup>67</sup>

- Fits Class V Receiver Hitches
- Solid Hardened Steel Pin
- Rust Proof Aluminum Head
- Shipping weight 0.80 lbs.



#### Receiver Lock 5/8" Stainless Steel

#### SXT3

- **\$29.**67
- Fits All Class III and IV Receiver Hitches

NEW

- 100% Stainless Steel
- Shipping weight 0.89 lbs.



Key Receiver; Class V; NEW Stainless

### SXT5

#### **\$33.**<sup>14</sup>

- Fits Class V Receiver Hitches
- 100% Stainless Steel• Shipping weight 0.99 lbs.



#### Wheel Chock, Rubber

#### WC1467A

#### \$17.50

- 5"W X 6"D X 5"H
- Reinforced rubber design
- Resistant to sun, salt, oil, & acid
- Shipping weight 2.80 lbs.

#### Wheel Chock, Rubber Heavy Duty

#### WC6810L \$16.53

- **>10.**33
- 10"W X 8"D X 6"H
- Reinforced rubber design
- Perfect for most applications
- Includes chain eye
- Shipping weight 6.50 lbs.



# Locking Hitch Pin Assy 5/8"

#### BLHP200 \$11.77

- Helps protect your trailer and hitch from theft
- Designed to resist corrosion and wear
- Receiver Tube size 2"
- Shipping weight 1 lbs.



#### Receiver Hitch Pin RHPP-1

#### **\$2.**39

- 5/8" x 3" with keeper
- Shipping weight 1 lbs.













#### 1/8" x 1-5/16" 8/BG P7924ZHU

- **\$14.**<sup>89</sup>
- Fits Pin Dia. 1/2" to 3/4"
  Shipping weight 0.10 lbs.



#### 1/4" Round P7938ZBU

#### **\$2.**32

- Usable length 1-3/4"
- Shipping weight 0.13 lbs.

#### 5/16" Square

#### P7939ZBU

- **\$2.**<sup>66</sup>
- Usable length 2-1/4"
- Shipping weight 0.10 lbs.

#### 5/16" Round P7940ZBU

#### \$4.86

- Usable length 2-1/4"
- Shipping weight 0.10 lbs.

#### 3/8" Round P7941ZBU

#### \$2.66

- Usable length 2-1/4"
- Shipping weight 0.14 lbs.



#### Swivel Handle Forged Head Hitch



# Yellow zinc dichromate platedReplacement Hitch Pin # P7924

#### 1/2″ x 4-1/4″

#### P71011C

- **\$3.00** • Overall length 5-3/4"
- Shipping weight 0.40 lbs.

#### 5/8" x 6-1/4"

#### P71022C

#### \$3.69

- Overall length 7-3/4"
- Shipping weight 0.80 lbs.

#### 3/4" x 6-1/4"

#### P71032C

#### **\$4.**40

- Overall length 7-3/4"
- Shipping weight 1.10 lbs.

# MTA. DISTRIBUTORS

#### **ONE TEAM DELIVERING**





FROM THE EAST COAST TO THE WEST COAST, WE HAVE YOU COVERED FOR ALL YOUR RENTAL EQUIPMENT NEEDS!

TRAILER SECURITY



#### **LED Tail Lights**

- Stop/turn/tail
- Universal stud-mount under 80"
- Combination LED Tail Lights

#### Left Side

#### **STL-9RB**

#### \$17.04

- 7 Function
- Drivers side with license plate light
- 21 LED's
- Shipping weight 0.50 lbs.

#### **Right Side**

#### **STL-8RB**

#### \$14.96

- 6 Function
- Passenger Side
- 16 LED's
- Shipping weight 0.50 lbs.

#### OPTONICS.

#### Light Oval Red Kit 6" LED

#### **STL-72RBK**

#### \$13.93

- These red stop/turn/tail lights make a great addition to any trailer
- · Wiring pigtail included
- Lifetime warranty
- Shipping weight 1 lbs.

#### Redline TOWING ACCESSORIES

#### **Trailer Light Kit 20' Harness**

#### 540

#### \$22.19

- Kit includes all legal lighting & reflective equipment for any trailer less than 80"wide
- Shipping weight 2.67 lbs.





#### **Tail Lights**

#### **Right Side**

#### 440

- \$3.45
- 6 Function • Under 80" wide trailers
- Shipping weight 0.50 lbs.

#### Left Side

#### 440L

#### \$3.65

- 7 Function
- License Plate Illuminator
- Under 80" Wide Trailers
- · Shipping weight 0.50 lbs.



#### **Trailer Connector Adapter** 7W To 4F



#### \$7.89

- Converts 7-way RV receptacle to flat 4-way
- Shipping weight 0.30 lbs.



#### **Trailer Conn, 4-Pole Flat** 12" Wire

#### 44P

#### \$1.36

- 4-Pole Flat Trailer Connector
- Trailer end w/12" wire
- · Shipping weight 0.25 lbs.

# **Southwire**<sup>®</sup>

#### **Booster Cable 4 Gauge Red Jacket** 08666



888

#### \$46.55

- 400 Amp Polar-Glo<sup>™</sup> Clamps
- · Featuring glow-in-the-dark polarity indicators
- The clamp grips remarkably to both top and side post batteries, both firmly and easily
- The extended jaw has grooves, which conform to the side post, locking it in place
- Wire gauge: 4
- Length: 16'
- Shipping weight 5.15 lbs.





# **MTA** DISTRIBUTORS





ODITONICS.

RAMPS & BINDERS

#### ERICKSON

#### **Ramp Plate**

#### 07200

#### \$12.82

- Aluminum loading Ramp Plates quickly convert a 2" x 8' board into a quick and very inexpensive loading ramp to load an ATV, motorcycle, lawn mower, etc. into a pick-up or on a trailer
- 1/4" thick plated steel
- 750 lb. max load
- Sold each
- · Shipping weight 1.65 lbs.



#### ERICKSON

#### **Steel Center-Folding Mesh Ramp**

#### 07464

- \$92.47
- 11" wide x 80" long
- 800 lb. Rated (Per Ramp)
- · Black powder coating
- Carry Handle
- Fully assembled ready to use
- Includes safety strap
- Sold individually
- · Shipping weight 30 lbs.



#### PEERLESS

#### **Ratchet Load Binders**

5/16"

H5123-4152

#### \$46.12

- · Painted yellow

- 6.50" Take up
- 13.92" Handle
- 5400 lb Working load limit
- Do not exceed working load limit
- Shipping weight 11 lbs.

#### 3/8" H5123-4252 \$50.95

- · Painted yellow
- Use with 5/16" Grade 70 chain Use with 1/2" Grade 70 chain
- Use with 3/8" Grade 43 chain Use with 3/8" Grade 70 chain
  - 6.50" Take up
  - 13.92" Handle
  - 9200 lb Working load limit Do not exceed working load
  - limit
  - Shipping weight 12 lbs.



#### **Tow & Binder Chains**

- Grade 70
- Yellow zinc finish
- · Clevis grab hooks on each end
- Meets DOT/CVSA/CCMTA Requirements
- ASTM Spec. short link

#### 5/16"x20'

#### H3226-5220

#### \$69.98

- · 4700 lb Working load limit
- Do not exceed Working Load Limit
- · Shipping weight 23.42 lbs.

#### 3/8"x16'

#### H3226-5520

#### \$73.85

- · 6600 lb Working load limit
- Do not exceed Working Load Limit
- · Shipping weight 26 lbs.

#### 3/8"x20'

#### H3226-5620

#### **\$99.**44

- · 6600 lb Working load limit
- Do not exceed Working Load Limit
- Shipping weight 32 lbs.



#### **Quikbinder Plus**

5/16"

#### H5125-0658

#### \$59.24

- Fold down handle
- · Painted yellow
- Use with 5/16" Grade 70 chain Use with 3/8" Grade 70 chain
- Use with 3/8" Grade 80 chain Use with 1/2" Grade 43 chain
- 6.00" Take up
- 13.90" Handle
- 7100 lb Working load limit
- Do not exceed working load limit
- Shipping weight 11.25 lbs.

#### 3/8" H5125-0858 \$70.<sup>88</sup>

- Fold down handle
- Painted yellow

- 6.00" Take up
- 13.90" Handle
- 12000 lb Working load limit
- Do not exceed working load limit
- Shipping weight 14 lbs.



# Silver Star Carpet NEW Extractor

#### 401TR \$1,795.00 TERMS 30/60/90

 Weighs only 40 pounds so itÕs light enough for anyone to easily lift and transport



- Self-adjusting, self-leveling, spring-loaded Chevron brush and vacuum shoe allows easy cleaning of all carpet lengths and uneven floors
- Revolutionary patented lift-off bucket with bladder holds both clean and dirty water, eliminated need to pour into the machines and making filling and emptying incredibly easy. The result: no spills or mess!
- Handle adjusts to operator height and folds down for easy transportation and storage
- Over 90% water recovery
- See-through recovery dome
- Side Extension for cleaning right to baseboards
- Shipping weight 54 lbs.



#### Upholstery Tool Kit NEW 357AC \$236.00

- Kit includes black powder coated detailer tool, 8' hose assembly, hose fittings and a durable mesh hose bag
- Detailer tool is cast aluminum with a black powder coat finish and an eclosed chamber
- Round glass window gives the ability to monitor progress when in use
- Recirculating notches decrease water build-up in spray chamber for faster drying time
- Shipping weight 4 lbs.

## **Clarke**

#### Polisher CFP Pro 17HD 175RPM

#### 715469

#### \$884.<sup>83</sup>

- 17" Deck
- 16" Pad driver (included)
- 110V, 13A
- 1.5HP
- Easy to use fingertip controls
- Safety lockout switch
- Triple planetary, all steel, gear box
- 63 dBA Sound level
- 50' Power cable
- 5" Non-marking wheels
- Not for sale in Canada
- CLARKE1715HD
- Shipping weight 118 lbs.

# **Clarke**

#### Burnisher Ultra Speed 1500

#### 718270

#### \$1,344.35 TERMS 30/60

- Floating handle or use in locked position
- All metal construction
- Powerful 1.5 hp DC rectified
- Safety lock-out switch
- Handle mounted circuit breaker
- Non-marking grey wheels
- 50' power cord
- Pad speed 1500 RPM
- Pad diameter 20"
- Pad driver included
- Electrical rating 120 volt, 13.5 Amps
- Sound level 68 dBA
- cETLus Approved
- Not for sale in Canada
- CLARKE1500
- Shipping weight 70 lbs.

# LOVE OUR SERVICE? LET US KNOW WITH A GOOGLE REVIEW!







**NTA** DISTRIBUTORS

# FLOORING

€....,

€\_)

#### **Clarke**

#### Diamabrush Prep Tool 16" 731226 \$609.<sup>37</sup>



- Diamabrush tool for 17" machines
  The ultimate concrete prep tool
- Ideally suited to prep floors for an application of paints, epoxies, or stains
- Also removes thin layers of paint or epoxy
- Specially designed to last up to 3 to 4 times longer
- Can be used on existing floor maintenance equipment
- Designed to handle the pressure and weight of heavy
- machines like ride-on scrubbers and heavier duty floor machines and buffers
- Includes clutch plate and 1-1/2" riser
- 56383930
- Shipping weight 8 lbs.

#### **Clarke**

#### Diamabrush Removal Tool 16" 731224 \$478.92



- Diamabrush tool for 17" machines
- Removes stubborn coatings like mastic and glues from concrete surfaces
- No dangerous or volatile chemicals scraping required
- Utilizes patented diamond coated blades
- Mountable to any standard floor buffer or auto scrubber
- Ideal solution for the most difficult floor coating
- Dust can be eliminated by using with water
- Includes clutch plate and 1 1/2" riser
- 56383926
- · Shipping weight 8 lbs.

#### Floor Maintenance Pads 5/BX

- Non-woven 100% nylon fiber web with abrasive grain
- Color-coded for different application
- Green Scrubber Ideal for heavy-duty wet scrubbing and a variety of general applications
- Black Stripper Ideal for difficult stripping jobs. For easy removal of heavy wax, dirt, and finish build-up
- Red Buffing Engineered for a high gloss finish on spray buffing application or for light cleaning
- White Polish For high gloss wet look. Use on new floors or to restore fine polish appearance to existing finishes. Performs at low or high speeds

16" Round x 1"		17" Round x 1"		20" Round x 1"		12″ x 18″ x	c 1″	
<b>54260</b> Green	\$28.89	773784 Green	\$21.54	54264 Green	\$41.87	773792	Black	<b>\$20.72</b>
773789 Black	\$20.12	773790 Black	\$22.32	<b>54279</b> Red	\$39.87	773774	Red	\$17.26
54275 Red	\$28.89	773772 Red	\$21.26	773779 White	\$22.32	773780	White	\$16.34
773777 White	\$15.58	773778 White	\$17.01					



#### Edger Super 7R w/Case 07125A-709729

# \$2,616.03

- Designed for productivity and dependability
- Precision balanced sanding pad
- Polished aluminum alloy housing
- Carrying case included
- 1 HP; 115V/60Hz
- 2800 RPM disc speed
- 50 ft. cable.
- Not for sale in Canada
- Shipping weight 56 lbs.



# 7" x 7/8" Edger Discs 50/BX

Fits Rentlink<sup>®</sup> 07075A and Clark<sup>®</sup> Super 7

Shipping Weight on Floor Maintenance Pads Range From 1-5 lbs

703982	20 Grit	2.60 lbs.	\$32.24
703983	36 Grit	3.40 lbs.	\$28.49
703984	40 Grit	2.80 lbs.	\$27.74
703985	60 Grit	2 lbs.	\$24.74
703986	80 Grit	2 lbs.	\$23.99
703987	100 Grit	1.50 lbs.	\$23.99



Shipping weight 1 lbs.

**MTA**. **DISTRIBUTORS** 

ELOOR NG



#### Floor Sander Orbital 🖘

#### 07076B-709726

\$3,403.27 TERMS 30/60/90

- Large non-marking transport wheels
- Designed specifically for fine finishing of hardwood floors
- Powerful totally enclosed motor requires less maintenance
- Excellent "between coats" system
- 12 x 18 in. sanding pad size
- 50 ft. power cable
- Not for sale in Canada
- OBS-18
- Shipping weight 145 lbs.



#### 12" x 18" PSA Sanding Sheets 20/BX

- Pressure Sensitive Adhesive Backing
- Fits Essex<sup>®</sup>, Squarbuff<sup>®</sup>, Orbitec<sup>®</sup>, Starbuff<sup>®</sup> and Clark<sup>®</sup>

703988	20 Grit	7.90 lbs.	<b>\$95.98</b>
703989	36 Grit	8.10 lbs.	\$74.58
703990	60 Grit	4.95 lbs.	\$60.27
703991	80 Grit	4.70 lbs.	\$53.99
703992	100 Grit	4 lbs.	\$52.79

#### 12″ x 18″ Quick Grip Sanding Sheets 20/BX

- Sandpaper backing
- Fits Essex<sup>®</sup>, Squarbuff<sup>®</sup>, Orbitec<sup>®</sup>, Starbuff<sup>®</sup> and Clark<sup>®</sup>

703993	20 Grit	9.40 lbs.	\$95 <b>.</b> 99
703994	36 Grit	9.50 lbs.	\$74.38
703995	60 Grit	6.50 lbs.	\$60.28
703996	80 Grit	6 lbs.	\$53.99
703997	100 Grit	5.40 lbs.	\$52.79

#### DEWALT

#### Dewalt Orbital Wood Floor 🖘 Sander

#### DXAS07164A

\$3,265.51 TERMS 30/60/90

- Powerful three-motor, triple-head design that allows it to effectively sand large, open areas
- Safety interlock to prevent accidental starts
- Die-cast aluminum handle with moldedon rubber grips
- U-Joint style handle base for easy maneuverability
- Rugged 1.5" steel handle tube is chrome-plated
- Rear mounted dust bag
- Large transport wheels for uneven surfaces and going over thresholds
- Lifting handle for easy transportation
- Hook and Loop Paper style
- Shipping weight 102 lbs.

#### 6-7/8" Sanding Discs 50/BX

- Fits all 7" Edge Sanders & 3-Head Oribital 6-3/4" Sanders including Clarke<sup>®</sup> EZ Sander
- Hook & Loop Style

703975	20 Grit	3 lbs.	\$71.23
703976	36 Grit	3.50 lbs.	\$59 <b>.</b> 24
703977	60 Grit	2.20 lbs.	\$56.24
703978	80 Grit	2.10 lbs.	\$50.99
703979	100 Grit	1.80 lbs.	\$49.49
703980	120 Grit	1.80 lbs.	\$49.49





#### **DEWALT**

#### Dewalt Ez-8 Drum Sander Expandable

#### DXAS07058A

**\$4,717.**25

- TERMS 30/60/90
- Heavy duty 1.5hp dual capacitor motor, totally enclosed keeping t dust free and eliminates need for cleaning



- Easy release latch to break down machine into multiple pieces for transportation
- 40' black non-marking rubber power cord
- Rugged cast aluminum construction designed for years of service
- Quick release dust bag that slides on and off with twist and pull action
- Drum lowering lever allows for feathering
- 1,800 RPM Drum Speed
- 8" Drum
- Shipping weight 120 lbs.

#### Bag Dust New Style w/Rubber Cuff 53741A \$24,19



• Shipping weight 1 lbs.

# Reconditioned Drum Expansion Style EZ-8

- \$664.<sup>20</sup>
- Shipping weight 13.32 lbs.

#### U-Sand 6" Sanding Discs 50/BX

Hook And Loop

20 Grit	2.30 lbs.	\$51.07
36 Grit	2.60 lbs.	\$43.49
60 Grit	2.60 lbs.	\$41.99
80 Grit	2.60 lbs.	\$33.80
100 Grit	2.60 lbs.	\$35.24
	36 Grit 60 Grit 80 Grit	36 Grit         2.60 lbs.           60 Grit         2.60 lbs.           80 Grit         2.60 lbs.

#### Strip Pad Black 20" x 1" BX/5 773791 \$1,115.00

• Shipping weight 5.10 lbs.

#### 17" x 2" Round Sanding Discs 20/BX

-			
704011	16 Grit	8.30 lbs.	\$108.59
704012	20 Grit	6.74 lbs.	\$102.28
704013	36 Grit	8.10 lbs.	\$80.81
704015	60 Grit	5.10 lbs.	\$64.48
704016	80 Grit	4.60 lbs.	\$55.49
704017	100 Grit	4.10 lbs.	\$53.17

#### 7" x 5/16" Edger Discs 50/BX

704904	20 Grit	4 lbs.	\$32.29
704042	36 Grit	3.40 lbs.	\$28.50
704039	60 Grit	2 lbs.	\$24.74
704040	80 Grit	1.70 lbs.	\$24.00
704906	100 Grit	3 lbs.	\$24.03

#### 8" x 19-1/2" Sanding Sheets

- Clamp Style
- Fits Rentlink<sup>®</sup> Model HT8, Clark<sup>®</sup> DU-8 or EZ-8 with notches

703962	20 Grit	9.70 lbs.	\$134.97
703963	36 Grit	13 lbs.	\$87.73
703965	50 Grit	9.30 lbs.	\$80.23
703966	60 Grit	7.20 lbs.	\$71.23
703967	80 Grit	6.90 lbs.	\$64.48
703968	100 Grit	5.80 lbs.	\$64.48

#### 8" x 19" Sanding Belts 10/BX

- Expandable Drum Style
- Fits Dewalt EZ-8

703960	24 Grit	4.82 lbs.	\$80.53
703959	36 Grit	4.24 lbs.	\$75.88
703958	40 Grit	3.80 lbs.	\$71.23
703957	50 Grit	3 lbs.	<b>\$70.48</b>
703956	60 Grit	3 lbs.	<b>\$68.08</b>
703955	80 Grit	3 lbs.	\$65.38
703954	100 Grit	2.50 lbs.	\$63.34

FLOORING

### Sanding Screens 10/BX

- For removal of old finishes and build up/blending of the surface for finish applications
- Used on all floor surfaces

### 17" Round

703944	60 Grit	3.30 lbs.	\$83.23
703945	80 Grit	3 lbs.	\$73.18
703946	100 Grit	3 lbs.	\$61.34
703947	120 Grit	2.50 lbs.	\$55.34
703948	150 Grit	2.40 lbs.	\$55.34

### 12" x 18"

703927	60 Grit	3.10 lbs.	\$47.32
703928	80 Grit	2.60 lbs.	\$43.19
703929	100 Grit	2.40 lbs.	\$38.09
703930	120 Grit	2.20 lbs.	\$37.79
703931	150 Grit	2 lbs.	\$32.84
703932	180 Grit	2 lbs.	\$32.24

### 8" x 20-3/16" Sanding Sheets 50/BX

Clamp Style

• Fits Silverline SL8

704041	20 Grit	11 lbs.	\$134.97
703970	36 Grit	13.40 lbs.	\$87.73
703971	40 Grit	11 lbs.	\$83.23
703972	60 Grit	8.80 lbs.	\$71.23
703973	80 Grit	7.10 lbs.	\$64.48
703974	100 Grit	6.60 lbs.	\$64.48

### CRAIN

### **Big Scraper**

### 375

### \$50.53

- 8" wide replaceable razor edge
- Adjustable handle length
- Shipping weight 4.60 lbs.

• Shipping weight 0.58 lbs.

### **Scraper Blades 9/PK**

CRAIN

**Vinyl Roller** 

\$425.04

### 377

076

\$13.33

**Cart Only** 

JHT-U-2

 Shipping weight

68 lbs.

TERMS 30/60

- trouble-free service Detachable handle
- Case/Wheel kit included
- Shipping weight 108.33 lbs.

· Solid steel rollers provide long,

# 

### **Jack Hammer Trolley Cart & Hammer Kit** JHT-KIT

### \$2,182.15

- TERMS 30/60/90
- Makinex Trolley JHT-U-2
- Bosch breaker hammer
- 11335K Includes auxiliary handle,
- pointed chisel, Tile Smasher attachment with 5 blades
- Shipping weight 140 lbs.

# BOSCH

### **Floor Removal Cart And** 11335K Kit

### **GHT130-K**

\$2,406.44 TERMS 30/60/90

- Includes 11335K Hammer & GHT130 Cart
- Shipping weight 124.36 lbs.



# **TA** DISTRIBUTOR

### MTADISTRIBUTORS.com / 800.264.0225

# 

### **Tile Smasher Head**

- Ideal for lifting and removing tiles from wooden and concrete surfaces and for cleaning tile beds
- Can also be used for removing vinyl and cork flooring
- Machined out of a solid block of high grade steel
- Suits most Jackhammers and is built to last
- 6" wide 2mm thick high tensile steel blade

### Hilti

### TSHC-HS-US-V2

### \$230.00

- Compatible with Hilti TE-1000 & Hilti TE1500
- Shipping weight 10.20 lbs.

# Tile Smasher Blade

# **\$23.**75

Shipping weight 1 lbs.

### Tile Smasher Assembly 1-1/8-IN V2 TSHC-SS-US-V2

### \$230.00

Shipping weight 11.20 lbs.



### **Floor Stripper Blades**

Fits both National & Palmer stripping machines

40PAL-6PK	All Purpose on Concrete	7″ x 3″	\$37.20
460.15.00	Tile or Sheet Goods, Linoleum from Concrete	6″ x 4″	\$36.24
460.16.00	Tile Sheet Goods from Wood Floors	6″ x 5″	\$37.04
460.15.DE	Double Edge Blade for Concrete Flooring	6″ x 4″	\$44.00
34PAL-6PK	Tough Rubber Back Carpet	10″ x 3″	\$51.12
16APAL-6PK	Rubber Back Carpet	16″ x 3″	\$56.16
460.305.00	Blade Stiffener for 16APAL	16 x 2″	\$14.45



### Flooring Shear 13" FS13

### **\$401.**<sup>13</sup>

- Cuts luxury vinyl tile and plank, laminate, engineered wood and MORE!
- Allows you to cut inside with no dust
- Cut material up to 1" (25.4mm) thick
- Easy, quiet one-cut action
- Built in ruler for accurate cuts
- Moveable fence for 90° and 45° cuts
- Rated to cut flooring with a Janka Hardness up to 1300
- Made in USA
- Shipping weight 23 lbs.

### CRAIN

# Toe Kick Saw w/Blade And Case

### \$392.64

- Extended spindle, low-profile cutting head
- Flush-mounted blade
- For removing old underlayment
- Hinged depth adjustment plate has five settings for common underlayment thicknesses including 1/4", 3/8", 1/2", 5/8", or 3/4"
- Also includes a clutch mechanism that may disengage to reduce kickback
- Comes with No. 787 3 3/8" Carbide-Tipped Blade for wood cutting
- The No. 789 Toe-Kick Saw Diamond Blade is sold separately to cut out tile or grout to a depth of 3/8"
- Do not use any other blades with the saw
- Comes with carrying case
- Shipping weight 16.11 lbs.

# Blade 2-5/8" Diamond

# 789

- \$16.<sup>49</sup>
- Shipping weight 0.10 lbs.

### Blade 3-3/8" Carbide

### 787

### \$16.40

Shipping weight 0.15 lbs.



FLOOR NG



### **Heat Bond Iron Kit**

### 906

### \$203.64

- Super low profile, ultra-narrow handle
- · Comes with Teflon coated base
- · Dual lights power on plus heating
- Grooved base and tip
- 12' long HSJO cord
- Riveted tray
- UL listed
- Includes 905 tool, steel case, and a 25' 3-prong extension cord
- Shipping weight 13.55 lbs.



### CRAIN

### **Carpet Power Stretcher** 500 \$644.81



- Adjusts from 37" to 23'
- · Fits in included single case
- · Driving head has adjustable locking feature for partial stretches
- 3 standard size extension tubes interchangeable with other popular models
- Includes the 501 Auto-Lok Tube
- · Shipping weight 57.10 lbs.

### CRAIN

### **Knee Kicker Carpet Stretcher**





- Telescoping steel tubes with five settings for length adjustment, ranging from 21" to 24 1/2"
- Double-engagement buttons eliminate hole elongation
- · Wide head features 3 replaceable nap grips
- · Replaceable square bumper is foam-filled, and features a tough, seamless, neoprene cover
- · Shipping weight 6.70 lbs.



### **Roofing Coil Nailer**

# **GRTRN45**

### **\$233.**32

- Rotating metal belt hook
- Lightweight, durable aluminum housing
- Nosepiece long life carbide inserts
- Tool-free depth adjustment
- · Dual feed pawl system
- · Anti-skid grips.
- Shingle placement guide
- Vinyl siding attachment available
- 3-year warranty
- Firing Mode: Bump fire
- Magazine Capacity: 120
- Operating Pressure: 70-120 PSI
- Fastener Type: 15° Coil roofing nails
- Collation: Wire
- Includes: Tool, carrying case, safety glasses, hex wrenches, tool oil, 1/4" male plug, & instruction manual

MORE

FLOORING

PRODUCTS

· Shipping weight 5.80 lbs.



### Nails L 18G 1-3/4" 1200/BX 775261

# \$20.43

 Shipping weight 3.05 lbs.



# MTA, DISTRIBUTORS



### CLASSEN

### 25" Powersteer Pro Aerator



# TA25DA

### \$4.316.75

TERMS 30/60/90

- Tight hole pattern and all-tine propulsion produces more holes for the best quality of core results
- Patented Split-Drive" technology allows the engine to power the tines independently during aeration for easier steering and unmatched user comfort and productivity.
- Simple controls allow operators to aerate straight, follow curves, move forward, and turn left or right
- Protective chain guards help keep grass, leaves and cores out of chains and sprockets
- 2-year Commercial / Rental Warranty
- Shipping weight 478 lbs.



# CLASSEN

### 18" Pro Steerable Compact NEW 🖘 Aerator

### **TA18AH**

\$3,177.50 TERMS 30/60/90

- Best Quality of Core : Five rows of tines pull 15% more cores per square foot then competitive models
- Steerable tine bank enhances maneuverability and eases end of row turning
- Dual front drive wheels provide exceptional balance on hills
- · Fold down handle, removeable weights and side lift/tiedown brackets for easy transport
- Exclusive tine engagement system greatly reduces the effort required to lower and raise tines
- Easy-access drive sprocket and bail result in simple maintenance
- 2 vear Commercial / Rental Warranty
- Shipping weight 340 lbs.



# CLASSEN

### 21" Reciprocating Aerator

### **RA-21H**

### \$4,177.25 TERMS 30/60/90

- Lightweight design enables easy turning – as easy to turn as a walkbehind mower
- Tines reciprocate at 450 revolutions per minute
- Easily punch deep, clean holes in tough, hardened soil
- 2-Year Warranty
- Shipping weight 295 lbs.

### CLASSEN

# 30" Pro Stand On Aerator **NEW**

# **SA-30A**

\$11.105.75 TERMS 30/60/90

- Three times more productive than a walk-behind aerator
- True zero-turn maneuverability at up to 7.4 mph
- Best Quality of Core<sup>®</sup>
- Flip-up Platform
- Automatic Chain Tensioner
- 2-Year Warranty
- Shipping weight 1,235 lbs.

### CLASSEN

# 21" Pro Steerable Aerator GX120 TA22H

\$3,254.99 TERMS 30/60/90

- Best Quality of Core: Six rows of tines and a 10.5% wider aeration width pull more cores per square foot than the competition
- Steerable tine bank enhances maneuverability and eases end of row turning
- Dual front drums provide exceptional maneuver ability and eases end of row turning
- Fold-down handle, removable weights and side lift/tie-down brackets ease transport
- Tine engagement lock prevents accidental tine drop during transport
- 2 year Commercial / Rental Warranty
- Shipping weight 270 lbs.





NEW

(€,,,)

MTA. DISTRIBUTORS





### Optimax Blower

2-position adjustable handle

NEW

- Durable, solid, front wheel is an available option for all Optimax blowers
- Continuously-welded steel
   housing
- One-piece engine deck
- Integrated front / side discharge
- Steel impeller with reverse angle
- 5-year warranty
- Shipping weight 179 lbs.

### Honda GX270 🖘

9390-02-01 \$1.956.88

TERMS 30/60/90

# Honda GX270

### Honda GX270 Self Propelled 🖘



• Shipping weight 181 lbs.

Honda GX390

9390-02-01

\$1,956.88

TERMS 30/60/90

### 9390-12-01

9270-12-01 \$3,099.23 TERMS 30/60/90

• Shipping weight 192 lbs. • Shipping weight 192 lbs.

### Kohler Pro CH 395 (CA Only) 9270-06-01

### \$1,553.88

- TERMS 30/60/90
- Shipping weight 174 lbs.



### **Pro Vac, Self Propelled**

5612-12-01 \$3,991.25 TERMS 30/60/90

• Clears leaves and debris at your pace with the power, performance, and capacity to get the job done.

NEW

- Superior airflow provides plenty of suction to fill our large capacity bag so you can collect more debris and get the job done quicker
- Shipping weight 280 lbs.

600050	Felt Liner Kit	\$157.07
4175049	Filter Mesh Bag Pro Vac	\$210.80
600020	Hose Kit	\$425.73
4176172	Hose Kit, 5IN X 7FT Pro Vac	\$471.20

### **Optimax Blower Accessories**

# Swivel Wheel Kit

.....

# \$338.<sup>93</sup>

Shipping weight 16 lbs.

# Solid Wheel Kit

4173815

### **\$99.**20

• Shipping weight 11 lbs.

# Tnakita

### Chainsaw Kit 14″ 36V Battery

### XCU03PT

### **\$376.**<sup>00</sup>

- Makita-built brushless motor
- Equivalent to a 32cc gas chain saw
- Variable speed trigger and high chain speed (0-3,940 FPM)
- Tool-less chain adjustment
- Built-in lock-off lever helps prevent the chain from accidentally engaging
- Built-in L.E.D. on/off switch
- Use two 18V LXT<sup>®</sup> Lithium-Ion batteries
- Front hand guard engineered to actuate chain brake
- 14" guide bar for increased capacity
- · Low noise level and zero emissions
- Actual weight only 11.5 lbs. with batteries
- Includes XCU03Z 18V Chain saw, (2) 18V Lithium Ion 5.0Ah batteries, 18V Lithium Ion dual port charger, 14" Bar 3/8"-.043", Chain, and cover
- Shipping weight 19 lbs.


### Bar & Chain Oil

### 54-026

### **\$94.**71

- Limited lifetime warranty
- All-season lubricant perfect for gas and electric chainsaws, pole saws, hedge trimmers, and any other equipment that uses slide bars or chain gears works for all brands
- Increases the lifespan of your equipment and accessories by resisting build-up of resins, sap, and gum
- High film-strength prevents wear or scuffing while protecting metal parts against corrosion and rust
- Made in the U.S.A.
- Shipping weight 26 lbs.









V Trakita



### **Ground Hog**

### Earth Drill 1 Man **MODEL ONE** \$871.25

### • Honda GX35



- Designed for Commercial and Rental use
- Rapid Return on Investment
- · Heavy-duty transmission with oversized bearings
- Heat treated billet steel gears
- Cast aluminum gear case is reinforced with thick ribs to handle rough use and side loads
- Cushioned wrap-around grips
- Trigger-type spring-return throttle
- · Comfortable hole starting

**Display Stand** F/Model One M1-DS \$161.50

· Shipping weight 26 lbs.



### Auger 1" Round Hub

RD2	2″	\$80.75
RD4	4″	\$114.75
RD6	6″	\$131.75
RD8	8″	\$148.75

### **Earth Drill 1 Man Display** Package

### **MODELONE PKG** \$1,608.<sup>20</sup>

- TERMS 30/60/90
- Includes ModelOne 1 Man Earth Drill, M1-DS Display Stand and four RD Series 1" Round Hub Augers RD2", RD4", RD6", and RD8"
- · Shipping weight 96 lbs.





### **Earth Drill 2 Man**

### C-71-5H

### \$1,687.25 TERMS 30/60/90

- Honda GX160
- Ground Hog<sup>™</sup> time tested transmission
- Low maintenance
- Easily transported
- Rapid Return on Investment
- 7/8" square auger drive (No shear pins needed)
- Heavy wall steel handlebars
- · Aluminum Castings for strength and light weight
- · Centrifugal clutch with

### **Display Stand** f/C-71-5H

DS3

### \$170.00

Shipping weight 31

### Auger Pengo Style 7/8" **Square Hub**

PSD6	6″	\$199.75
PSD8	8″	\$225.25
PSD10	10″	\$255.00
PSD12	12″	\$276.25

### **Earth Drill 2 Man Display** Package

### C-71-5H-PKG

\$2,697.05 TERMS 30/60/90

- Includes Earth Drill 2 Man, DS3 Display Stand, and 3 Pengo Style 7/8" square hub auger drive PSD6", PSD8", PSD12"(No shear pins needed)
- Shipping weight 185 lbs.



POWERED by



**MTA**. **DISTRIBUTORS** 

separately

auger sold

# AWN & GAF

### **Mechanical Earth Drill 1 Man**

### 1M5C-H

### \$2,282.25

TERMS 30/60/90

- Honda GX160 engine
- Ground Hog<sup>™</sup> time tested transmission
- · Durable powder coated finish
- · Easy to maneuver on rough or soft terrain
- 7/8" square auger drive (no shear pins needed)
- Tubular steel drive shaft
- · No torque to operator
- Uses augers up to 12" in diameter
- · Large pneumatic wheels and tires
- Low maintenance
- Light Weight
- · Easy to load into truck or trailer
- Easy to use operator controls
- · Will handle the hardest soils
- Shipping weight 230 lbs.





### Hydraulic Earth Drill Tow-Behind HD99H

### \$3,575.00

TERMS 30/60/90

- Honda GX270 Engine
- Variable speed with forward and reverse auger rotation
- Three handlebar positions; two for normal drilling and one for close up drilling and towing
- · Drilling head pivots for drilling on uneven terrain
- Replaceable steel bushing at pivot points
- Auger locks up out of the way for easy maneuvering
- Large 5.70x8 pneumatic highway rated tires for easy maneuvering and towing
- Towable: includes tow bar with 2" hitch coupler
- 7/8" square auger drive fits all Ground Hog augers up to 18"
- 275 ft. lbs. of torgue and 140 rpm approx. max. auger speed
- 6 gpm pump
- High pressure hydraulic swivels for free digging head movement and longer hose life
- · Shipping weight 383 lbs.



**Ground Hog** HONDA AUGER SOLD SEPARATELY

# Tnakita



### XGT Earth Auger Kit 40V Max GGD01M1

### \$909.87

- OUTPOWER: Makita-built brushless motor delivers power of a 36cc gas earth auger
- OUTSMART: Automatic Speed Change technology adjusts drill speed and torque during drilling
- OUTLAST: XPT is engineered to provide increased dust and water resistance in harsh job site conditions
- Drill holes up to 8" wide and 41" deep (extension bar, auger bit and blades sold separately)
- Reverse switch for clearing earth auger bit from high resistance soil
- Torque limiter; built-in clutch reduces gear damage by disengaging gears if the bit binds (low speed only)
- Compatible with Makita 40V max XGT Lithium-Ion Batteries
- Only use genuine Makita batteries and chargers
- Includes Earth Auger, Earth Auger Bit Adapter (327687-6 and 327684-2), Chuck Key, 1 Battery (BL4040), Charger, Hex Wrench (783203-8 and 783204-6)
- Auger sold separately
- 3-year limited warranty on tool battery and charger
- Shipping weight 24.26 lbs.

### 4" Auger Drill Bit E-07347

### \$136.92

• Shipping weight 7.06 lbs.

### **6" Auger Drill Bit** E-07353

### \$146.16

• Shipping weight 9.04 lbs.

### 8" Auger Drill Bit E-07369

### \$155.28

• Shipping weight 11.47 lbs.

STRIBUTORS













HONDA

### **Post Hole Digger Two Man** 332H

### **\$2,245.**<sup>32</sup>

TERMS 30/60/90

- Hand rewind starter
- Gasoline, unleaded automotive grade
- Totally-enclosed transmission, spur gear, double reduction oil bath lubricated



- 3600 RPM nominal auger rotation speed, 144 rpm, no load
- · 3" diameter clutch, allmetal, automatic-centrifugal, slips on overload
- 1-3/8" hexagon driveshaft connection
- · 190 ft. lbs. maximum drilling torque
- 2" to 18" auger diameter range
- 30" standard digging depth
- Flighted and Non-flighted plain tube, extends depth to 45"

### \*General FOURPMENT COMPANY

### Post Hole Digger One Man 242H

### **\$1,104.**<sup>17</sup>

**TERMS 30/60** 

- Honda GX35 engine, allposition, 4 stroke
- · Hand rewind starter
- · Gasoline, unleaded automotive grade
- 166 RPM nominal auger rotation speed, no load
- 3" diameter clutch, all-metal, automatic-centrifugal, slips on overload
- 1" round driveshaft connection
- 51 ft. lbs. maximum drilling torque
- 2" to 8" auger diameter range
- 30" standard digging depth
- Non-flighted plain tube, extends depth to 45"
- Shipping weight 26 lbs.



### Auger Adaptor 7/8" To 1-3/8" Auger AA-GE **\$71.**83





### Post Hole Digger GX160

### MDL-5H-K

### **\$2,892.**57

TERMS 30/60/90

- Honda GX160 engine
- Patented Torgue Tube easy drilling with no kickback
- Transmission 10.1 ratio works at low RPM with high torque
- Heavy-Duty Clutch Designed to protect the gears and shafts in the transmission
- Augers sold separately Choose Standard, Carbide Tip, or Pengo Augers in the following sizes 4", 6", 8", 10", 12", & 16"
- Applications include: Fencing, soil testing, planting, sign erection, soil overlay, plumbing, anode installing, foundation repair, geophysical, horizontal drilling, mobile home anchoring, landscaping, percolation test, water well drilling

**Spring Button** 

• Shipping weight 0.10 lbs.

9058

**\$9**,90

- Roll cage sold separately
- Shipping weight 135 lbs.

### Roll Cage f/ MDL-5H 3000-R5

### \$150.16

Shipping weight 15 lbs.

### Extension Tube 18"

### 9054-A

Shipping weight 5.30 lbs.

### Little Beaver To General Auger

### **9051-GENS**

### \$102.15

- Little Beaver power unit to 1-3/8" hex female augers
- Shipping weight 3.10 lbs.

# Little Beaver To Ground Hog Auger

### **9051-GHAS**

### \$102.15

- Little Beaver power unit to 7/8" square female hub augers
- · Shipping weight 2 lbs.



### Snap-On Augers NEW

6X36-SSS	Auger Snap-On 6" X 36"	\$204.96
8X36-SSS	Auger, Snap-On 8" X 36"	\$222.54
8X36-SSP	Auger Point Snap-On	\$333.45
10X36-SSS	Auger Snap-On, 10" X 36"	\$256.50



MTA. DISTRIBUTORS





HONDA



### Blades


35	Wisdom Tooth f/CSD&PSD Augers, 6-12"	.07 lbs	\$6.38
5T30	Super Tooth f/CSD&PSD Augers, 6-12"	.42 lbs	\$5.10
1336	Wisdom Tooth Carbide f/CSD&PSD Augers, 6-12"	.64 lbs	\$26.35
400	Blade SD4	.72 lbs	\$4.93
8910	Auger Blade 8", 9", 10"	.55 lbs	\$9.18
912	Digging Blade 12"	.89 lbs	\$9.18

### **Pilot Blades**

SB-25	Screw Bit f/PSD Augers 2", 6-12"	.86 lbs	\$14.88
SB-25C	Carbide Screw Bit f/PSD Augers, 2", 6-12"	1.05 lbs	\$40.80
100	Fishtail Pilot	0.92 lbs.	\$12.54

# PENGO.

**Fas-N-Lok Auger Teeth** 



• Refer to your owner's manual to select the proper auger accessories and parts.

133835	#35 Tooth for ordinary soil	0.40 lbs.	\$4.86
140008	#35 HF for abrasive soil	0.45 lbs.	\$19.18
140009	#35-HFF for abrasive soil	0.60 lbs.	\$9.96
140007	#35 Carbide for abrasive soil	0.40 lbs.	\$14.38
140016	#1336 CRBD for frozen soil	0.59 lbs.	\$14.38
140027	#37 Gauge	0.45 lbs.	\$5.66

# PENGO.

### **Aggressor Replacement Teeth**

134501	Tooth 40/50 Ordinary Digging	0.45 lbs.	\$6.55
134519	Tooth 40/50 Carbide Abrasive Frozen Soil	0.65 lbs.	\$17.53
134802	Tooth 40/50 Hardfaced Abrasive Soil Impact	0.48 lbs.	\$9.60
134677	Bolt	0.20 lbs.	\$4.38

# PENGO.

### Auger 1" Square Hub

- Designed for use with M240-H old style OMA drive unit and other similar 1 and 2 man units
- For hole digging in favorable to moderate soil conditions
- Lightweight and durable design
- 1" square hub
- 1 piece heat treated cast auger head
- Cast head is easily replaceable
- Requires only one bolt and nut
- Auger flight fits securely under tabs
- Requires 153967 Pengo adaptor for use with the new M240

# 6" Replacement Head

### \$12.<sup>15</sup>

Shipping weight 0.90 lbs.

### 8" Replacement Head

137292

\$13.89


Shipping weight 1.10 lbs.

# PENGO.

### **Rubber Lock 48**"

137601

**\$26.**82



### Screw Bit 2-1/2" Standard SB-25 131740 \$15.23

• Shipping weight 0.60

• Shipping weight 0.65

Screw Bit 2-1/2" Carbide SB-25C

132135 \$33.01





MTA, DISTRIBUTORS

### **Aggressor Replacement Teeth**

135088	Pilot Bit Tri Flow Triflow 350	5 lbs.	\$27.67
135089	Pilot Bit Tri Flow Hard Faced	5.40 lbs.	\$58.41
135090	Screw Bit Tri Flow Carbide Fracturable Rock	0.70 lbs.	\$82.44

EARTH AUGERS & HOLE DIGGERS

### BROWN PRODUCTS, INC

# Edgemaster **NEW**



TERMS 30/60/90

- Honda GX160 engine
- Heavy duty, all steel construction
- Hollow one inch spindle uses larger bearings for longer wear
- Blade mounts on a 1/2" shear bolt to protect the spindle
- Dual purpose tensioner lever engages blade and adjusts blade depth
- Solid steel control rod
- Double belt
- 10" star blade
- 9" pneumatic tires
- 1" bearings and spindle
- Shipping weight 162 lbs.



HONDA

# 

### Bededger w/3″ Blade

F-991H

### \$3,712.00 \$3,480.00 QTY 2+

### TERMS 30/60/90

- Honda GX270 engine
- Steel wheels w/pneumatic tires
- Tungsten carbide points
- Double belt and pulley system
- Bed edging 10 to 30 ft. per minute
- Trenching 7 to 30 ft. per minute
- Depth up to 9 inches
- Width 1/2 to 9 Inches
- Includes 3" blade 702-93
- Shipping weight 225 lbs.

### Bedmaster Rotor 3" 702-93 \$179.20



### BROWN PRODUCTS, INC

Wiremaster Mole

# R460HA

### \$2,284.00 \$2,141.75 QTY 2+

TERMS 30/60/90

- Honda GX160 engine
- For installing invisible dog fence and robotic mower boundary wire
- Steel wheels with 9 x 3.5-4 pneumatic tires
- Tungsten carbide rotor points
- Double belt drive system with hand actuated clutching
- Up to 25 feet per minute
- Depth 2, 3, and 4 inches
- Overall width 26 inches
- Overall height 52 inches (operating configuration), 42 inches (handle folded)
- Shipping weight 131 lbs.

# LITTLE WONDER®

Pro Edger NEW

6232-00-01

### \$1,147.00

TERMS 30/60

- Edges up to 90 feet per minute. Get the job done quickly and more efficiently
- Largest available cast iron cutter head on the market
- Dual belt drive provides extra power to the blade and reduces slippage during application
- 10" steel blade is sharpened on all four sides giving you the ability to flip the blade over and extends time between sharpening
- Adjust cutting depth up to 4"
- Convenient controls that allow adjustment of cutting depth, belt tension and blade engagement from the operator's position
- Dual belt drive for extra power to the blade and reduced slippage during application
- Four wheel design for extra stability. All wheels have steel hubs with ball bearings and full axles for smoother and easier maneuverability
- · Largest available cast iron cutter head on the market
- Easily converts to a Pro Crack Cleaner with the Wire Wheel Conversion Kit
- Shipping weight 78 lbs.



POWERED by

**MTA DISTRIBUTORS** 

CUJD



### Bedshaper NEW

### 905-00-01 \$4,262.50 TERMS 30/60/90

- Hydrostatic transmission with powered forward and reverse; engagement handle located at operator hands
- Powerful notched blade slices through the soil and turf to create a clean, sharp edge
- BladeFloat<sup>a</sup> lets the arm float over obstructions, while the blade continues to cut.
- Shape-Trak<sup>a</sup> design mounts the blade in-line with the drive wheels. Blade follows the exact path of the wheels for precise edging.
- 2-year warranty
- · Shipping weight 399 lbs.

### Blade, Bedshaper 19233



Shipping weight 6 lbs.

### LITTLE WONDER®

# Hedge Trimmer 30 Inch NEW Single Sided

### 22305-00-01 \$596.75

- Stamped, thru-hardened high carbon tool steel blades maintain a sharp edge for longer periods of time, which means less downtime for maintenance
- Double reciprocating blades allow for reduced vibration and heavier cuts
- · Hand-sharpened blades cut growth up to 1" diameter
- Shipping weight 16 lbs.



# MIDWEST

### Digger/Tamper Bar 6'

### 85366

### \$41.00

- Forged steel
- 6' long
- Chisel point
- 1" diameter, round, black head
- Shipping weight 20 lbs.

# MIDWEST

### **Post Hole Digger**

### 21110

### \$43.01

- 4' fiberglass handles with vinyl cushion grips
- Handles are double bolted to yokes for added strength
- Replaceable blades are triple riveted to thick yokes for long life
- Durable carbon steel blades are sharpened for easier digging
- 6" point spread
- Shipping weight 9 lbs.

# MIDWEST

### Shovel Fiberglass Handle

- Front turn step
- Head size 2
- Black head color
- 46" fiberglass handle
- Square socket
- PermaGrip collar
- Vinyl grip

### **Round Point**

49450

**\$24.**77

Shipping weight 3.75 lbs.

Square Point 49452 Shipping weight 5 lbs. \$24.68 HAND TOOLS

MTA, DISTRIBUTORS



HAND TOOLS & LAWN ROLLERS

### SEYMOUR MIDWEST 11

### Pick Mattock 36" Handle

# 85571

### \$32.56

- Steel head
- 36" fiberglass handle
- Cushion grip
- Overstrike protection
- Shipping weight 7.95 lbs.

### SEYMOUR MIDWEST 11

### Sledge Hammer 8 LB 36" Handle

### 41820

### \$35.40

- 8 lb. steel head
- 36" fiberglass handle
- Cushion grip
- Overstrike protection
- · Shipping weight 11 lbs.

# SEYMOUR MIDWEST

### **Shovel Wood Handle**

- Rear rolled step
- Head size 2
- Clear head color
- 9" square socket
- 42" contoured hardwood handle

### **Round Point**

# 49830

### \$12.08

· Shipping weight 3.67 lbs.

### Square Point

### 49832

- \$12.08
- · Shipping weight 4 lbs.

### SEYMOUR MIDWEST 11

### Landscape Rake 36"

### 10036

- \$74.69
- 66" Aluminum handle
- Rounded teeth provide a smooth, non-gouging raking action
- Shipping weight 4 lbs.

### SEYMOUR 11 MIDWEST

### Trenching Shovel 48" Handle

### 89233

### \$22.61

- Use for trench digging and clean-out
- Front turn step
- 3" x 12" blade size
- 48" yellow fiberglass handle
- PermaGrip collar
- Vinyl grip
- Shipping weight 3.25 lbs.

# JET

### Cable Puller 1 Ton 12' Lift 180410

### \$43.59

- General purpose cable puller designed to lift, lower, stretch or pull heavy loads
- Lightweight zinc plated steel construction to resist corrosion
- Shipping weight 8.55 lbs.






### Lawn Roller 18" X 48" PRT481SBH

### \$234.00

- 54 Gallon capacity polyethylene drum
- 485 lbs when filled with water
- 1.5" NPT threaded plug
- Scraper bar keeps roller free from debris
- Rounded drum ends to prevent lawn damage
- Tow behind roller
- Shipping weight 62.50 lbs.

### Lawn Roller 18" X 24" PRC242BH \$189.00

- Easy to push or tow behind tractor
- Holds up to 270 lbs of sand or water
- Rugged steel design with rounded ends to prevent damage to lawn
- Shipping weight 38 lbs.





MTA. DISTRIBUTORS





### HONDA

# Self-Propelled Mower 21"

### **HRN216VKAD** \$549.00


MTA REGISTERED DEALER PRICE

- Honda GCV170 Engine
- Superior Mulching and Bagging
- 3 in 1 system with Clip Director<sup>®</sup>
- MicroCut<sup>®</sup> Twin Blades System
- Heavy-Duty 21" Steel Deck
- Large easy off 1.9 bushel grass bag
- · Manual fuel shut-off valve
- 3 year residential warranty, 90 day commercial warranty
- Flywheel brake safety system
- Shipping weight 97 lbs.



For optimum performance and safety, please read the owner's manual before operating your Honda Power Equipment. ©2024 American Honda Motor Co., Inc.

You must register as an MTA Honda power equipment rental dealer to purchase at discount prices on Honda generators, pumps, and tillers outside of TN, KY, MS, AL, GA, FL, AZ, NM, Southern NV, and Southern CA. Contact us for more information: 800.264.0225 or customerservice@mtadistributors.com



### Zero Turn Mower 54" Deck

**BH2454KW** \$7,699.00

ERMS 30/60/90

· Shipping weight 1,114 lbs.

# Zero Turn Mower 60" Deck

### **BH2460KW**

\$7,799.00 TERMS 30/60/90

Shipping weight 1,121 lbs.

WN & GARDE

# Blackhawk Mowers



- 24 Horsepower Kawasaki engine
- Robust deck offered in 3 cutting widths, featuring deep 7 gauge shell & abrasion resistance baffles to outlast the competition in extreme conditions
- · Super smooth steering up to 9 MPH
- Roll-over protection system
- · The Blackhawk is ready to add a suite of accessories including Spring Forks, suspension seat, light kit, striping kit, and more!
- · 3 year bumper-to-bumper warranty



DIXIE

MTA, DISTRIBUTORS

### **Blackhawk Mowers HP**



- Equipped with a 23.5 Horsepower Kawasaki FX engine
- Robust deck offered in 2 cutting widths, featuring deep 7 gauge shell & abrasion resistance baffles to outlast the competition in extreme conditions

NEW

- Super smooth steering up to 10 MPH
- · Full suspension seat with padded design
- · The Blackhawk is ready to add a suite of accessories including spring forks, light kit, striping kit, and more!
- 3 year bumper-to-bumper warranty

### OREC

### **Cyclone Flail Mower**

- Honda GX270 engine
- · All-in-one brush mower and mulching machine
- Can take down tall grass, weeds, brambles, and even small saplings
- Thirty-eight flail blades that chew up and mulch the brush
- Easy to use with a stress-free clutch turning system
- Blade height adjustment
- Handle height adjustment
- Clutch steering
- Parking brake
- · If the blades hit rocks or stumps, the flails pivot and release shock which protects the spindle from damage
- Rotary mowers cut only the bottom of the high weeds and often leave them standing; the Cyclone<sup>™</sup> flail blades rotate in an "up-cut" motion, thereby catching the whole plant at once and mulches material down while cutting
- Steel flap guards help keep dangerous objects inside the deck

# HP Zero Turn Mower 48"

### **BP2448KW**

\$8,299.00 TERMS 30/60/90

• Shipping weight 1,124 lbs.

### HP Zero Turn Mower 54"

### **BP2454KW**

\$8,399.00

TERMS 30/60/90

• Shipping weight 1,132 lbs.

### HP Zero Turn Mower 60"

# **BP2460KW**

\$8,499.00 TERMS 30/60/90

• Shipping weight 1,140 lbs.



**ACCESSORIES** 






**OREC** cannot be purchased through MTA in the states of: CT, HI, MA, ME, NH, OH, RI, & VT.

# 0336-80000

# \$495.95



MTA. DISTRIBUTORS



POWERED by



### **Brush Rover**

- Vanguard 21hp commercial engine
- Ride-on brush mower can tackle tall, dense brush with minimal physical strain to the user
- Equipped with two flail blades on either end of the center blade to give you all the cutting power you've come to love, with even more strength and stability to be able to safely conquer brush on slopes and harder to reach areas
- Differential lock
- Head lights
- Hydro-static drive (HST)
- Rollover protection
- Battery not included

### 4 Wheel Drive

### RM982F

### \$11,916.67 TERMS 30/60/90

- Handle height adjustment
- On-demand 4WD
- Shipping weight 952 lbs.

### 2 Wheel Drive RM98-23

### \$8,733.<sup>33</sup>

TERMS 30/60/90

 Shipping weight 871 lbs.





### LITTLE WONDER®

### **Brush Cutter - Hydro**



GA

TERMS 30/60/90

- Honda GV390 Engine
- Solid rod linkage to the transmission and cutter blade clutch.
- Cuts growth up to 2" (5 cm) thick Tempered spring steel 26" (66 cm) blade cuts tall weeds, brush, and saplings.

NEW

- Hydrostatic transmission provides clutch less speed selection up to 4.2 mph (6.7 km/h) forward and 1.7 mph (2.7 km/h) reverse.
- 2-year warranty
- Shipping weight 465 lbs.



### BROWN PRODUCTS, INC

### Brush Ox

### BC2613HER

\$**5,196.**00 \$**4,871.**25 QTY **2**+

TERMS 30/60/90

- Honda GXV390 engine
- Quadro Cut blade assembly with stump jumper
- Width of cut 26"
- Adjustable cutting height
- Minimum cutting height 2"
- Blade tip speed 150 MPH
- 129 Blade strikes per second
- Blades sharpened both sides and ends for interchangeability and double life
- 1/2" cutting chip width
- Cut up to 3" diameter brush and saplings
- 1" diameter blade spindle
- 16/6.5 x 8 tube-type pneumatic flat free knobby tires
- Sealed industrial grade bearings
- Hydrostatic transaxle
- Battery not included, obtain locally
- Shipping weight 572 lbs.



**ATA DISTRIBUTORS** 

POST DRIVERS & POST EXTRACTORS

# TITAN

# Gas Powered Driver 2"

### **PGD2000X**

### \$1,381.<sup>05</sup>

TERMS 30/60

- Honda GX35 engine 2" heavy duty threaded steel
- barrel and barrel cap design makes changing reducer sleeves fast and secure
- Accommodates up to 1-7/8" diameter pipe, posts, and is ideal for t-posts
- · Compatible with top throttle, lower, and extended lower handle kits
- Offers up to 1750 BPM
- 100% self-contained
- High-quality sealed bearings and Viton O-rings for long tool life
- Internal dampening springs to lessen vibration to the operator
- Handles are designed for comfort
- Throttle with on-off auto reset button and trigger throttle
- Simple recoil pull start
- · Includes rugged poly carry case, extra grease, tool kit for servicing, and a 1" adapter reducer sleeve for driving smaller posts, stakes, rods, or rebar up to 7/8"
- Additional 1/2" and 3/4" reducer sleeves sold separately
- · Limited lifetime warranty on the hammer
- · Engine warranty provided by Honda
- Shipping weight 56 lbs.



# Post Driver 3-1/8" f/

### Postmaster PGD3200XPM

# \$1,756.00

TERMS 30/60/90

- Honda GX35 engine
- X Series commercial duty driver lets you customize with Handle Kits
- Heavy duty threaded, slotted barrel
- · Accommodates Post Master Plus Post, pipe, rod and stakes up to 3-1/8" diameter
- Spin barrel cap offers quick OFF/ON for secure adapter sleeve changes
- · No fuel mixture is required
- 100% self-contained, easy to lift, move, and carry; no hoses or compressors required
- Includes carrying case, engine oil, extra lube, PostMaster Drive Cap, 2-1/2" adapter sleeve, and a tool kit
- Shipping weight 71 lbs.

# TITAN

### **Top Handle Kit** w/Throttle PGDTHKX

### \$100.00

• Shipping weight 4.75 lbs.

### **Lower Or Upper** Handle Kit PGDLHKX

- \$60.00
- · Shipping weight 4.05 lbs.

### Handle Kit 15" Ext'D w/Throttle **PGDSHKX** \$220.00

· Shipping weight 11.80 lbs.

### Handle Kit 30" Ext'D w/Throttle **PGDEHKX**

\$231.<sup>20</sup>

Shipping weight 14 lbs.

# TIŤ<u>AN</u>

### Gas Powered Driver 3-1/4"

# **PGD3200X**

\$1,470.15 **TERMS 30/60** 

- Honda GX35 engine
- · 3-1/4" heavy duty threaded steel barrel and barrel cap design makes changing reducer sleeves fast and secure
- Accommodates up to 3-1/8" diameter pipe, and posts
- · Compatible with top throttle, lower, and extended lower handle kits
- Offers up to 1850 BPM
- High-guality sealed bearings and Viton O-rings for long tool life
- · Internal dampening springs to lessen vibration to the operator
- Simple recoil pull start
- · Includes rugged poly carry case, extra grease, tool kit for servicing, and a 2-1/2" adapter reducer sleeve for driving smaller posts and stakes
- Additional 1/2", 3/4",1",1-3/4", 2", 2-1/4" reducer sleeves sold separately
- · Limited lifetime warranty on the hammer
- Engine warranty provided by Honda
- · Shipping weight 66 lbs.









POWERED by





MTA. DISTRIBUTORS




HONDA



### 3/4" Sleeve PGDMRS075X \$47.22 · Shipping weight 1.66 lbs. 1" Sleeve PGDMRS100X \$47.22 • Shipping weight 1.57 lbs. 1-3/4" T-Post Sleeve PGDMRSTPX \$52.78 · Shipping weight 1.18 lbs. 2" Sleeve PGDMRS200X \$52.78 · Shipping weight 0.91 lbs. 2-1/4" Sleeve PGDMRS225X **\$47**,22 Shipping weight 0.91 lbs. 2-1/2" Sleeve PGDMRS250X \$47.22 · Shipping weight 0.70 lbs. **Tent Stake Adapter** PGDMRDTSX \$100.00 Shipping weight 3.70 lbs. CLASSEN 18" Pro Sod Cutter HSC18A5 \$5,370.75 TERMS 30/60/90 Powered forward and reverse with industry-best 4.7 mph transport speed Integrated throttle/clutch control on handle for simple operation · Advanced vibration dampening system and cam

- design provide enhanced operator comfort · Integrated rear swivel wheel locks in place for straight-line cutting
- Knobby tread drive wheels grip the turf better and reduce dirt buildup
- 18" (42 cm) blade standard. Optional 12", 16", 20", and 24" blade assemblies available
- 2-year Commercial / Rental Warranty
- Shipping weight 426 lbs.





### Concrete 14"

of the form

# JJ0100

### \$206.50

- Pulls 3/4" and 7/8" concrete form stakes and string line stakes
- Shipping weight 15 lbs.

Stake/Post Extractors

### Concrete 29"

### JJ0200

### \$245.00

- Pulls 3/4" and 7/8" concrete form stakes, T posts, and string line stakes
- · Shipping weight 18 lbs.

### T Post 29"

### JJ0205

# \$245.00

- Pulls T fence posts, real estate signs, string line stakes, and 3/4" concrete form stakes
- Horizontal base is optimized for T fence post extraction
- Shipping weight 18 lbs.

WN & GARDE

# CLASSEN

### 18" Sod Cutter NEW

### TERMS 30/60/90

- 18" (46 cm) blade standard. Optional 12", 16", 20", and 24" blade assemblies available
- Center-mounted blade ensures a more consistent cutting depth
- Cutting blade makes 20 cutting strokes per second
- Adjust depth for ideal sod thickness
- · Knobby tread drive wheels ensure better traction and reduce dirt build up
- · Optional rear swivel wheel kit for turning ease
- 2-year Commercial / Rental Warranty
- Shipping weight 429 lbs.







SC-18A/5.5

# \$4,584.13

SEEDERS & SPREADERS

# *EarthWay* Bag Seeder/Spreader

# 2750

- \$50.<sup>17</sup>
- 20 lb / 9Kg Hopper capacity zippered top rustproof nylon construction
- Contoured molded base
- Adjustable shoulder strap
- Rocking agitator
- Spring loaded shut-off
- 5-Year Limited Warranty
- Shipping weight 4 lbs.

# EarthWay

# Broadcast Spreader

# 3100

- **\$191.**<sup>31</sup> • High volume 40 lbs
- Super duty gearbox
- Heavy-duty powder coated chassis
- Easy operator shut off
- Shoulder mount
- Shipping weight 10 lbs.

# EarthWay

### **Broadcast Spreader**

### 2150

### \$293.24

- High volume 1,325 cu. in. capacity hopper will hold up to 50 lbs. of fertilizer and includes hopper screen
- Rate setting control located high on the handle for precise adjustments
- Solid direct connect linkage for positive flow control, accurate calibration and low maintenance
- Heavy-duty frame has a 175 lb. load bearing capacity
- Large 13" Dia. Pneumatic stud tires on rustproof poly rims
- Super duty gearbox with enclosed gears for years of trouble-free use
- Assembly required
- Shipping weight 27 lbs.



# MIDWEST

### Compost Spreader 24" x 18"

### 85755

### \$302.05

- "Sifting" action spreader
- Keep trash inside the drum and off the lawn
- Spread peat moss, compost, other fine material
- 24" wide x 18" diameter
- All steel construction
- Shipping weight 40 lbs.



# CLASSEN

### 20" Turf Seeder NEW

### TS-20H

\$2,875.25

TERMS 30/60/90

- 5-position height adjustment
- 26 heat-treated multipurpose blades are reversible and
- sharpened on all four edges for double the blade life
- Converts to a turf rake or vertical cutter in minutes with optional blade assemblies
- 2-year Commercial / Rental Warranty
- Shipping weight 250 lbs.

### Metal Seed Box Assembly C900055

### \$789.47

Shipping weight 22 lbs.

### CLASSEN

### 20" Pro Overseeder NEW

### HTS-20H

\$5,036.20 TERMS 30/60/90

- Folding handle means more space on the trailer and the showroom floor
- Seed dial and on-board
- instruction chart allow operators to set the over seeder for the desired grass seed type, eliminating wasted seed
- 26 heat-treated multipurpose blades, uniquely designed with a cutting edge on both ends of blade
- 10-position height adjustment allows depth control to accommodate blade wear
- 2-year Commercial / Rental Warranty
- Shipping weight 432 lbs.





### AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES





### Wheelbarrow 6 Cu FT

### 85724-K

### \$171.45

- Heavy Duty
- Front Tray & Cross Braces
- Steel Tray & Handles
- 15" Flat Free Tires with Ball Bearings
- Shipping weight 45 lbs.



### Hand Sprayer 2.1 Gallons 90700008

### \$22.00

- 2.1 gallon handheld sprayer
- Designed for the homeowner or the commercial user
- Lightweight & has convenient adjustable shoulder straps for increased comfort
- Durable spray wand that features an adjustable spray tip for that steady stream or wide mist application
- Ergonomic handle with an action piston pump to keep spraying quick & simple
- No-mess filling with a large mouth
- Perfect for all kinds of spraying including herbicides, pesticides, insecticides, cleaning solutions, bleach & other liquid applications
- Shipping weight 3.50 lbs.





# Small Diamondgrip with Starter Cord Pack

DGS2840SB	40" 2.8 MM Silver	\$7.71
DGS28400B	40" 2.8 MM Orange	\$7.71
DGS2840B	40" 2.8 MM Black	\$7.71

### NEW

NEW

### Large Diamondgrip with Starter Cord Pack

DGL3292SB	92" 3.2 MM Silver	\$10.60
DGL32920B	90" 3.2 MM Orange	\$10.60
DGL3292B	92″ 3.2 MM Black	\$10.60

diamondperformance



### Small Diamondgrip Starter Handles **NEW**

For use with 2.8-3.0 MM cords

DGSSBM	Silver & Black	\$4.50
DGSOBM	Orange & Black	\$4.50
DGSBM	Black	\$4.50



### Large Diamondgrip Starter Handles **NEW**

For use with 3.2-4.5 MM cords

DGLSBM	Silver & Black	\$6.43
DGLOBM	Orange & Black	\$6.43
DGLBM	Black	\$6.43
DGLDM	DIACK	20.45



NEW



### **Diamondcord Starter Cords**

DC28100	2.8 MM x 100 Ft	Spool #3	\$45.00
DC32100	3.2 MM x 100 Ft	Spool #4	\$51.43
DC36100	3.6 MM x 100 Ft	Spool #4.5	\$57.86
DC55100	5.5 MM x 100 Ft	Spool #7	\$115.71



MORE LAWN & GARDEN PRODUCTS



PRAYERS & STARTER CORD

# Power Dog Log Splitter 24T Horz/Vert PDQS24H



- TERMS 30/60/90
- Honda GX200 engine
- · 24 tons of splitting force
- Thick gauge steel for vigorous use day after day
- · Switch from horizontal to vertical in seconds
- 480x8" wheels, rigid through axle
- 12 second cycle time
- 4-1/2" x 24" stroke 1-3/4" cylinder
- Two stage pump
- 2" Coupler
- Standard fenders
- Log tray #KP7052 sold separately
- Log dislodger #KP7080 sold separately
- 6 Month warranty against manufacture defects
- · Shipping weight 750 lbs.



HONDA

# 🖗 Power Dog

# POWERED by

### Log Splitter 29T Horz/Vert PDQS29R

### \$5,106.25

TERMS 30/60/90

- Honda GX270 engine
- 29 tons of splitting force
- Designed and specifically built for years of service for the rental industry
- Heavy 7ga steel fenders, log dislodger and fully protected operator lever
- Horizontal and vertical operation
- 530 x 12" wheels, torsion suspension, reflective tape, log tray, and engine guard
- 14 second cycle time
- 5 x 24 stroke 2" rod cylinder
- Two stage 16 GPM pump
- 2" Coupler hitch
- 6 month warranty against manufacture defects
- · Not for sale into California
- Shipping weight 783 lbs.



**BC** 

### **Rear-Tine Tiller 18**"

### 718GX-6-K

### **\$3,408.**35 TERMS 30/60/90

- Honda GX200 engine
- 18" Tiller box
- · Easy-to-engage, shuttle-type reverse
- · Anti-vibe handlebars instantly adjust both vertically and side-to-side
- Working wheel speeds: 0.6 and 1.4 MPH
- Transport wheel speed: 6.8 MPH
- Standard wheel size: 4" x 8"
- · Transmission: All gear drive
- Axle Configuration: Straight axle
- Clutch type: Double cone, spring-loaded
- · Working speeds: 2 forward, 2 reverse
- Includes lockout plate (59257359) to lock out specific gears
- Shipping weight 255 lbs.





### **Rear-Tine Tiller 20**"

### 722GX-8-K

### \$3,679.<sup>70</sup> TERMS 30/60/90

- Honda GX240 engine
- 20" Tiller box
- Easy-to-engage, shuttle-type reverse
- · Anti-vibe handlebars that instantly adjust both vertically and side-to-side
- A fast transport speed to ride your tiller to the garden (requires transport sulky or utility trailer)
- Working Speeds: 2 forward, 2 reverse
- · Working Wheel Speeds: 0.6 and 1.4 MPH
- Transport Wheel Speed: 6.8 MPH
- · 21" Wheel Width
- Standard Wheel Size: 4" x 10"
- Transmission: All Gear Drive
- Axle Configuration: Straight Axle
- Clutch Type: Double Cone, Spring-Loaded
- Shipping weight 295 lbs.





**MTA**. **DISTRIBUTORS** 





HONDA





### **Gardenquake Rear Tine Tiller**

### SF600

### \$2,075.00

TERMS 30/60/90

- Honda GX200 engine
- With its one-clutch lever, you will find the operation of The Gardenquake to be simple and user-friendly
- Its rough terrain tires keep it moving through mud and rough ground
- The Gardenquake has a locking differential feature that forces the wheels of this tiller to move in tandem
- This helps the operator to till forward in a straight line with ease.





# 4-Cycle Tiller Plus W/ Kickstand

### **7940A** \$428.74

- NEW
- Over-molded grips for supreme comfort
- Tills up to 10" deep
- Fold-down handles
- Works easily in tight places, along fences and in raised beds.
- Uniquely designed curvy tines helps Mantis dig deep even into the hardest soil
- Shipping weight 29 lbs.



58V 2.5AH Battery Tiller/ NEW Cultivator

### 3558

- **\$298.**65
- Shipping weight 26 lbs.

### 58V Cultivator Battery NEW 3501-01 \$186.65

• Shipping weight 3 lbs.



HONDA

# Mantis

# 4-Cycle Tiller XP W/ KS And Univ



### \$**594.**99

7566A

- Soft, Sure-Grip Handles over-molded grips for supreme comfort even when using the tiller in rocky soil.
   Ergonomically flared for maximum wrist-comfort and fatigue-free operation
- Adjustable Handle Height, easily adjust handles to a height that's just right for you
- Reliable easy-starting and powerful Honda<sup>®</sup> four-cycle engine requires no mixing of oil and gas and runs quieter
- Fold-down handles for easy transport and storage
- Versatile simply turn the special tines around, and your tiller becomes an exceptional power-weeder. You"ll use it all season long! Optional attachments add even more versatility
- 10" Tilling Depth with The Mantis Tiller/Cultivator you can till up to 10" deep. You'll have better soil, and better soil is the foundation of better gardening
- Compact Design the Mantis<sup>®</sup> XP Extra-Wide 4-Cycle Tiller/Cultivator easily gets into tight places where big, fronttine tillers can't go
- Uniquely designed curvy tines helps Mantis dig deep even into the hardest soil, instead of bouncing around like other mini-tillers
   Shipping woight 42 lbs



Shipping weight 42 lbs.

### **Mantis Tiller Attachments & Accessories**

7321	Aerator/Dethatcher Attachment	\$233.32
8222	Crevice Cleaner	\$89.59
4333	Kickstand	\$23.39
4222	Aerator Attachment	\$102.65
3222	Border Edger	\$65.32
5222	Dethatcher Attachment	\$191.32
3777	Handy Item Kit GX25	\$46.65
3888	Handy Item Kit GX35	\$46.65
1622	Tilling Tines Attachment	\$93.32
6222	Planter/Furrower Attachment	\$89.59
7341	Plow & Planter Combo	\$139.99
3333	Plow Attachment	\$77.45
9222	Wheel Set	\$89.59
4265	XP Aerator Attachment	\$186.65
5265SH	XP Dethatcher Attachment	\$186.65



### **Ground Hog**

### Trenchers

- Honda GX160
- Easy-to-use, operator-friendly controls
- Fits through narrow gates and doorways
- · Will trench close to walls, fences, etc.
- Solid roller digging chain for increased life
- Wide pneumatic tires with tubes
- Centrifugal clutch equipped with needle bearings and all metal drum and shoes
- The unique wheel ratchet system assists the operator in propelling the T-4 while trenching
- 6 Month machine warranty, 3 Year engine warranty

### 12" Shark Teeth

### T-4-HS

\$2,983.50

TERMS 30/60/90

- 12" Carbide tipped Shark Teeth chain
- Shipping weight 275 lbs.

### 18" Shark Teeth

### T-4-HS18

\$2,489.00

- TERMS 30/60/90 18" Carbide tipped Shark Teeth chain
- Shipping weight 274 lbs.

### Trencher 12" Bullet Teeth 3" Wide

### T-4-H

### \$2,983.50

- TERMS 30/60/90
- Shipping weight 275 lbs.

# Trencher 18" Bullet Teeth 3" Wide

# T-4-H18

### \$3,030.25 TERMS 30/60/90

Shipping weight 275 lbs.

### Shark Chain 18" Complete

### 6013**3**5

- \$374.00
- · Shipping weight 18 lbs.

### BALLANTINE

### Stump Cutter Tooth Badger 700 **B700GT**

### \$9.53

- Recommended for stump grinders up to 40HP
- Fits: Barreto SG30, 13SGH, 16SGB; Toro Dingo Attachment SGR-13, STX-26, STX-38, and 19 other stump grinding manufacturers
- Shipping weight 0.15 lbs.

### BALLANTINE

HONDA

### **Trencher Teeth**

- For walk behind & rider trenchers
- Heat treated and hard surfaced



### Ditch Witch 1010, 1020, 1220, 1230, 1820

Holes are 1-7/8" on center, 3/8" bolt

B136024	Right Hand	\$6.03
B136025	Left Hand	\$6.03

### CLASSEN

### 20" Pro Turf Rake NEW

TRS-20H

\$5,122.75

- TERMS 30/60/90
- Operates forward and reverse
- Variable speed from 0 to 3.4 mph
- Makes loading and unloading on ramps a snap

NEW

- Great on hills
- 2-Year Warranty
- Shipping weight 256 lbs.

# CLASSEN


### 20" Turf Rake

- Easily convert into an over seeder or vertical slice aerator
- Heavy duty, greaseable bearings with cast iron housings for durability and easy maintenance
- Sealed bearings in wheels add durability while semipneumatic tires provide better flotation on turf and easier maneuverability
- Fold-down handle eases transportation and storage
- 2 year Commercial / Rental Warranty
- Shipping weight 222 lbs.

Spring Tine Reel 🖘 TR-20RH \$2,129.95 TERMS 30/60/90







**MTA**. DISTRIBUTORS







### Spring Tine Reel Assembly NEW C900045

### \$417.47

· Shipping weight 22 lbs.



### Trenchmaster

### F-904H9.0 \$3,028.00



### TERMS 30/60/90

- Honda GX270
- Rotors are fully enclosed for safety
- Low profile for maximum stability
- · Pulling unit allows the legs to do the work
- Standard clay hood reduces soil build-up
- Minimum turf damage
- Clutch lever cuts power to rotor for safety
- Remove one nut to change rotors
- Steel wheels with pneumatic tires
- Tungsten carbide points
- · Double belt and pulley system
- Trenches up to 25 feet per minute
- Trenches up to 9 inches deep
- Includes 12-110 Clay rotor
- · Shipping weight 165 lbs.



### Moving Pad 80"X72"

### W6045

### \$13.09

- · Non-woven polyester outer shell with a cotton/polyester fill for padding
- · Double stitched non-woven fabric ensures your blanket will be durable enough for big moves and storage
- All ends are finished to keep blanket from unweaving or fraying for long life
- Shipping weight 4.85 lbs.



# Buver

### **Forged D-Rings** w/Mounting Bracket

### 5/8"

### **B40**

### \$8.99

- Ultimate Breaking Strength 18,390 lbs.
- Working Load Limit 6,130 lbs.
- Shipping weight 2 lbs.

### ERICKSON

### Wire Rings 20/BX Retail Box 59108

### \$24.72

- Surface Mount
- 1200 lb. Maximum Load
- Shipping weight 0.18 lbs.

### ERICKSON

Wire Flip Ring Anchor 5000 **LB 6/BX** 

### 59170

### \$16.67

- · 5000 lb. Maximum Load
- 3/8" ring
- Bright Zinc Finish
- 12 Per Retail Box
- Shipping weight 0.50 lbs.
- THE FAIRBANKS COMPANY \E Since 1887

### Handtruck Tire

### E-FF-10

### \$30.60

- · 4.10/3.50 4
- 10" Diameter, 3 wide"
- Flat-free, micro-cellular polyurethane, non-rubber construction
- · Puncture free, easy rolling, lightweight
- · 2-piece bolted steel off-set hub wheel center
- Sealed 5/8" precision ball bearings and hub-mounted grease fitting
- Not for highway use
- Shipping weight 5 lbs.





# MTA DISTRIBUTOR





CARTS, DOLLIES, & TRUCKS

### 

### **Loop Handle Hand** Truck

### 44701

### \$106.61

- 1000 lbs. Capacity
- Carbon steel tubing
- 52" Overall height
- 22" Overall width
- 8" x 14" Toe plate
- 10" x 2.75" Wheel
- · Shipping weight 34 lbs.

### **Appliance Trucks**

- 60" overall height
- 4-1/2" x 24" toe plate
- 1" steel tubing

### **700LB** 40271

### \$199.73

- 21-1/2" overall width
- Shipping weight 56 lbs.

### **800LB**

### 40188

### \$228.97

- · 24" overall width
- · Shipping weight 45 lbs.

# Vertil

### **Appliance Truck**

### **APPL-1200-66**

### \$398.89

- · Kick-back wheels w/casters
- Capacity 1200lb
- Overall width 24"
- Overall length retracted 17"
- Overall length extended 29 15/16"
- Height 66"
- Nose plate 24"W x 5"D
- Wheel diameter 8"
- Caster diameter 4"
- Bumpers for pulling up stairwells
- Ratchet strap tightening system
- Shipping weight 70 lbs.





### THE FAIRBANKS COMPANY Since 1887 Platform Truck E-98-Q-3060-RTE

### \$370.81

- 2,000 lb. load capacity
- 1" thick tongue and groove hardwood deck
- 11-1/2" deck height
- · Reinforcing cross battens
- Decks have recessed bolts providing a smooth platform
- · Durable powder-coated finish on handles
- 8"x2" rubber mold-on wheels
- · Shipping weight 81 lbs.



THE FAIRBANKS COMPANY \F/ Since 1887

### **Platform Truck With** Handle

### V28-3060-409-RT \$455.<sup>82</sup>

- 2000 lb. capacity
- Steel framed hardwood deck
- Rounded front corners
- Removable 1-5/16" tubular rack handle
- 8" mold-on rubber casters
- 30" x 60" deck
- · Shipping weight 79 lbs.



F/ THE FAIRBANKS COMPANY Since 1887

### Carpet Dolly 18"x30"

### ED-26-1830-4HR \$47.77

- 1000 lb Capacity
- 6-1/8" Deck height
- 4" Hard rubber wheels
- 18" x 30 " Deck
- Carpet ends
- · Shipping weight 12.05 lbs.



**MTA**. **DISTRIBUTORS** 





### **Carpet Dolly Rubber End**

### ED-27-1830-4HR

### **\$45.**27

- 4" hard rubber wheels
- 990 lb. capacity
- 31" x 19" x 8" deck
- Shipping weight 13 lbs.





### Hardwood Dolly 16"X16"

### PT-15-1616-3PH

### \$78.88

- 3/4" Heavy duty poplar, one piece deck
- 3" Polyolefin swivel casters
- 1000 lb capacity
- Rounded corners to reduce damage
- Convenient hand grip slot for carrying
- Fully assembled and boxed
- Height 4-9/16"
- Size 16" x 16"
- Shipping weight 9 lbs.



### Pallet Jack 6600LB 27"x48"

### 141175

### \$386.00

- 6,600 lbs. capacity
- 200 degrees turning radius
- Overload protection ball valve prevents lifting loads past maximum capacity



- Top-stroke release valve prevents cylinder extension beyond maximum height
- Chrome-plated pump piston and ram provide corrosion resistance in any industrial environment
- One-piece cast iron pump has a built-in valve that lowers the material in a controlled decent
- Poly over aluminum 7 x 2 inch steer wheels ensure contact with uneven floors
- Steer wheels feature double sealed lubricated bearings
- Shipping weight 154 lbs.

### JET

### Pallet Jack 6600LB 20″X48″

### 141172

### \$410.26

- 6,600 lbs. capacity
- 200 degrees turning radius
- Over load protection prevents lifting loads past maximum capacity

TE

- Pumps designed for any industrial environment
- Polyurethane 6-1/4 x 2 inch steer wheels for non marking of floors and quieter rolling
- Lower material in controlled decent with either hand or foot control
- Shipping weight 156 lbs.

### JET

# Pallet Jack 8000LB

### 27″X48″ 141800

### \$519.<sup>23</sup>

- 8,000 lbs. capacity
- 210 degrees turning radius
- Over load Protection prevents lifting loads past maximum capacity
- Pumps designed for any industrial environment
- Polyurethane 6-1/4 x 2 inch steer wheels for non marking of floors and quieter rolling
- Shipping weight 233 lbs.

### SUMPER A Southwire Company

### Pallet Jack, 27x48 6600LB

# 779765

### \$366.<sup>67</sup>

- Capacity: 6,600 lb.
- Three-function handle controls Raising, lowering, and neutral
- Minimum fork height: 2.5"
- Maximum lift height: 6.25"
- Fork width: 6"
- Outside fork width: 20.5"
- Fork length: 48"
- Turning radius: 180°
  - Shipping weight 196 lbs.

# MTA DISTRIBUTOR

### MTADISTRIBUTORS.com / 800.264.0225



# ERICKSON

### Horizontal E-Track 5' Section

# 19148

### \$19.<sup>17</sup>

- Zinc-plated finish
- Made of 12-gauge high
   strength steel
- Superb product for all trailers
- Easy to use with multiple anchoring points
- Shipping weight 7.96 lbs.

# ERICKSON

### Logistic Strap 2"x16' Ratchet (For E-Track) 59139

### **\$8.**36

- 3500 lb. Maximum Load
- 1165 lb. Safe Work Load
- For use with the E-Track section or E-Track roller idler



• Shipping weight 2.70 lbs.

# 

### **Tow Rope**

### 09102

### **\$11.**71

- Tow Rope 7/8" X 14' Blue 8500 lb.
- USA made nylon rated at 10,000 lb. for every inch of width.
- Uses a 415 nylon thread and each strap is sewn 12" long every 1/4" across the width of the strap.
- Simply attach loops to tow hooks on vehicle. The web will stretch 10 15%. Once it tightens up it should sling shot the stuck vehicle out.
- The pull area is wrapped with a high tenacity nylon which is a special fiber designed to take a lot of wear. The army and navy require this
  - material on all web products where constant use and abuse occurs.
- Shipping weight 3.33 lbs.



# ERICKSON

### Auto And Machinery Tie-Down Strap

### 38504

### \$23.00

- 10,000 lb. Maximum Load
- 3300 lb. Working Load Limit
- Chromate finished hardware protects against corrosion to prolong the life of the ratchet
- 90° Twisted Snap hooks allow for easier use
- Polyester webbing is strong and durable
- D.O.T. compliant Printed Web
- Wide handle ratchet to make operating easy
- Shipping weight 4.16 lbs.



# ERICKSON

### Ratchet Strap 1"x15' 300 LB

# 01400

- **\$6.**<sup>31</sup>
- Red polyester webbing
- 1/4" vinyl coated hooks 500 lb. Maximum Load
- 300 lb. Waximum Load
  165 lb. Working Load Limit
- Shipping weight 1 lbs.



# ERICKSON

### Soft Grip Ratchet 1"x10' 4/PK 01415

### **\$14.**<sup>44</sup>

- · Heat treated vinyl coated hooks
- 1200 lb. Maximum Load
- 400 lb. Safe Work Load
- Shipping weight 4.40 lbs.



**MTA DISTRIBUTORS** 

### **Working Load Limit**

All Erickson tie-down straps 5000 lb. and up come with a label indicating Size, Maximum Load and WLL (Working Load Limit). Remember that the WLL is 1/3 of the Maximum Load. Always use the WLL when selecting tie-downs.

Example: For a box weighing 3300 lb., you would use 2 straps with a 5000 lb. maximum load limit. The working load limit of a 5000 lb. strap is 1650 lb.

### Working Load Limit (WLL)

is one third (1/3) of the breaking strength.

Example: 15,000 lb. (Breaking Strength) = 5,000 lb. (WLL) The basic rule to ensure safety is a 3:1 ratio to be used on any item moving in any direction where brakes are being applied and G-forces occurs. It is the responsibility of the user to determine the number of straps needed to secure his load safely based on the WLL rule above.

### ERICKSON

### Ratchet Strap 1"x15' 3000 LB

### 01316

### \$11.96

- · Yellow nylon web
- · Double "J" hooks
- · Yellow chromate finish
- 3000 lb. Maximum Load
- 1000 lb. Safe Work Load
- · Shipping weight 1.83 lbs.



### **Bungee Cords**

### 8MM X 24" 2/PK 06647

### \$2.46

- Sold in retail package of two
- Ideal for trunks, van and car roof racks, motorcycles, and bicycles
- Shipping weight 0.41 lbs.

### 10MM X 36" 4/PK 06845 \$5.33

- Industrial bungee cord
- Shipping weight 1.63 lbs.





### ERICKSON

### Ratchet Strap 2"x27'

- · Yellow Polyester Webbing with Red Line
- Strap includes safety tag warnings and is D.O.T approved
- Med. Handle Ratchet
- Heavy Duty Metal Hooks
- 10,000 Lb. Maximum Load
- 3300 Lb. Safe Work Load
- Working load limit printed on strap
- Brown Display Box

### Flat-Hook

### 78527

- \$102.28
- Shipping weight 29.56 lbs.



### 78627

### \$96.78

 Shipping weight 32 lbs.

# ERICKSON

### Ratchet Strap 2"x30' J-Hook

### 58510 **\$18.**15

- Yellow polyester web with red line
- Double "J" hooks
- 10,000 lb. Maximum Load
- 3300 lb. Working Load Limit
- Heavy duty long handle ratchet
- Shipping weight 6.60 lbs.

# ERICKSON

### Ratchet Strap 1-1/2"x15'

# 01330

# \$14.99

- · Gray nylon web • Double "J" hooks
- · 4000 lb. Maximum Load
- 1300 lb. Safe Work Load
- · Shipping weight 2.25 lbs.







**4IR COMPRESSORS** 



### **Air Compressor 4 GAL 2HP** Electric

### **DP2022S**

### \$442.86

- 115/230V
- 7 cfm air displacement
- 6 cfm at 40 psi
- 4.6 cfm at 90 psi
- ASME compliant
- 150 psi Max
- Oil-Lube pump design
- Single stage
- Direct drive
- Shipping weight 87 lbs.





### Air Compressor 8 GAL 2HP **Electric**

# PUK2008MDC

### \$807.14

- 115/230V
- 8.5 cfm at 40 psi
- 7.4 cfm at 90 psi
- ASME compliant
- 135 psi Max
- Oil-Lube pump design
- Single stage
- Belt drive
- Shipping weight 230 lbs.





### Air Compressor 4 Gallon

### **DG5522HP**

### \$869.29

- Honda GX160 engine
- 9.1 cfm at 40 psi
- 8.0 cfm at 90 psi
- 135 psi Max
- Oil-lube pump design
- Single stage
- Direct drive
- Two hose outlets
- · Flat free tires

PUMA'>

• Shipping weight 125 lbs.





HONDA

**Air Compressor 8** 

### **Gallon** Gas **PUK6508HG**

# \$978.93

- Honda GX200 engine
- 12 cfm at 40 psi
- 11 cfm at 90 psi
- ASME compliant
- 135 psi Max
- · Oil-Lube pump design
- Single stage
- Belt drive
- Single hose outlet
- · Shipping weight 231 lbs.



# CATALOG FREIGHT PROGRAM

### **GROUND FREIGHT**

Invoice	Shipping Charge
Under \$50	\$24.99
\$50 - \$249	\$35.99
\$250 - \$999	\$59.99
\$1,000 - \$2,999	\$99.99
\$3,000 - \$4,999	\$149.99
\$5,000 - \$7,499	\$199.99
\$7,500 +	FREE Freight

### LTL FREIGHT

Invoice	Shipping Charge
Under \$500	\$155.00
\$500 - \$999	\$175.00
\$1,000 - \$1,499	\$195.00
\$1,500 - \$2,999	\$235.00
\$3,000 - \$4,999	\$299.00
\$5,000 - \$7,499	\$399.00
\$7,500 +	FREE Freight

- · Program applies to stock MTA catalog items. Excludes JLG Lifts. Special order products and repair parts are not eligible.
- Program only applies to shipping points in the 48 contiguous United Sates.
- · All orders that cannot be properly handled by UPS will ship LTL.
- · Orders weighing 150 lbs or more will ship LTL.
- · Posted shipping rates for back-ordered shipments will apply.
- · For all expedited shipment requests or special\* handling options, carrier expedited rates/surcharges will apply.
- · Shipping charges will be due on the first payment for orders with extended payment terms.
- Terms and conditions of this program subject to change without notice.
- \* Special handling examples: appointment request, construction site delivery, limited access delivery (school, hospital, military base), residential delivery, inside delivery, lift-gate service, over length freight (8' to 40'), guaranteed delivery.

# AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES

**MTA DISTRIBUTORS** 

134





### Air Compressor 8 Gallon Gas

### PUK8008HG



- Honda GX240 engine
- 20.6 cfm at 40 psi
- 17.8 cfm at 90 psi
- ASME compliant
- 150 psi Max
- Oil-Lube pump design
- Single stage
- Belt drive
- Shipping weight 270 lbs.



 $(\Box)$ 

HONDA



# Air Compressor 20 Gallon Gas

### PUN5520G

### \$1,115.00 TERMS 30/60/90

- Honda GX160 engine
- 12.6 cfm at 40 psi
- 11 cfm at 90 psi
- ASME compliant
- 135 psi Max
- Oil-Lube pump design
- Single stage
- Belt drive
- Shipping weight 258 lbs.



### Chipping Hammer 4 Bolt TOKUFBCH-3H

### \$481.25

- D handle for strength and grip
- Exhaust deflector diverts exhaust while providing comfortable grip
- Recommended air pressure 90 PSI
- Hex shank bushing .580
- 7/8" FNPT air inlet
- 1900 BPM
- 3" Stroke
- 28.2 CFM
- Requires Swivel Fitting SF-01040
- Shipping weight 22 lbs.





### Rock Drill 60LB 1″ Shank

### TOKURD-60-1

### \$1,850.00

- TERMS 30/60/90
- Latch type tooling retainer
- 4 position throttle
- T-style handle with rubber
  grips
- Latch type tool retainer
- 3/4" MNPT air inlet
- 90 PSI
- 1800 BPM
- 91 CFM
- Requires Air Coupler 772660
- Shipping weight 63 lbs.

### Paving Breaker 60 LB

- Replaceable front head bushing
- Chisel retainer latch
- All shank sizes accommodate standard steel
- Rubber handle grips
- 3/4" MNPT air inlet
- 90 PSI
- 1400 BPM

### 1-1/8" Shank TOKUPB-60118

# \$1,000.00

TERMS 30/60
Shipping weight 72 lbs.

### 1-1/4″ Shank

### **TOKUPB-60114**

\$1,000.00

- Shipping
- weight 74 lbs.



### SEASONAL FINANCING TERMS

### Order September 1 - December 31

No Payments Until Spring of 2026, No Interest (if paid on time) or Receive the 2% Net 10 Days Discount on Qualifying Orders All Units & Accessories\* In Catalog - Mix & Match

See Inside Cover For Details

PNEUMATIC TOOLS

IR TOOLS & COMPRESSOR



\* Parts are not eligible



CCESSORIES

# **Paving Breaker 90 LB**

- Replaceable front head bushing
- Chisel retainer latch
- All shank sizes accommodate standard steel
- Rubber handle grips
- 3/4" MNPT air inlet
- 90 PSI
- 1250 BPM
- 77 CFM
- Requires air coupler 43007505

# 1-1/8" Shank

### **TOKUPB-90118**

### \$1,025.00 TERMS 30/60

 Shipping weight 101 lbs.

# 1-1/4" Shank

### **TOKUPB-90114**

### \$1,025.00

**TERMS 30/60** 

 Shipping weight 102.10 lbs.



### **Jack Hammer Whip Hose** 3/4" X 6'

### 757056

### \$39.96

- Requires 1/2" air coupler FNPT to connect to the jack hammer air hose
- Use 756534 hose clamp on tool end
- Shipping weight 5 lbs.



### Bushing 3/8" MNPT 1/4" **FNPT**

### 651

### **\$1.**34

- 3/8" MNPT to 1/4" FNPT
- · Shipping weight 0.01 lbs.



### Air Hose Jack Hammer

### 756492

### \$95.59

- General purpose hose for various rental, construction, and industrial applications
- EPDM cover and tube reinforced with polyester yarn
- Includes Universal couplings
- · Color, Red or Blue
- 250 PSI W.P
- 3/4" x 50'
- · Shipping weight 23.50 lbs.

# JAB

### Air Hose 3/8" x 50' 300 PSI

### 756983

### \$55.88

- · For use with air compressors, staplers, nailers, and pneumatic tools
- Excellent temperature range
- · Heat, weather, and abrasion resistant
- Stays flexible at low temperatures
- Shipping weight 16 lbs.



# MILTON®

### Re-Koil Hose-Nylon 1/4"X25'

### 1669

### \$24.43

- Maximum working pressure: 200 PSI @ 70 degree F
- Working temperature: -40 degree F to 180 dearee
- Material: Equivalent to nylon 12
- · Color: Yellow
- Shipping weight 1 lbs.





**MTA**. **DISTRIBUTORS** 





ups



# 

### **Bolt Type Clamp**

### 43043762

### \$9.34

- 3/4" x 1-3/16" OD To 1-5/16" OD
- Use to attach "Boss" interlocking clamp type couplings
- Plated malleable iron construction
- "Fang" gripping fingers on clamps fit over coupling/mender collars
- · Machined serrations on barbs and clamp castings ensure couplings will not work lose
- Shipping weight 0.69 lbs.



### **Kwik-Change Air Couplers**

- Milton M-Style "Kwik-change" couplers will interchange with all manufacturers who comply with the dimensional requirements of military specifications MIL-C-4109
- M-style coupler bodies are brass with brass sleeves
- M-style plugs are case hardened steel, plated to resist rust
- Maximun inlet pressure:300 PSI
- Maximum temperture: 250 degrees F.
- · Air flow: 40 SCFM
- Seals: Buna-N
- Couplers are for use with shop air only



### **Air Quick Couplers**

716	1/4" MNPT	\$6.05
719	3/8" MNPT	\$7.89
715	1/4″ FNPT	\$6.05
718	3/8″ FNPT	\$7.89



728	1/4″ FNPT	\$1.40
727	1/4" MNPT	\$1.35
733	3/8″ MNPT	\$2.63
732	3/8″ FNPT	\$2.68

**Air Quick Coupler Nipples** 



### AWR4 Air Hose Gasket BX/50 756984 \$40.44

· Shipping weight 1 lbs.



### Universal Coupler 3/4" Barb 2LUGS 773385

\$6.95

• Shipping weight 1 lbs.

### Universal Coupler 1/2" MNPT GAM2 773381

### \$5.51

• Shipping weight 0.50 lbs.

### Universal Air Coupler 3/4" MNPT 756874

\$4.40

• Shipping weight 1 lbs.

### Air Coupler X 1/2" FNPT 756906

\$3.68

- · Shipping weight 1 lbs.

### Air Coupler 3/4" FNPT Universal End 772660

### \$4.40

• Shipping weight 0.58 lbs.



# Air Tank 5 Gallon W10005

### \$64.49

- 125 PSI maximum
- · Light weight, portable with handle for easy transport
- Safety pressure bypass valve with manual override
- On/off air adjustment dial
- Industrial grade air hose with standard tire air chuck
- Hi-viz color for added visibility



MTA DISTRIBUTORS







### IN-Line Lubricator 11.0 FL OZ

### TX-2L \$89.73

- In Line Lubricator
- 11 Fluid ounce bowl capacity
- 3/4" NPT threads
- Shipping weight 4 lbs.

### Compressor Oil 320Z Flip Top 1002-32



### **\$16.**<sup>34</sup>

- Protects against rust, corrosion and foaming. For reciprocating and centrifugal compressors where manufacturer specifies a Non-detergent 30 weight oil
- Shipping weight 0.01 lbs.

### Tool Oil 40Z Flip Top 1001-4

### \$5.75

- Extends life and performance of air tools, lubricators, valves and cylinders.
- Prevents seizure of air tools and pneumatic equipment.
- Recommended for tools requiring a 10 weight non-detergent lubricant.
- Working temperature: 5° F to 350° F.
- Shipping weight 0.50 lbs.

### Lever Hook Blo-Gun S-148

### \$10.17

- Compact and versatile blo-gun comes with both a safety nozzle and rubber tip nozzle. Hang-up hook for easy storage.
- Maximum working pressure: 150PSI
- SCFM 11.7 @ 100 PSI safety-tip
- SCFM 12.9 @ 100 PSI rubber tip
- 1/4" NPT air inlet
- Zinc die-cast body
- OSHA compliant with safety tip only
- Shipping weight 0.50 lbs.



TILTON



### Compression Tester Deluxe S-1251

### S1251

### \$65.58

- Double fiber braided neoprene hydraulic hose.
- Includes 14 mm long reach adapter and spare valve core.
- Composite metric scale reads both PSI and all metric ranges.
- 0-300 PSI 0-21kg/cm2
- 0-2100 kPa 0-21 bars
- Shipping weight 0.50 lbs.

# Performance Tool

### Gauges

### Dual Head Tire Chuck M517

### \$4.11

Shipping weight 0.16 lbs.

### Pencil Type Tire Gauge W191C

### \$1.40

- 10 to 50 PSI capacity
- Impact resistant head and tough, chrome plated body
- Easy to read metal scale
- Handy pocket clip
- Shipping weight 0.01 lbs.

# **PARTS SUPPORT**

Lost time from equipment failure means lost profits. That is why we stock parts for most of the items you will find in our catalogs. MTA can sell you parts for equipment you purchase from us or for equipment you already own within our brands.

Genuine Honda Parts - Honda is the world's largest engine manufacturer with extensive engine experience. By utilizing routine service and genuine Honda replacement parts, you are assured your Honda equipment remains the quality equipment you purchased. It will continue to perform at peak performance and efficiency levels. The use of genuine Honda engine parts assures that the engine is meeting all local and federal emission (CARB and EPA) regulations.

Some restrictions may apply to Honda parts availability.





MTA. DISTRIBUTORS

AIR TOOLS & COMPRESSORS

AST OF CONTRACT OF CONTRACT.

# BOSCH

### **Breaker Hammer Kit 35LB**

### 11335K

### \$981.50

- Power-to-weight ratio of 22 Ft.Lbs. of impact force at 38 Lbs. of weight for great removal rate
- Vibration Control technology reduces shock in hammer mechanism and at handle
- 360° articulating auxiliary handle is versatile placement for greater operator control
- In-line design controls tool balance in angled, horizontal and vertical applications
- Versatile two-way bit retention accepts Bosch 1-1/8-In. hex steel and standard 1-1/8-In. air steel
- Carrying case with wheels for convenient storage and easy transportation
- All-metal housing, metal tube and case designed for great jobsite durability
- Service Minderbrush system shuts tool down when maintenance is required
- Grease-packed gearbox and hammer mechanism for smooth and robust operation
- 2 Way Tool Retainer accepts standard 1-1/8 In.
   (28 mm) hex, air tool steel with retaining collar or Bosch internal locking combo steel
- Includes one HS2861 moil point
- Shipping weight 58 lbs.



# **BOSCH**

### Brute Breaker Hammer Basic Kit

### BH2760VCB

### **\$1,661.**<sup>50</sup>

- TERMS 30/60/90
- Active Vibration Control that reduces vibration for allday jobs
- Ergonomic shock absorbing handles for greater user comfort
- Outstanding impact energy of 35 Ft.Lbs. for tool weighing just 63 Lbs.
- Service Minder Brush System for preventative maintenance
- Grease-packed gearbox and hammer mechanism
- Service MinderBrush System shuts the Brute off when brush replacement, lubrication, or preventative maintenance is needed
- Grease packed gear box and hammer mechanism eliminates uncertainty of job site lubrication
- Includes Brute, basic cart T1657, one moil point chisel HS2161, and one flat chisel HS2163
- Shipping weight 117.50 lbs.



# BOSCH

### Brute Turbo Breaker Hammer Kit BH2770VCD

### ¢1 072 75

\$1,823.75 TERMS 30/60/90

- 30% more impact energy than the BH2760VCB
- 15 Amp
- 1000 BPM under load
- 30.75" in length
- Service minder brush system
- Grease packed gear box and hammer mechanism
- Kit includes the new Brute Turbo, T1757 heavy duty cart, two HS2861 points, and two HS2863 chisels
- Shipping weight 131 lbs.



ups

# BOSCH

### Combination Hammer Spline 1-9/16″

# RH540S

- \$430.50
- Replaces 11247
- Spline bit system
- Combination dual mode selector rotary hammer mode or hammer only mode
- Vario-Lock positioning
- Innovative service modules quickly replace the brushes and cord
- 360 degree Auxiliary handle
- Integral clutch
- Grounded design, CSA listed, complies to OSHA
- 120V, 12 Amp

case

- 6.1 ft/lbs Impact energy
- 1500 2900 BPM
- 170 340 No Load RPMIncludes Hammer,

2602025062 auxiliary



• Shipping weight 25.07 lbs.

handle, and 3605438536

# BOSCH

### Combination Hammer 1-5/8" Spline

# 11265EVS

### \$**675.**00

• Power-to-weight ratio - 13.0 Amp motor that drives 6.5 ft-lbs. of impact energy in a 15.1 lbs. hammer, for professional results



- Vibration Control vibration reduction in the hammer mechanism and the grip area provides maximum user comfort for extended periods of work
- Constant Response circuitry provides soft-start and maintains constant speed under load
- Electro-pneumatic impact system maximizes impact force and minimizes vibration
- Dual-mode selector two modes of operation, rotary hammer and hammer-only mode
- Turbo Power delivers 20 percent more power in hammeronly mode
- Auto-Max variable-speed dial ensures maximum speed and power every time the tool is plugged in
- Vario-Lock positioning rotates and locks chisel into 12 different positions to optimize working angle
- Integral clutch helps minimize torque reaction
- Service Minderlight indicates when preventative maintenance is required
- Shipping weight 25.60 lbs.

# BOSCH

### Combination Hammer 1-5/8″ SDS-Max

### 11264EVS

### \$570.<sup>50</sup>

- Unmatched Power to Weight Ratio - 13 Amps,
  8.1 ft-lbs Impact energy & 14.3 lbs
- Best performing rotary
   hammer in its class!
- Active Vibration Control<sup>™</sup> Vibration reduction in the hammer mechanism and the grip area provides maximum user comfort for extended periods of work
- One-Hand<sup>™</sup> SDS-max<sup>®</sup> One-hand tool free SDS-max<sup>®</sup> system makes changing bits easier than ever before while maximizing jobsite productivity
- Constant Response Circuitry Maintains speed under load and overload protection
- TurboTM Power delivers 20% more power in hammer only mode
- Vario-Lock<sup>™</sup> Positioning Rotates and locks chisel into 12 different positions
- Auto-Max<sup>™</sup> variable speed Dial Ensures maximum speed every time the tool is turned on
- Service Minder<sup>™</sup> light indicates when preventative maintenance is required
- Patented cord turret Reduces cord wear
- Includes 360° auxiliary handle, depth gauge and carrying case
- Shipping weight 26 lbs.

# BOSCH

### Combination Hammer 1-9/16" SDS-Max

# RH540M

- \$410.50
- SDS-max<sup>®</sup> bit system
- Combination dual mode selector — rotary hammer mode or hammer only mode
- Vario-Lock<sup>™</sup> positioning
- Innovative service modules quickly replace the brushes and cord
- 360° Auxiliary handle
- Integral clutch
- Grounded design, CSA listed, complies to OSHA
- 120V, 12 Amp
- 8' Cord
- 6.1 ft/lbs Impact energy
- 1500 2900 BPM
- 170 340 No Load RPM
- Includes Hammer, 2602025062 auxiliary handle, and 3605438536 case
- Shipping weight 25.15 lbs.







POWER TOOL

A

ups



### **Combination Hammer 1-3/4**" SDS-Max

### **RH745**

### \$674.00

- 13.5 Amp
- · 1380-2750 BPM
- 7.6 Ft-lbs impact energy
- SDS-max<sup>®</sup> bit system
- Tool-free bit changes with automatic bit locking
- · Combination dual mode selector, rotary hammer and hammer only mode
- · Variable speed dial
- Turbo<sup>™</sup> Power feature
- Service Minder<sup>™</sup> light
- Vario-Lock<sup>™</sup> positioning
- 360° Auxiliary handle
- Soft grip rear handle
- Includes 2602025103
- auxiliary handle and 3605438396 carry case
- · Shipping weight 28 lbs.

# **BOSCH**

### **Combination Hammer 2**" SDS-Max

### **RH1255VC**

### \$1,031.00

TERMS 30/60

- 15 Amp 120V
- 100-220 No load RPM
- 1,000 2,150 No load BPM
- 6" Max hole diameter
- Keyless chuck
- Turbo<sup>™</sup> Power for torque and speed
- Best power-to-weight ratio of 14.1 ft.-lbs. of impact energy
- Vibration Control<sup>™</sup> for comfort in all-day applications
- Constant Response<sup>™</sup> for soft start, constant speed under load
- Vario-Lock<sup>™</sup> positioning for precise chiseling location
- Two drilling speeds to match speed to application
- Includes tool and carrying case
- Shipping weight 37.23 lbs.



# **BOSCH**

### **Demolition Hammer 17LB SDS Max**

### **DH1020VC**

### \$955.00

- 15 Amp
- 900 1700 BPM
- 3.7/20.7 Impact ft/lbs
- Vibration control handle mechanism
- Best power to weight ratio · Best vibration level in class
- In-line design
- Shipping weight 38 lbs.

# **BOSCH**

### **Demolition Hammer SDS Max**

### 11316EVS

### \$724.00

- SDS-max<sup>©</sup> bit system
- 12.4 ft/lbs impact energy
- · Variable-speed dial
- Constant Response<sup>™</sup> Circuitry
- Service Minder<sup>™</sup> light
- Vario-Lock<sup>™</sup> positioning
- · Padded rear handle
- 360 deg. Auxiliary handle
- · Double insulated, UL listed, complies to OSHA
- Includes: Auxiliary Handle, Carrying Case
- Shipping weight 33 lbs.

# SPRING & FORWARD SEASONAL FINANCING TERMS

### Order January 1 - April 30

Up to 6 Equal Payments, No interest (if paid on time) All Units & Accessories\* In Catalog - Mix & Match

\$0.00 to \$999	Net 30 Days
\$1,000 to \$1,499	30/60 Day Terms (2 Equal Payments)
\$1,500 to \$4,499	30/60/90 Day Terms (3 Equal Payments)
\$4,500 to \$6,499	30/60/90/120 Day Terms (4 Equal Payments)
\$6,500 to \$8,499	30/60/90/120/150 Day Terms (5 Equal Payments)
\$8,500 & UP	30/60/90/120/150/180 Day Terms (6 Equal Payments)

\* Parts are not eligible



SDS max(



# MTA DISTRIBUTORS



# POWER TOOL

ROTARY HAMMERS & CORE DRILLS

# **BOSCH**

### **Rotary Hammer 1**" SDS-Plus D-Handl

# 11255VSR



- 7.2 AMP
- 0-1300 RPM
- 0-5800 BPM
- Multi function selector rotation only, rotary hammer, and hammer only
- · Vario lock positioning rotates and locks chisel into 36 different positions
- SDS-plus<sup>®</sup> bit system
- Variable speed reversing trigger
- · Includes auxiliary handle, depth gauge, and carrying case
- Shipping weight 11.30 lbs.

# DREMEĽ

### **Engraver Kit Corded**

### 290-02

### \$20.93

- · Stroke adjustment dial regulates engraving depth from fine lines to deep grooves
- · Light and compact design provides comfortable use for precision engraving performance
- Letter and number template helps etch words and numbers
- · Decorate metal, glass, and stone for a personalized touch
- 1 carbide tip included
- Shipping weight 0.84 lbs.

### DEWAL

**DWE1622K** 

\$710.64

### 2" Magnetic Drill Press



10 amp motor with 2-speed settings

NEW

- Overload Protection
- Quick-change chuck system for tool-free change between 3/4" Weldon Shank and 1/2" keyed chuck
- Quick- release feed handles
- 4-3/8" Drill travel
- · Magnetic coolant bottle can be placed on either side of tool or work surface
- · Shipping weight 47.45 lbs.



### Core Drill Handheld 5"

### **CB515**



- 115V, 15A, 1800W
- 1.250"-7 Thread spindle with 5/8-11 adapter
- Fits on the M4 stand and hand held motor mounts

( ups )

- PRCD/GFCI Class I cord
- Side handle for stable coring
- Top bubble level for accuracy
- · Water hose connection for wet drilling
- 5" Bit capacity
- 2 Speed gear box with slip clutch
- 1400 RPM/2300 RPM
- Actual weight 10.5 lbs.
- Includes Drill motor,
- molded carrying case, and wrench
- Shipping
- weight 21.10 lbs.



# PRODUC

### Core Drill Complete 14" 39317

- \$2,937.56
- TERMS 30/60/90
- · 2-1/2" square column (mast) with black oxidized finish
- 6" wheels for easy mobility
- · Dual switch/outlet control panel with amp meter (except for CB700 models with LED amp meter)
- Vacuum pump for quick mounting to flat surface without drilling an anchor hole (included with combination rig)
- 4 leveling screws on the base
- Up to 14" bit capacity with one spacer block
- Slide handle allows for drilling in tight areas
- Combination base is a quick change over from vacuum to anchor base
- · Ceiling jack helps keep the rig in place as a backup for anchoring or vacuuming the base down (used with a brace piece-2 x 4 or other material)
- Shipping weight 108 lbs.



MTA. DISTRIBUTORS









# Magnetic Drill 1/2"

# 4272-21

\$1,030.01 TERMS 30/60



- Powerful 13 amp motor
- Capacity to cut up to 1-5/8 in. diameter holes
- 2 Speed gearbox 475/730 RPM
- Tool can be adjusted tool-free between annular cutters at 475RPM and twist drill bits at 730 RPM.
- Tool free motor head adjustment
- 3/4" Weldon quick change arbor
- Auto stop lift off detection
- Tool free feed-handle LED light
- Tool weight 46.1 lbs
- Includes electromagnetic drill press kit, 1" retractable pilot pin, 3/4" Weldon to 1/2" chuck adapter, lubricant spray bottle, safety strap, chuck key, and carry case
- Shipping weight 48.61 lbs.

# **Cobalt Annular Cutters**



1/2" x 1" AN5001

\$24.17

3/4" x 1" AN7501

 Shipping weight 0.21 lbs. \$32.49 • Shipping weight 0.27 lbs.

# **BOSCH**

# Concrete Surfacing Grinder 5"

# CSG15

# \$420.50

- 12.5 amp power
- New guard system
- · Four-stage dust intrusion seal
- High torque to handle sustained loads
- 13.5' Power cord
- 11,000 No load RPM
- 5/8-11 Spindle thread
- 5" Wheel capacity
- Includes: Auxiliary handle, Flange kit, Spanner wrench, 5" Diamond cup wheel, Vacuum adapter, Carry case
- Shipping weight 14.81 lbs.



BOSCH

# **Reciprocating Saw**

# RS325

# \$112.00

- Highest power-to-weight ratio
- 12 Amp 120V
- Ultra compact size only 17.8 In. long with light weight design
- Constant orbital action
- Variable speed trigger
- Fixed foot
- Soft ergonomic handle
- Robust blade holder system
- Includes: Saw, all-purpose blade,
- and carrying caseShippingweight 11 18 lbs
  - weight 11.18 lbs.



# 8" Wood 6/10 TPI

# **RPRW8** \$19.51

Shipping weight 0.34 lbs.

# 9" Demo Wood & Nails

# 5/8 TPI RDN9V

KUN9V

# **\$19.**51

• Shipping weight 0.56 lbs.



# RESM9X2

EDGE

# \$**20.**99

• Shipping weight 0.49 lbs.

EDGE

# 12" Flush Cuts 9/12 TPI RFM12V

\$21.50Shipping weight 0.43 lbs.

# MTADISTRIBUTORS.com / 800.264.0225

SAWS

SAWS

# Tnakita

# Circular Saw 16-5/16" 5402NA




TERMS 30/60

- Powerful 15 AMP motor delivers 2,200 RPM
- Cuts 6x material at 90° and 4x material at 45° in a single pass
- Max cutting capacity at 90° 6 3/16"
- Max cutting capacity at 45° 4 3/16"
- Electric brake for maximum productivity
- Ideal for cutting large timber, pressure treated lumber and wood logs
- Low noise level at only 87dB
- Blade stabilizer for stable blade rotation and superior cutting performance
- Large depth control lever for convenience and secure adjustments
- Large support handle for increased operator comfort and control
- Includes: A-90956 Blade, 783204-6 blade wrench, 164019-4 rip fence, and 194701-1 saw storage holder
- Tool weight 32.1 lbs.
- Shipping weight 49 lbs.

Blade Carbide Tipped 16-5/16" A-90956 \$191.68 • Shipping weight 5.50







# MORE SAW BLADES



# Tnakita

# XGT Brushless 14" Power Cutter Kit

# GEC01PL4

# \$2,906.77

- TERMS 30/60/90
- Delivers the power of a 75.6cc Gas Saw
- Cuts up to 15' in concrete and makes 115 cuts in #5 rebar on a single charge
- AFT electronically turns off the motor if rotation of wheel is suddenly forced to stop
- Integrated water delivery system w/water flow adjustment
- knob
  Adjustable blade guard for cutting in low or upper wall zones
- Only use genuine Makita batteries and chargers
   Includes Power



 Includes Power Cutter, Dual Port Charger , 4 Batteries

(BL4080F) , Water Hose Coupling, 14" Cut-off Wheel, Adapter Ring 20mm to 1" , Universal Wrench 13-19

- 3-year limited warranty on tool, battery, and charger
- Shipping weight 56.49 lbs.











# **Thunder Core Bit**

• Thick-wall Core Bits, 2-piece

21020	2″ X 5″	1.98 lbs.	\$ <b>75.6</b> 3
21030	2-1/2" X 5"	2.75 lbs.	\$ <b>90.6</b> 3
21040	3″ X 5″	4 lbs.	\$115.40
21050	4″ X 5″	6 lbs.	\$153.24
21055	5″ X 5″	8 lbs.	\$221.43
-			

New Hex Starter Bit 6"	A-Taper Starter Bit		
PCNSTARTER	19910		
<b>\$6.</b> <sup>10</sup>	<b>\$5.</b> 47		
<ul> <li>Shipping weight 0.25 lbs.</li> </ul>	<ul> <li>Shipping weight 0.25</li> </ul>		

# **Shanks for Thick Wall Core Bit**

Spline Core Bit Shank	SDS-Max Core Bit Shank		
24449	24470		
<b>\$22.</b> 79	<b>\$25.</b> <sup>51</sup>		
• Length 12"	• Length 12"		
<ul> <li>Spline drive</li> </ul>	<ul> <li>SDS-Max drive</li> </ul>		
<ul> <li>Core cup not included</li> </ul>	<ul> <li>Core cup not included</li> </ul>		
<ul> <li>Shipping weight 2.50 lbs.</li> </ul>	<ul> <li>Shipping weight 1 lbs.</li> </ul>		

# **Spline Core Bit Shank** SDS-Max Core Bit Shank 24472

SDS-Max drive

Core cup not included

• Shipping weight 2 lbs.

# \$32.64 • Length 18"

• Length 18"

24451

\$32.11

- Spline drive
- Core cup not included
- Shipping weight 3.50 lbs.

# PIONEER

# **Threaded Bit Steel**

<b>8013</b> 1-5/8″ 0.50 ll	os. <b>\$13.67</b>
<b>8016</b> 2″ 0.50 ll	os. <b>\$13.57</b>
<b>8018</b> 2-1/2" 0.50 II	os. <b>\$17.10</b>



PIONEER 1 & For

# **Thunder Drill Steel**

• (H-Thread) 1" Hex/For Rock Drills (Fits: Jet 550022, Tamco TOKURD-60-1)

<b>81024</b> 2'		1.50 lbs.	\$50.14	
81036	3′	8.90 lbs.	\$58.79	
81048	4′	11.40 lbs.	\$67.43	
<b>81072</b> 6'		17 lbs.	\$84.86	

# **Thunder Drill Steel**

Carbide Multi-Use "H" Thread Rock Bits

8012CM	1-1/2″	0.60 lbs.	\$53.63
8014CM	1-3/4″	0.85 lbs.	<b>\$70.89</b>

# **Spline Shank Carbide**

- Usable Length 11"
- Overall Length 17"

3/8″	1 lbs.	\$20.29
1/2″	1 lbs.	<b>\$26.09</b>
5/8″	1.50 lbs.	\$30.81
3/4″	2 lbs.	\$29.36
	1/2" 5/8"	1/2"         1 lbs.           5/8"         1.50 lbs.

• Usable Length 17"

Overall Length 23"

20646	3/4″	1.74 lbs.	\$35.70
20683	1-1/4″	3.50 lbs.	\$47.97
20701	1-1/2″	4.50 lbs.	\$66.43

# **BOSCH**



# **Spline Shank Carbide**

- Usable Length 16"
- Overall Length 21"

1/2″	1.20 lbs.	\$38.72
5/8″	1.34 lbs.	\$61.78
3/4″	1.80 lbs.	\$62.61
1″	2.41 lbs.	<b>\$70.03</b>
1-1/4″	3.11 lbs.	\$97.20
	5/8" 3/4" 1"	5/8"         1.34 lbs.           3/4"         1.80 lbs.           1"         2.41 lbs.

DRILL BITS & HAMMER STEEL

# **BOSCH**

**SDS-Plus Full Head Carbide** 

	Dia".	Usable".	Overall".		
HCFC2224	3/4″	8″	10″	0.69 lbs.	\$30.29
HCFC2227	3/4″	16″	18″	1.24 lbs.	\$37.19
HCFC2247	7/8″	16″	18″	1.57 lbs.	\$44.88

### BOSCH



# **SDS-Plus Carbide**

- Usable Length 2"
- Overall Length 4"

HC2010	3/16″	0.10 lbs.	\$ <b>4.02</b>
<ul> <li>Usable Lengt</li> <li>Overall Lengt</li> </ul>			
HC2001	5/32″	0.10 lbs.	\$5.80
HC2011	3/16″	0.11 lbs.	\$3.71
HC2041	1/4″	0.13 lbs.	\$3.64
HC2051	5/16″	0.14 lbs.	\$5.05
HC2061	3/8″	0.17 lbs.	\$4.85
HC2081	1/2″	0.01 lbs.	\$6.06

- Usable Length 6"
- Overall Length 8"

\_

HC2042	1/4″	0.01 lbs.	\$4.69
HC2102	5/8″	0.36 lbs.	\$11.10

- Usable Length 10"
- Overall Length 12"

HC2064	3/8″	0.28 lbs.	\$8.93
HC2084	1/2″	0.42 lbs.	\$10.94
HC2104	5/8″	0.49 lbs.	<b>\$17.66</b>

- Usable Length 16"
- Overall Length 18"

HC2087	1/2″	0.58 lbs.	\$16 <b>.56</b>
--------	------	-----------	-----------------

**BOSCH** 



# **SDS-Max Carbide Bits**

• Usable Length 8"

Overall Length 13"

HC5005	3/8″	0.55 lbs.	\$28.38
HC5010	1/2″	0.79 lbs.	<b>\$28.36</b>
HC5020	5/8″	0.01 lbs.	\$32.23
HC5030	3/4″	1.10 lbs.	\$33.51
HC5040	7/8″	1.24 lbs.	\$38.67
HC5050	1″	1.41 lbs.	\$42.56

• Usable Length 16"

Overall Length 21"

HC5011	1/2″	1.01 lbs.	\$38.67
HC5021	5/8″	1.31 lbs.	<b>\$40.64</b>
HC5031	3/4″	1.60 lbs.	\$41.27
HC5041	7/8″	2.15 lbs.	\$49.78
HC5051	1″	2.30 lbs.	\$46.44
HC5061	1-1/8″	2.72 lbs.	\$66.18
HC5071	1-1/4″	3.05 lbs.	\$69.33
HC5091	1-1/2″	4.24 lbs.	\$98.45

• Usable Length 18"

Overall Length 23"

HC5099	2″	\$163.07

# **SDS Max To Spline Adapter** HA1031 \$114.85



· Shipping weight 2.25 lbs.

# **SDS-Max Hammer Steel**



14112	Bull Point 12"	1 lbs.	\$7.87
14212	Narrow Chisel 12"	1 lbs.	\$7.87
14218	Narrow Chisel 18"	1 lbs.	\$12.05
14316	Scaling Chisel 2" x 12"	1 lbs.	<b>\$18.00</b>



# **RTec Flat Chisel Sharp**

# HS1935

# **\$11.**37

- · Self-sharpening and less binding
- No-jam design
- 15 percent higher removal rate compared to standard chisel
- For use with demolition and rotary hammers that accept SDS-max<sup>"</sup> shank drill bits
- Shipping weight 1.60 lbs.

# BOSCH

# **RTec Point Chisel Speed**

# HS1936

# \$15.<sup>35</sup>

- Star-point twist tip is self-sharpening and less binding
- Reflective element reflects the energy of the return shock then converts it into new impact energy to increase material removal
- Offers 100 hours of working time without interruption
- For use with SDS-max<sup>¨</sup> hammers
- Shipping weight 1.49 lbs.

# BOSCH

# Floor Scraper 6" X 25" SDS-Max

HS1918

# **\$234.**34

• Shipping weight 5.76 lbs.

# Replacement Scraper Blade, "New Style" 2610992179

# **\$45.**14

- Tapered 4 IN Top To 6 IN Floor
- Shipping weight 0.02 lbs.
- SDS-Plus Hammer Steel



HS1420	Chisel 3/4" x 10"	0.57 lbs.	\$10.44
HS1425	Wide Chisel 1-1/2″ x 10″	0.68 lbs.	\$23.71
HS1470	Viper Flat Chisel 10"	0.61 lbs.	\$13.20
HS1465	Viper Flat Chisel 10"	0.68 lbs.	\$11.38

SDS-Max	
Hammer Steel	

BOSCH

HS1906	Asphalt Cutter 5" x 15"	4.45 lbs.	\$66.79
HS1909	Bushing Tool 16 Tooth	2.02 lbs.	\$44.15
HS1910	Scaling Chisel 3" x 12"	1.52 lbs.	<b>\$20.37</b>
HS1911	Narrow Chisel 1" x 12"	1.25 lbs.	\$10.32
HS1912	Narrow Chisel 1" x 18"	1.87 lbs.	<b>\$13.38</b>
HS1913	Bull Point 12" Length	1.17 lbs.	\$10.32
HS1914	Bull Point 16" Length	1.84 lbs.	\$13.38
HS1915	Tile Chisel 2" x 12"	1.20 lbs.	\$21.54
HS1916	Scaling Chisel 1-1/2" x 12"	1.31 lbs.	\$15.34
HS1917	Scaling Chisel 2" x 14"	1.61 lbs.	\$1 <mark>7.3</mark> 6
HS1922	Clay Spade 4-1/2" x 17"	3.11 lbs.	\$ <b>52.0</b> 4
HS1924	Ground Rod Driver	2.05 lbs.	\$60.84

SDS-Plus Hammer Steel	
	8

13712	Bull Point 10″ Length



Spline Drive Round End		SPLINE	
13112	Bull Point 12"	1 lbs.	\$7.27
13212	Narrow Chisel 12"	1 lbs.	\$7.64
13218	Narrow Chisel 18"	1 lbs.	\$9.31

# Chisel 3/4" X 12"

# 44-01517T

# \$**10.**88

• Shipping weight 1.50 lbs.

SDS

HAMMER STEEL

# 1-1/8" Hex Shank Hammer Steel 🛛 🗐 BOSCH

• All tools are 1-1/8" HEX shank with internal lock for Bosch hammer models 11304, BH2760, BH2770, 11335, and external collar for pneumatic hammers

HS2161	Moil Point 20" General chipping work	5.70 lbs.	\$20.22
HS2163	Narrow Chisel 20" Starts holes in concrete slabs	5.90 lbs.	\$23.28
HS2164	Chisel 3" x 20" Wide chisel with two 60° cutting angles clean concrete, scale and rust, cut troughs & some asphalt.	Wide chisel with two 60° tting angles clean concrete, 6.31 lbs. ale and rust, cut troughs &	
HS2167	Asphalt Cutter 5" x 19" Cuts asphalt or hard ground. (not concrete)	8 lbs.	\$66.27
HS2861	Chisel Star Pointed 16" Self Sharpening Point	3.60 lbs.	\$54.16
HS2863	Chisel Flat 16"	4.32 lbs.	\$19.60

# 1-1/8" Hex Shank Hammer Steel

### PIONEER Tool & Forge, Inc.

19114	Moil Point 21" Length	6 lbs.	<b>\$20.90</b>
19214	Narrow Chisel 1" x 18"	6 lbs.	<b>\$20.90</b>
19314	Chisel 3" x 18"	6.50 lbs.	\$27.33
1950	Asphalt Cutter 5" x 18"	0.50 lbs.	\$67.91

# Stake Driver, One Piece 21825-2

# \$135.64

- 1-1/8" x 6" Notched Hex Shank
- 2-1/8" ID
- 1-1/4" Deep
- Shipping weight 11 lbs.

# 1-1/8" Hex Shank Hammer



18115	Moil/Bull Point	7 lbs.	<b>\$16.69</b>
18215	Narrow Chisel	7 lbs.	\$16.6 <b>9</b>
18316	Chisel 3"	4.75 lbs.	\$29.31

# 1-1/8" Hex Shank Hammer Steel



4013-014CUNB	Moil Point 6" x 14"	5.58 lbs.	\$22.51
44-02161T	Moil Point 20-1/2"	6 lbs.	\$30.88
4003-014CUNB	Narrow Chisel 6" x 14"	6 lbs.	\$27.01
44-02163T	Narrow Chisel 20-1/2"	6 lbs.	\$30.88
4023-014CUNB	Chisel 3" 6" x 14"	6.45 lbs.	\$29.48
44-02164T	Chisel 3" 20-1/2"	6.75 lbs.	\$52.53
4063-012	Asphalt Cutter 6" x 12"	8.50 lbs.	\$80.36
44-02169T	Clay Spade 20″	9.75 lbs.	\$105.33

### 1-1/4" Hex Shank Hammer Steel PIONEER Tool & Forget Just

10114	Moil Point	7.50 lbs.	\$28.93
10214	Narrow Chisel 1"	7.50 lbs.	<b>\$19.64</b>
10314	Chisel 3"	8 lbs.	\$26.6 <b>7</b>
1050	Asphalt Cutter 5"	9 lbs.	\$70.44

# 1-1/4" Hex Shank Hammer Steel 🛛 🗐 BOSCH

HS2460	Moil Point 20" General chipping work	8.66 lbs.	\$17.26
HS2462	Narrow Chisel 20" Starts holes in concrete	7.10 lbs.	\$17.26
HS2464	Chisel 3" x 20" Cleans concrete, scale, and rust	7.67 lbs.	\$24.10

1-1/8″ Hex Shank Hammer Steel			TAMCO
4014-014CUNB	Moil Point 6" x 14"	7.50 lbs.	\$31.09
4004-014CUNB	Narrow Chisel 6" x 14"	7.50 lbs.	\$31.09

# Simer.

# **Pump Submersible 1/4HP**

# 2300

# **\$144.**49

- 1-1/4" MPT Discharge w/garden hose adapter
- Aluminum casing
- Comes with 8' cord
- Maximum pumping capacity to 1260 gallons per hour
- 1/4 HP, 115 volt motor, 6 amps
- Heavy duty aluminum construction
- Oil-filled Simer motor provides high efficiency
- Built-in thermal overload protection
- Pumps down to 1/8"
- 1 year warranty
- Shipping weight 9.50 lbs.



 $(\Box)$ 

# Simer.

# Submersible Pump 1/3HP

# 2355

# \$132.27

- 1-1/4" Discharge w/garden hose adapter
- Portable and versatile, can be used in a variety of areas; window wells, basements, rooftops, etc.
- Maximum pumping capacity to 2160 gallons per hour.
- Rugged thermoplastic body resists corrosion.
- 115 Volt
- Powerful 10 amp motor with automatic thermal overload protection.
- Includes 8' power cord and garden hose adapter.
- Pumps down to 5/8".
- 1 year warranty.
- Shipping weight 9.95 lbs.



# Simer.

# Submersible Pump 1/2HP

# 2385

# \$148.56

- Tough thermoplastic & stainless steel construction
- Simple plug-in operation
- High output performance
- Pumps down to 7/16"
- Horsepower 1/2 HP
- Maximum capacity 3,000 GPH (11,356 LPH)
- Flow at 10' lift 1,900 GPH (7,192 LPH)
- Discharge size 1-1/4" male BSP (includes barbed, and garden hose adapters)
- Voltage 115v AC, 60 Hz
- Cord length 8'
- Maximum water temperature-77 degree F (25 degree C)
- Shipping weight 8.50 lbs.



# UBMERSIBLE PUMPS

# TSURUMI PUMP

# Submersible Pump 2"

# LB-480-62 \$332.29

- 2" Discharge
- Synthetic rubber wear parts
- V-ring system protects the shaft seal from abrasives
- Easy disassembly
- Handle water temperature up to 130 degrees F
- Shipping weight 25.60 lbs.



SUBMERSIBLE PUMPS & HOSES

# TSURUMI PUMP

# **Submersible Trash** Pump 2"

# HS2.4S-62

# \$275.27

- 2" Discharge
- Double mechanical seal w/silicon carbide faces running in oil provides reliable performance
- Built-in circle-thermal protector protects motor from both over-heating & over-current
- Shipping weight 29 lbs.

# Float Switch **TS-301**

# \$45.76

- · Fits most models
- · Shipping weight 2.50 lbs.



# **Vacuum Gauge Pump Tester** 700536

# \$44.23

- · An easy way to check your water pump for proper suction
- Verify proper operation before putting a pump into service
- Simply prime pump, place flat face over suction port and start pump
- Test up to 4" pumps
- · Shipping weight 1 lbs.

# **Pin Lug Suction Hoses**

- Durable
- Flexible & Lightweight
- General Purpose
- Includes Couplings

		4 <b>-</b> 11	
756472	2″ x 20′	15 lbs.	\$61.76
756476	3″ x 20′	25 lbs.	\$117.65

# **Cam Lock Suction Hoses**

773242	2″ x 20′	14 lbs.	\$66.18	
773243	3″ x 20′	32 lbs.	\$122 <b>.0</b> 6	
773244	4" x 20'	45 lbs.	\$183.82	

# Strong Lightweight • Weather Resistant



756484	1.5″ x 50′	10 lbs.	\$41.18
756485	2″ x 50′	12.94 lbs.	\$41.13
756785	3″ x 25′	8.60 lbs.	\$55.88
756486	3″ x 50′	20 lbs.	\$71.98
756487	4″ x 50′	26.40 lbs.	\$136.76

# Cam Lock Blue Discharge Hoses

- Strong
- Lightweight
- · Weather Resistant
- Includes: 1 Male Quick Disconnect Coupling and
  - 1 Female Quick Disconnect Coupling

756480	1.5″ x 50′	15 lbs.	\$31.33
756481	2″ x 50′	13.10 lbs.	\$44.06
756482	3″ x 50′	22.60 lbs.	\$ <mark>76.3</mark> 8
756483	4″ x 50′	26 lbs.	\$139.71

# **Bulk Discharge Hoses Blue**



Fittings sold separately

756493	2″ x 50′	11 lbs.	\$39.71	
756495	2" x 300'	75 lbs.	\$ <b>242.65</b>	
756498	3″ x 100′	36 lbs.	\$102.94	
756499	3″ x 300′	110 lbs.	\$330.88	


# **Heavy Duty Red Discharge Hoses**



- · Strong, lightweight, non waterabsorbing, and mildew proof hose that rolls up flat for easy storage.
- Resistant to oils, grease, and many chemicals and acids.



756490	2″ x 50′	Pin Lug	18.75 lbs.	\$ <mark>61.76</mark>
756491	3″ x 50′	Pin Lug	21.70 lbs.	\$114.71
756488	2″ x 50′	Cam Lock	16.50 lbs.	\$70 <b>.</b> 59
756489	3″ x 50′	Cam Lock	31 lbs.	\$132.35



T AB

AMERICA'S LARGEST DISTRIBUTOR OF RENTAL EQUIPMENT AND SUPPLIES

**MTA DISTRIBUTORS** 



 $\bigcirc$ 





# **Pump Hose Kit, Trash**

- Includes 25' discharge hose, 20' suction hose, and steel strainers
- Pin lug fittings

529045-K	2″	27 lbs.	\$105.51
529046-K	3″	47 lbs.	\$193.51

# **Aluminum Cam Lock Couplings**



# Type A

Male Adapter x Female NPT			
756504	2″	0.35 lbs.	\$5.15
756505	3″	1.15 lbs.	\$13.24
756506	4″	1.20 lbs.	\$14.71

# Type **B**

• Male Adapter x Female NPT

756508	2″	0.73 lbs.	\$12.50
756509	3″	1.50 lbs.	<b>\$24.26</b>

# Type C

• Female Coupler x Hose Shank

756511	2″	1.05 lbs.	\$13.50
756512	3″	3 lbs.	\$22.79
756513	4″	2.50 lbs.	\$30.88

# Type D

• Female Coupler x Female NPT

756515	2″	0.77 lbs.	\$11.76
756516	3″	1 lbs.	\$21.32
756517	4″	1.50 lbs.	\$26.91

# Type E

Male Adapter x Hose Shank			
756518	2″	1 lbs.	\$8.16
756519	3″	1.50 lbs.	\$14.71
756520	4″	2 lbs.	\$21.69

# Type F

• Male Adapter x Male NP	Γ
--------------------------	---

756521	1.5″	1 lbs.	\$5.15	
756522	2″	1.50 lbs.	\$6.10	
756523	3″	2 lbs.	\$12.13	

# **Pin Lug Couplings**

• Aluminum with brass swivel nut

Female			
756541	2″	0.60 lbs.	\$9.56
756542	3″	1 lbs.	\$17.65
756543	4″	3 lbs.	\$38.24
Male			
756545	2″	0.01 lbs.	\$5.15
756546	3″	0.60 lbs.	\$9.19

Hose Gasket			IAB
Pin Lug	C		enterprises inc.
756755	2″	0.01 lbs.	\$0.88
756756	3″	0.03 lbs.	\$1.10
756757	4″	0.06 lbs.	\$1.84

# Ouick Disconnect

756759	1.5″	0.01 lbs.	\$1.25	
756760	2″	0.03 lbs.	\$0.79	
756761	3″	0.05 lbs.	\$1.25	
756762	4″	0.07 lbs.	\$1.34	

# **Trash Strainers**

- Trash strainer
- Standard threaded
- Square hole type

Jenterprises inc.

756528	2″	1.50 lbs.	\$12.87
756529	3″	1.95 lbs.	\$19.99
756530	4″	2 lbs.	\$21.69

# SHOP TOOLS

# **Hose Strainers**

- Centrifugal strainer
- · Standard threaded
- · Round hole type



756526 2″ 1.80 lbs. \$15.81 3″ 756527 2.65 lbs. \$24.26

# Skimmer Top Hole 2"

756531 **\$25.**74



• Shipping weight 3 lbs.

# **Banding Clamps 25/BX**

• Use to attach pin lug couplings, kc nipples, cam and groove couplers, and hose menders to hose

4″

2″	
756549	
\$36. <sup>76</sup>	

\$55.15 • Shipping weight 5 lbs. • Shipping weight 2.90 lbs.

756551

# Spanner Wrench 3"

# 756538

# **\$13.**24

- · Plated malleable iron spanner wrench for use on male/female pin-lug couplings
- Shipping weight 0.96 lbs.



# **C-Frame Creeper Seat**

# W85007

# \$46.80

- · Heavy duty tubular steel design for maximum strength and minimum weight
- · 250 lb. weight capacity
- Convenient 11-1/2" x 12-1/2" tool tray
- Shielded 2-1/2" casters allow easy 360 degree movement
- Fully padded seat cushion
- 2-1/2" replacement caster assembly Performance Tool Part # W85003
- Shipping weight 9.50 lbs.



# tennsco

# Metal Work Bench Med. Gray

# WB-1-30-72

# \$379.91

- Large smooth steel surface 72"x30"
- Height 33-1/2"
- · Knockouts in legs allow for handy electrical outlets.
- 14 gauge stringer connects legs together for added stability.
- Legs are made of heavy 13 gauge steel and are electrically welded into a one piece rigid framework. Designed to support up to 4000 lbs. per pair.
- Flared style legs provide a wide base for stability while allowing for knee room. Holes in feet permit bolting to the floor.
- · Shipping weight 124 lbs.





# **Folding Engine Crane** 4000 LB

# W41029

# \$499.99

- 2 Ton capacity
- · Adjustable boom with chain and hook
- Legs fold up for easy storage
- Patented design
- Shipping weight 240 lbs.



# PUMP ACCESSORIES, FURNITURE, & LIFTS

## 152

**MTA**. **DISTRIBUTORS** 





# Service Jack 3 Ton 6603AJ

# \$293.75



- Overload and bypass safety valves prevent the jack from being used beyond its rated capacity and prevent ram over extension.
- High carbon steel side plates for increased chassis strength
- Wide front wheels and ball bearing mounted rear caster wheels for stability and easy maneuverability
- Two piece handle with knurled hand grip provides non-slip ease of pumping and longer reach under the vehicle
- Wiper seals protect hydraulic system from contaminants
- 4.5" Low height to 19.5" high height
- Shipping weight 86 lbs.



# Engine Hoist w/Carrier Cart 99500

# \$2,307.00

TERMS 30/60/90

- · Durable, versatile, and easy to use
- Can be taken apart & assembled in minutes making it easy to transport
- · Easily fits in a pickup truck or an elevator
- All parts of the hoist can be moved in the wheeled caddy, which enables easy handling by one person
- Carrier cart narrow enough to fit through a 20-inch opening
- Lift capacity of 1500 lbs.
- Shipping weight 400 lbs.





# Bottle Jack 35T

# 453335K

# **\$330.**77

- For lifting, pushing, spreading, bending, pressing or straightening requirements
- Not affected by temperature extremes
- Low profile truck models or standard models
- Electrically welded base and cylinders to assure strength and eliminate leaks
- Shipping weight 41.30 lbs.



# Bottle Jack 22 1/2 Ton

# 453322

# **\$178.**72

- For lifting, pushing, spreading, bending, pressing or straightening requirements
- Not affected by temperature extremes
- Low profile truck models or standard models
- Electrically welded base and cylinders to assure strength and eliminate leaks
- Shipping weight 29.35 lbs.



# Hydraulic Bottle Jack 12 Ton W1632

# **\$48.**41

- Heavy duty base
- Adjustable top screws
- Minimum Lift Height: 9 1/4 in.
- Maximum Lift Height: 18 1/2 in.
- Pump Handle Set included
- Shipping weight 15.70 lbs.



**NTA** DISTRIBUTORS



# **Hydraulic Bottle Jack 30 Ton** W1636

# \$95.70

SHOP TOOLS

- Carry Handle
- Heavy duty base
- Range: 11-1/4" to 18-1/4"
- Pump Handle Set included
- Shipping weight 33.60 lbs.





# Cable Puller 2 Ton 6' Lift

# 180420

# \$43.59

- General purpose cable puller designed to lift, lower, stretch or pull heavy loads
- · Lightweight zinc plated steel construction to resist corrosion
- · Shipping weight 9.05 lbs.





# Shop Vise; 6" Jaw Width

# 63302

# \$263.72

- Heavy duty 25,000 PSI casting for strength and durability
- · Replaceable top jaws and built-in pipe jaws
- 360 degree swivel base with double lockdown for guick and easy positioning
- Designed for general duty applications
- Built-in pipe jaws handle various pipe sizes
- Rubber pinch point safety guards
- Large anvil work surface
- Shipping weight 45.65 lbs.



# WITCH

# Vise All Terrain

# 10010

# \$258.27

- Fits a standard 2" hitch and includes a hitch pin for security
- Can be mounted on a bench or trailer for even greater versatility with the included mounting bracket
- Lightweight and with an integrated carrying handle, the ATV is designed for easy transport
- Patented 360; locking handle secures the handle while driving or repositions it while working
- The included set screws are designed to provide a tight fit in the hitch and reduce vibration while driving
- Max opening capacity 5-3/4"
- Pipe jaw capacity 3/4" 3"
- Jaw width 6"
- Throat depth 5"
- Shipping weight 42.50 lbs.





# Metal Detector Ace 300

# 1141150

# **\$244.**54

- Digital Target ID: 0 to 99 scale offers target information
- 7" x 10" PROformance™
- submersible searchcoil offers more coverage, depth
- Higher frequency (8 kHz) provides better sensitivity on low and medium-conductivity targets (i.e. gold, lead)
- Increased Iron Resolution: twice the iron resolution of an ACE 250, to help overcome target masking in iron-laden hunt sites
- · Adjustable Frequency to help eliminate interference
- · Camlocks for increased stem stability
- Includes Pulse-Width Modulation audio: sharper, more responsive audio
- Includes Electronic Pinpointing: precisely locates targets and speeds recovery
- Notch Discrimination: Modify discrimination patterns based on what you are seeking.
- Five Search Modes (plus Pinpoint)
- Eight (8) Sensitivity/Depth adjustments
- · Coin Depth Indicator determines target depth
- Expanded Target ID legend: includes indication of U.S. coin denominations
- · Shipping weight 5.20 lbs.

MTA. DISTRIBUTORS



# Magnetic Sweeper 30"

# MFSR-30

# \$115.90

- Ideal for manufacturing facilities and construction sites
- Ergonomically friendly with an efficient handle controlled release
- Design and capacity can accommodate large and small materials
- Standard handle allows for comfortable upright position during use
- Wheels allow smooth rolling for quick and easy collection of objects
- Shipping weight 19 lbs.





# Wypall X70 Jumbo Roll Wiper

# 41600



- Durable, absorbent cloths that stay strong for cleaning performance
- Each industrial cloth measures 12.5" x 13.4" and cleans oil, dirt, grime and solvents
- Comes perforated for reliable dispensing (fits on compatible jumbo roll dispensers)
- The wicking power of HydroKnit picks up water almost instantly, and hangs on for fewer drips
- Pound for pound, holds more oil than rental shop towels and shop rags
- One pop-up box replaces 10 lbs. of rags
- Shipping weight 16 lbs.

# Stand f/Wypall X70 Roll

# 80596

# **\$89.**05

- Stand for 41600 towels
- Stand only towels not included
- Shipping weight 2 lbs.

# Free with the purchase of 3 rolls of 41600!





# Dead Blow Hammer 1 LB Hi-Viz

# M7216

# **\$7.**30

- High visibility color
- Reinforced steel handle with anti-shock grip
- Shipping weight 1.55 lbs.



# Ball Pein Hammer 24 OZ

# M7034B



- Drop forged high carbon steel head
- Heavy duty fiberglass handle
- Rubber cushion grip
- Shipping weight 1.90 lbs.



# **Pipe Cutter**

4906



# \$**672.**<sup>69</sup>

- Simple in construction
- Lighter than any snap cutter on the market
- Ratchet-operated pipe cutter cuts clay, cast iron and concrete pipe 1-1/2" to 6"
- No vise required cutter does not rotate around pipe
- Works easily on the ground, in a ditch, in close quarters and overhead
- · Dirt and sand do not affect operation
- Shipping weight 18 lbs.



587724

\$45.19

# Bolt Cutter 24" Black Head



- For cutting concrete reinforcing rods (rebar), medium tensile and soft bolts, rods, rivets, bars and chains
- Steel handles are angled with rubber hand grips for maximum leverage
- Jaws are made of high-carbon alloy tool steel
- Black jaws and heads are rated Rockwell C-40 for maximum hardness of material to be cut
- Red jaws and heads are rated Rockwell C-48 for maximum hardness of material to be cut
- Shipping weight 6.05 lbs.

**NTA** DISTRIBUTORS



# **Rebar Cutter/Bender**

220025 \$501.27

SHOP TOOLS



- High strength industrial jaws
- Cuts and bends up to 5/8" grade 60 rebar
- Mountable on a board or floor for one handed operation
- 52" Handle length
- Easier cutting with needle bearing design
- Shipping weight 44 lbs.



# Plastic Funnel w/18" Spout

# W220

- \$1.56
- 6" Diameter funnel
- 18" Flexible spout
- Shipping weight 0.20 lbs.



# 22 PC Combination Wrench Set

# W1084

# \$25.41

- Chrome Vanadium Steel Construction
- Full pattern raised panel design
- Chrome plated finish
- Handy storage rack
- Sizes: SAE: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, & 7/8", Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, & 19mm
- Lifetime Warranty
- · Shipping weight 4 lbs.



# **Lighted Magnetic Pick-Up Tool** W9102

# \$5.60

- Bright LED light helps you find lost tools and parts
- · Easily retrieves objects from confined areas
- Retriever extends over 27-1/2"
- Cushion grip handle
- · Shipping weight 0.20 lbs.

# **Torque Wrench**

- Professional style.
- · Chrome plated alloy steel.
- · Compact size for tight spots.
- Ratchet style with engraved scale.

# 3/8" Drive Click

# M202-P

# \$25.60

- 3/8", 120 to 960 in. lbs.
- · Shipping weight 1.75 lbs.

# 1/2" Drive Click

# **M200DB**





- 1/2" Dr., 10 to 150 ft. lbs.
- Shipping weight 2.85 lbs.



# 6 PC Hook & Pick Set

# W942

# \$6.59

- · Includes straight, angled, and combination picks
- · Durable double injection molded handles
- · Handy storage tray included
- Set contents: straight pick, 90° pick, double angle pick, complex pick, combination pick, and hook pick
- Shipping weight 0.90 lbs.

# File Set 4 Files, 2 Handles

# \$12.<sup>16</sup>

- Two durable black rubber handles with plastic inserts for comfort and convenience
- Heat treated carbon steel files
- Contents: 6" mill file, 8" mill file, 6" taper file, and 8" half round file
- · Shipping weight 1.45 lbs.























# Long Nose Pliers, 6"

# 20110

# \$2.76

- Drop forged steel
- Cushion grips
- Shipping weight 0.25 lbs.

# CRAIN

# **Utility Knife**



# \$12.09

- Easy-to-grasp thumb knob for guick opening
- · Knurled anti-slip brightly polished surface
- Cast of lightweight aluminum
- Blades sold separately
- Shipping weight 0.18 lbs.

# T-Handle Hex Key Set, 10PC

- · Heat treated alloy steel shafts
- Plastic grips add comfort and turning power
- · Bonus storage tray mounts on wall or bench

# Metric

# W80275

# **\$14**,04

- Metric sizes: 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 8 and 10mm.
- Shipping weight 2.15 lbs.

# SAE

# W80274

# \$14.17

- SAE sizes: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"
- Shipping weight 2.10 lbs.



# **W901S**

# \$8,70

- Professional style heat resistant handles
- · Chrome vanadium heat treated alloy steel shafts
- Magnetic tips
- 5PC Slotted: 3/8x8", 3/16x3", 5/16x6", 1/4x4", & 1/4x1-1/2" stubby
- 3PC Phillips: #1x3", #2x4", & #2x1-1/2"
- · Shipping weight 1.20 lbs.



# **3 PC Locking Plier Set** W30713

# **\$24.**76

- Set includes 10" curved jaw pliers, 7" curved jaw pliers, and 6-1/2" long nose pliers.
- Ergonomic soft cushion grips
- Machine polish finish and drop forged construction
- Shipping weight 2.35 lbs.

# Black Electrical Tape, 5/PK

W548

# \$2.89

• Shipping weight 0.80 lbs.



# W86500

\$10.57

- · Wire cutter, terminal crimper, & wire stripper in one handy tool
- Black anodized finish with insulated grips
- Crimp slot on end of tool secures most ignition terminals including right angle and High Tower terminals
- · Crimps 7mm to 8.5mm ignition wire
- · Works with 10-22 gauge solderless terminals
- Shipping weight 0.60 lbs.



# 2/3 Jaw Gear Puller Set W87126

# \$36.37

- Heavy duty chrome vanadium steel construction
- Heat treated jaws
- · Fine thread center bolt for smooth operation
- · Plated to resist corrosion
- Size: 2/3" Jaw, 3-1/4" reach, 7" spread, one puller does both
- Shipping weight 3.15 lbs.



**ITA** DISTRIBUTORS











# Small Engine Carb Adjuster, 6PC



- 6 of the most common 2 cycle, small engine carburetor adjusting tools
- Aids the technician to make adjustments during tune up, keeping engines within EPA standards
- Fits brands including: Craftsman, Stihl, Poulan, Husqvarna, Weed Eater, Echo, Toro, Ryobi, Homelite, and some brands that utilizes a splined adjustment screw
- Set contains: 21 Teeth Spline, 7 Teeth Spline, Single D, Double D, Pac Man, and 4mm Hexagon
- Ergonomic designed handle provides comfort for easy and precise adjusts to the carburetor
- Lifetime warranty
- Shipping weight 0.80 lbs.

# KIOOL

# Dual Suction Cups, 4-5/8" Diameter

# SG-87370

# **\$37.**22

- For windshield removal and replacement
- Easy to use Just firmly set the suction cup and press down on each lever
- High impact plastic housing
- Suction Cups measure 4 5/8" diameter and pivot for better gripping
- Safety orange for high visibility
- Capacity 154 lbs
- Sold each
- Shipping weight 1.40 lbs.



# Standard Feeler Gauge, 26 Blade

# W80528

# **\$5.**10

- 26 straight blades.
- Check for accurate clearance on ignition points, valve lash, etc.
- SAE Sizes: .0015, .002, .0025, .003, .004, .005, .006, .007, .008, .009, .010, .011, .012, .013, .014, .015, .016, .017, .018, .019, .020, .021, .022, .023, .024, .025"
- Metric Sizes: .038, .051, .064, .076, .102, .127, .152, .178, .203, .229, .254, .279, .305, .330, .356, .381, .406, .432, .457, .483, .508, .533, .559, .584, .610, .635 mm
- Shipping weight 0.25 lbs.




# Battery Load Tester, 100 Amp

# W2988

# **\$31.**76

 Accurately test the condition of your battery and charging systems



- Reliable and highly accurate, works on both 6- and 12-volt batteries
- Extra heavy leads with strain relief and color-coded, insulated, copper plated steel clamps
- Shipping weight 2.50 lbs.

# MTA SUPPLY Jet Cleaner, 10 Wire 561795

# **\$9.**99

- 10 wires, 4.25" standard King wire length
- Cleaner # 1, Range/mm 35-40
- Cleaner # 2, Range/mm 42-48
- Cleaner # 3, Range/mm 50-55
- Cleaner # 4, Range/mm 58-62
- Cleaner # 5, Range/mm 65-72
- Cleaner # 6, Range/mm 75-82
- Cleaner # 7, Range/mm 85-90
- Cleaner # 8, Range/mm 92-95
- Cleaner # 9, Range/mm 98-100
  Cleaner # 10, Range/mm 102-110
- Shipping weight 0.06 lbs.



# Pry Bar, Set 3PC

# 1911

# \$9.60

- 8", 12", and 17.5" Bars
- High Visibility Plastic Handles
- Shipping weight 1.65 lbs.





MTA. DISTRIBUTORS



# **Mini Power Distribution** Box, 30AMP



# 6532UGM1

# \$254.15

- 30Amp
- NEMA Type-1 enclosure
- (Qty 4) NEMA 5-20R 20A circuit breaker and GFCI protected outlets on the front and back panels
- (Qty 1) NEMA L14-30P inlet on the side panel
- OSHA and NEC Compliant, ETL Listed
- Reduces electrical hookup and labor time
- · Compact size for ease of use
- May be used in vertical or horizontal positions
- · Shipping weight 10.70 lbs.



**Southwire**<sup>®</sup>

# **Power Distribution Box** 6506UGSX \$532.00

- Power inlet: 50A 125/250V California style twist lock flanged inlet with integral cover
- Power outlets: (1)50A 125/250V California style twist lock receptacle, (1)NEMA L6-30R 30A 250V twist lock receptacle, (6)NEMA 5-20R 20A 125V receptacles
- Over current protection: 50A receptacle none, 30A receptacle - 30A circuit breaker for each ungrounded conductor, 20A receptacles - 20A circuit breaker for each receptacle
- Ground fault protection: Individual Class A GFCI for each 20A receptacle
- Over-voltage protection: Provided by GFCI on each 20A receptacle
- Enclosure type: NEMA Type 3R, rainproof
- · Enclosure material: Carbon steel, protected by e-coat and yellow exterior paint
- Enclosure base: Carbon steel, black powder coat finish
- Receptacle covers: Thermoplastic on all receptacles



• Shipping weight 33 lbs.

**Power Distribution** Box w/Roll Cage 01972

- \$843.33
- · Shipping weight 39.82 lbs.

# 25' Power Distribution Cord, 30AMP



# 1493

# \$116.40

- 30 Amp
- · For use with portable generators and power transfer switches
- L14-30 Twist lock
- Temperature range -50;F to 140;F
- Limited lifetime warranty
- Shipping weight 9.05 lbs.

# 50' Power Distribution Cord, 50AMP



# 01918

# \$245.33

- Manufactured using rugged 600-volt Type SEOW cable and provides a superior alternative to ordinary SO cords
- Greater abrasion/wear resistance for longer cord life
- · Light weight will make job
- site transportation easier · Designed for use with temporary power distribution centers with input current of 50 amps,



· Shipping weight 29 lbs.

# 25' Generator Power Cord, **30AMP**





# \$140.55

- 30 Amp twist lock NEMA L5-30P male end
- · 15 Amp Tri-Source end
- 10/3 grounded
- 15 Amp/125 volts/1875 watts
- · Shipping weight 6.40 lbs.



# 50' Vinyl Temp Power Cord, 50 Amp

# 09-00214

# \$266.67

- Heavy Duty
- 50 AMP
- Flexible from -40;F to 140;F
- · Shipping weight 29 lbs.





EXTENSION CORDS & POWER DISTRIBUTION

# SHOP TOOLS

# 100' Power **Distribution Cord** 01919



- \$440.00
- Manufactured using rugged 600-volt Type SEOW cable and provides a superior alternative to ordinary SO cords
- Greater abrasion/wear resistance for longer cord life
- Light weight will make job site transportation easier
- · Designed for use with temporary power distribution centers with input current of 50 amps, 125/250 volt AC, 3-pole, and 4 wire
- Length: 100'
- Shipping weight 57 lbs.



**Southwire**<sup>®</sup>

# **Generator Adapters**



- · Adapters that accommodate NEMA receptacles on generators up to 11,000 watts
- · Convert twist lock plug into two usable standard 110 receptacles



# 10/3 L5-30P

01915 \$25.68 01924



• Shipping weight 2.11 lbs.

# 10/3 Extension Cord with **Red Lit Ends** 68050CCRD

• Shipping weight 2.33 lbs.

# \$88.00

• Shipping weight 13 lbs.

# **Cord GFCI HD** Tri-Source 12/3

# 26020008

# \$35.13

- Wire GA/Cond: 12/3
- Wire Type: SJEOW
- Length: 2.5'
- 125V Rating: 15A • 120 Volts/1800 Watts with
- 30 Amp GFCI relay Shipping weight 1.40 lbs.





# **Extension Cords** w/Lighted End



- UL Listed Meets OSHA requirements for outdoor use
- · Vinyl insulation resists oil, grease, moisture, abrasion and prolonged exposure to sunlight
- · Heavy duty molded-on plugs and connectors
- Blue/Red Stripe
- Color stripes help reduce job site loss
- Power indicator light to show power is on at tool
- 12/3, SJTW, 15A

# 50' Extension Cord with **Lighted End**

# 02548-64

# \$51.33

Shipping weight 6.17 lbs.

# 100' Extension Cord with **Lighted End**

# 02549-64

\$128.31

· Shipping weight 12.06 lbs.



# **Vinyl Extension Cords**

- UL Listed Meets OSHA requirements for outdoor use
- · Vinyl insulation resists oil, grease, moisture, abrasion and prolonged exposure to sunlight
- Heavy duty molded-on plugs and connectors
- 12/3, SJTW, 15A
- Shipping weight 6.17 lbs.

50' Cord	
02588	
<b>\$56.</b> <sup>13</sup>	



100' Cord

 Shipping weight 6.17 lbs. · Shipping weight 12.06 lbs.

**Southwire**®

MTA. DISTRIBUTORS



12/4 50AMP



# Hair Pin Assortment, 150 Piece

# W5210

# \$6.77

- Contains 6 popular sizes of hair pins
- Convenient re-sealable plastic case
- 42 pcs. 3/32x1-3/16", 30 pcs. 5/64x1-5/16", 25 pcs. 5/64x1-9/16", 25 pcs. 7/64x1-5/8", 20 pcs. 9/64x1-3/4", and 8 pcs. 5/32x2-15/16"



• Shipping weight 1.15 lbs.

# **O-Ring Assortment, 407 Piece** W5202

# \$13.26

· Contains 32 sizes of O-rings from 1/16" section - 1/4" OD to 1/8" section - 2-1/4" OD Convenient re-sealable



- plastic case • High quality nitrile butadiene rubber (NBR)
- Shipping weight 1.30 lbs.

# **Copper Washer Assortment, 110 Piece** W5217

# \$11.79

- · Contains 6 popular sizes of copper washers
- Convenient re-sealable plastic case
- 30 pcs. 1/4", 25 pcs. 5/16", 20 pcs. 3/8", 15 pcs. 7/16", 10 pcs. 1/2", and 10 pcs. 5/8"
- Shipping weight 0.01 lbs.

# **Cotter Pin Assortment, 150 Piece**

# W5206 \$10.83

- · Contains 6 popular sizes of cotter pins
- · Convenient re-sealable plastic case
- 50 pcs. 1/8x2", 30 pcs. 5/32x2-1/2", 20 pcs. 3/16x3", 25 pcs. 1/4x2", 15 pcs. 1/4x3", and 10 pcs. 5/16x2-1/2"



# Rubber Grommet Assortment, 125 Piece W5214

# **\$7.**77

- · Contains 18 popular sizes of rubber grommets
- Convenient re-sealable plastic case
- 15 pcs. 1/8x9/32", 10 pcs. 3/16x5/16", 7 pcs. 1/4x1/2", 3 pcs. 5/16x17/32", 6 pcs. 3/8x1/2", 5 pcs. 3/8x9/16", 3 pcs. 3/8x3/4", 3 pcs.

7/16x3/4", 3 pcs. 7/8", 4 pcs. 1/2x21/32", 3 pcs. 5/8x1", 2 pcs. 3/4x15/16", 20 pcs. 5/16", 20 pcs. 3/8", 10 pcs. 1/2", 5 pcs. 5/8", 4 pcs. 3/4", and 2 pcs. 1"

• Shipping weight 0.60 lbs.

# **External Snap Ring Assorted 300/PK** W5212

# **\$7.**37

- · Contains 18 popular sizes of snap rings
- Convenient re-sealable plastic case
- 20 pcs. 1/8", 10 pcs. 5/32", 15 pcs. 3/16", 25 pcs. 1/4", 15 pcs. 5/16", 20 pcs. 3/8", 15 pcs. 7/16", 15 pcs.

15/32", 25 pcs. 1/2", 15 pcs. 9/16", 20 pcs. 5/8", 25 pcs. 3/4", 15 pcs. 13/16", 20 pcs. 7/8", 15 pcs. 1", 15 pcs. 1-1/16", 10 pcs. 1-1/8", and 5 pcs. 1-1/4"

• Shipping weight 0.70 lbs.




# **Pressure Washer Direct** Drive 2700 PSI

# P-S3027HC

# \$982.86

- · Honda Engine GX200 with low oil protection
- Industrial Comet LWD3025 triplex pump with external unloader and bypass
- Ultra lightweight aluminum frame with 1 1/4" tubing operator handle
- Adjustable pressure
- Oversized 10" flat free tires
- Thermal relief protection
- Easy engine oil drain system
- · 50 mesh stainless steel inlet filter
- 3/4" cold rolled steel axle
- Dual anti-vibration rubber isolators
- GPM: 3.0
- Includes: 50' Grey hose, Insulated Wand and tip set
- Shipping weight 104 lbs.





• PSI: 2700



HONDA



# POWERED by HONDA

# Pressure Washer Direct Drive 3500 PSI

# P-S3035HC

\$1,316.00 TERMS 30/60

- Honda Engine GX270 with low oil protection
- Industrial Comet ZWD3030 triplex pump with external unloader and bypass
- Ultra lightweight aluminum frame with 1 1/4" tubing operator handle
- Adjustable pressure
- Oversized 13" flat free tires
- Thermal relief protection
- Easy engine oil drain system
- 50 mesh stainless steel inlet filter
- 3/4" cold rolled steel axle
- Dual anti-vibration rubber isolators
- PSI: 3500
- GPM: 3.0
- Shipping weight 165 lbs.





# Pressure Washer Direct Drive 4000 PSI

# P-S4040HC

### \$1,353.33 TERMS 30/60

- Honda GX390 Engine with low oil protection
- Industrial Comet ZWD4040 triplex pump with external unloader and bypass
- Ultra lightweight aluminum frame with 1-1/4" tubing operator handle
- Adjustable pressure
- Oversized 13" flat free tires
- Thermal relief protection
- Easy engine oil drain system
- 50 mesh stainless steel inlet filter
- 3/4" cold rolled steel axle
- Dual anti-vibration rubber isolators
- 4000 PSI
- 4.0 GPM
- Includes: 50' Grey Hose, Insulated Wand and tip set
- Shipping weight 185 lbs.





# Pressure Washer Belt Drive 4000

# B-4040HC

### \$1,699.00 TERMS 30/60/90

- Honda GX390 Engine with low oil protection
- Premium Series industrial Comet RW4040 triplex pump with external unloader and bypass

HONDA

- Ultra lightweight aluminum frame with 1-1/4" tubing operator handle
- Easy access two piece belt guard
- 3-groove Bandit belt for uniform tension and maximum power transfer
- EZ-line belt tension system
- Adjustable pressure
- Oversized 13" flat free tires
- Thermal relief protection
- Easy engine oil drain system
- 50 mesh stainless steel inlet filter
- 3/4" cold rolled steel axle
- Dual anti-vibration rubber isolators
- 4000 PSI
- 4.0 GPM
- Includes: Grey 50' hose, Insulated Wand and tip set
- Shipping weight 215 lbs.



# Dragon Hot Box 4000 PSI

# D-HB40-AC

# \$2,398.67

TERMS 30/60/90

- Designed to connect to an existing pressure washer to make any cold water system transform into a complete hot water unit
- Top-to-bottom schedule 80 coil for maximum temperature rise
- Stainless coil wrap and control panel
- Safety pressure relief valve
- Flow switch
- Adjustable thermostat temperature control
- Beckett burner
- Powder coated steel frame
- Poly 6-gallon diesel/kerosene fuel tank
- Fuel filter
- 120 volt GFCI
- Shipping weight 225 lbs.





162

MTA. DISTRIBUTORS

# • 5/2 • Du • 40



# Hot Water Pressure Washer 4000 PSI

• Electric start Honda GX390 Honda engine

· Industrial Comet triplex pump with external unloader and

• Rugged roll cage design with lifting hook - protects all

· Stainless steel control panel with adjustable temperature

**D-H4040HC** 

\$4,320.00

bypass

control

system

TERMS 30/60/90

unit components

 6 gallon poly diesel/ kerosene fuel tank

· Easy engine oil drain

 Includes: Grey 50' Hose, Insulated wand

Shipping weight

and tip set

500 lbs.



# Flat Surface Cleaner 12" Deck DCFSCP12E

# **\$85.**33

- Full 12" cleaning path
- Can be connected directly to a gun, lance or telescoping wand
- Durable polypropylene deck
- Includes a 1/4" plug for connecting to 1/4" quick disconnect
- Shipping weight 12 lbs.

# Surface Cleaner 19" Straight ADVR2000X

# \$332.00

- EZ pull trigger gun minimizes operator fatigue
- Industrial long life swivel with grease fitting
- Cartridge style double bearing assembly for easy maintenance
- Rugged ABS cover for demanding applications
- Pro style extended handle with light weight design allows easy control at safe distance
- Quick release knobs allow for easy storage and assembly
- "Zero Edge" engineered spray arm maximizes cleaning path
- Heavy duty double braided steel hose for hot water applications
- Shipping weight 25 lbs.

# GENERAL PUMP

# Flat Surface Cleaner 22" Stainless

# DCFSCS22Z


# \$653.<sup>33</sup>

- Full 22" Cleaning Path
- Rugged Stainless Steel Cover, Handle
   and Casters
- 3 Nozzle Rotating arm
- Compensating Gun Feature
- Heavy Duty Anodized Aluminum Components
- Max 8 GPM
- Rated 4000 PSI
- Min 1000 PSI
- Shipping weight 37.88 lbs.





# **Flat Surface Cleaner**



- Glides easily across the surface uniformly cleaning pool decks, sidewalks, garage floors and more
- Max 8.0 GPM
- Rated 4000 PSI
- Min 1000 PSI
- Max Temp 180 ° F
- Inlet 3/8" NPT-F
- Bearing with grease fitting
- Replacement Nozzle part # 925020M
- Includes Inline Pressure Filter Part # D40014

# 18" Deck

# DCFSCP18GZ \$340.00


Shipping weight 27 lbs.

# 20" Deck DFSCP20GZ \$356.25

Shipping weight 31 lbs.



**FRIBUTOR** 









# Flat Surface Cleaner 24" Deck

# DCFSCP24GZ

# \$480.00

- · Compensating gun feature
- Full 24" cleaning path
- Heavy-Duty anodized aluminum components
- Rugged ABS cover
- Swivel has grease zerk for bearing lubrication
- · Shipping weight 36 lbs.



## **Pump Thermal Protectors** • 90° Hose Barb

- Hose Barb 1/4"
- Relief Temp 145°



### 3/8" 1/2" 100557 100558 \$5.57 \$5.29

• Shipping weight 1.50 lbs. • Shipping weight 1.50 lbs.



# **Comet Pump Kit LWD** Series 3/4"

# LWD3027G

# \$332.00

- 3/4" hollow shaft with gas flange
- Maximum output pressure: 2700 PSI
- Pump RPM: 3450
- Maximum flow: 3.0 GPM
- External adjustable unloader w/ bypass
- Quick connect fitting
- · Thermal relief valve installed
- 3/4" garden hose attachment
- Shipping weight 17 lbs.



# Pressure Hose Blue 3/8" X 50' **B3V00354**

# **\$78.**74

- 4000 PSI
- · Single wire braided rubber hose
- · Black bend guards on each end
- · Heat resistant synthetic rubber inner tube
- Synthetic rubber abrasion resistant wrapped cover
- Temp: -15°F to 250°F
- Fittings: 3/8" MNPT x M swivel
- · Shipping weight 9.15 lbs.

SUTTNER

# **Pressure Washer Hose Eaglewash I**



- 4000 PSI
- Eaglewash I is specially designed for use on pressure washer machines with working pressures up to 4000 psi and temperatures up to 300°F
- Light weight and easy to handle
- A unique cover compound gives Eaglewash I hoses the durability and flexibility to handle abrasion and normal cleaning chemicals used in the wash industry
- Tube: Synthetic rubber, resistant against cold and hot water with usual cleaning agents
- · Reinforcement: One braid of high tensile steel wire
- · Cover: Abrasion and ozone resistant synthetic rubber, wrapped
- Temperature: 14°F to 300°F

# 3/8"X25' 718996

# 3/8"X50'



- 718997
  - \$70.59



- Shipping weight 8.75 lbs.
- · Shipping weight 12 lbs.



# Monster Hose 3/8"x50' **MH5038QC**



- 4500 PSI
- Includes 2 piece couplers
- Reinforced with Dual-Braid Technology
- · Covered in a clear polyurethane 'non-marring outer jacket
- Terminated with QC Connectors rigid/swivel connectors and 6" black bend connectors
- Rated up to 140 degrees F
- Shipping weight 10 lbs.



**MTA DISTRIBUTORS** 

164



# Pressure Washer Hose 3/8"x50'

# 718998

- **\$86.**76
- 6000 PSI
- JGB Eagleflex II is specially designed for use on pressure washer machines with working pressures up to 6000 psi and temperatures up to 310°F
- Tube: Synthetic rubber, resistant against cold and hot water with usual cleaning agents
- Reinforcement: Two braids of high tensile steel wire
- · Cover: Abrasion and ozone resistant synthetic rubber
- Temperature: 14°F to 310°F
- · Couplings: Hydraulic 100R1 type, crimped to manufacturer specifications
- Shipping weight 18.65 lbs.



# **Pressure Washer Hose Grey**

- Pressure: 4000 PSI
- Temperature: 200 degrees maximum
- Non marking grey wrapped hose
- Male solid and male swivel crimp ends
- Quick connects installed



# 50' Hose

# 5544 \$66.65

# 5545

100' Hose

# **\$121.**52

• Shipping weight 10 lbs. • Shipping weight 20 lbs.

<ul> <li>O-Rings for Quick Couplers</li> <li>Shipping weight 0.13 lbs.</li> </ul>	Hydro-Quip	Inlet Fi 10064
Cold Water 1/4" 01208 \$0. <sup>38</sup>	High Temp 1/4" 01211 \$0.92	\$26.40 • Stronge • Loadbe • Integra • Flow th • Clear p
Cold Water 3/8" QC-203-G \$0. <sup>38</sup>	High Temp 3/8" 01212 \$0.93	<ul> <li>For ger</li> <li>For ger</li> <li>Max Te</li> <li>Max Vo</li> <li>Max Op</li> <li>Min Op</li> <li>Materia</li> </ul>

# Water Hose 5/8" X 50'

# 756501

# \$70.<sup>59</sup>

- All rubber construction
- resists sunlight, abrasion, kinking, and cracking
- flexible in freezing temperatures

**Easy-Grip Quick Connect** 

• Shipping weight 0.2 lbs.

1/4" NPT-F

1/4" NPT-M

D10062

**\$2.**87

D10061

**\$2.**87

• Shipping weight 14 lbs.



3/8" NPT-F

D10063

\$3.40

D10064

\$3.40



Shipping we	eight 0.25 lbs.		GENER
1/4" FPT D10001 \$2.87		3/8" FPT D10003 \$3. <sup>53</sup>	
1/4" MPT D10002 \$2.87		3/8" MPT D10004 \$3. <sup>53</sup>	

ilter No Bypass 1/2" 9

**High Pressure Quick Couplers** 

# 0

- jest see-through filter on the market
- earing brass spine
- ated garden hose connector
- hrough design
- plastic cover
- neral purpose pressure wash use
- emp: 180° F
- olume: 8.0 GPM
- perating Pressure: 150 PSI
- perating Pressure: 15 PSI
- Materials: Brass, Stainless Steel, Buna-N
- Shipping weight 0.50 lbs.

PRESSUIRE WASHER HOSES & ACCESSORIES



(HE)

# **Inline High Pressure Filter**

# 100560



- 100 Mesh Screen, 303 SS w/Brass Outlet
- GPM 8.0
- Max Pressure 5,500 PSI
- Max Temp: 200°F
- Inlet 1/4" NPT-M
- Outlet 1/4" NPT-M
- Shipping weight 0.50 lbs.



# **Garden Hose Filter Washer** 50 Mesh

# D10018

# \$0.96

- Stainless steel
- · Removes solids in water supply
- · Shipping weight 0.01 lbs.



# **Chemical Injector 3/8**"



# 01082

# \$18.60

- · Durable stainless steel orifice and o-ring
- · Convenient adjustment collar for adjusting chemical draw
- Lightweight, compact unit for optimum space utilization
- · Simple pump discharge line installation or mount directly to the unloader discharge port
- · Shipping weight 0.50 lbs.



Hydro-Quip

# **Chemical Injector w/ASM** 71 Tip

# 01080C

# \$32.67

- w/Pick-Up Hose & Filter w/Quick Disconnects
- Soap Pick-Up Tip included · Shipping weight 1 lbs.

# **Quick Connect Nozzle**

- · Made from hardened stainless steel for superior wear resistance
- · The color-coded guard protects the nozzle and surface area
- Nozzles have locating ribs for easy spray alignment
- Nozzles can be run up to 4000 PSI
- · Shipping weight 0.10 lbs.



# **1000 PSI**

900060Q	Red 0°	\$2.00	
915060Q	Yellow 15°	\$2.00	
940060Q	White 40°	\$2.00	

# 2000-2500 PSI

<b>925050Q</b> Green 25° <b>\$2.00</b>
--

# 3000 PSI


925045Q	Green 25°	\$2.00
940045Q	White 40°	\$2.00

# Soap Nozzle #40.65 **Degree Q/D**



# \$3.26

Brass Quick-Coupler Detergent-Draw Nozzle





# **High Pressure Spray Tips 4/PK**

- 1/4" Ouick disconnect
- Includes one each: 0 degrees, 15 degrees, 25 degrees, and 40 degrees
- Shipping weight 0.50 lbs.

105120	#3.5	\$12.79
105121	#4.0	\$12.79
105122	#4.5	\$12.79
105123	#5.0	\$12.79







# **High Pressure Spray Tips 5/PK**

- 1/4" Ouick disconnect
- Includes one each: 0 degrees, 15 degrees,
- 25 degrees, 40 degrees, plus one #40 chemical nozzle • 5000 Max P.S.I
- Shipping weight 0.50 lbs.

105082	#3.0	\$14.64
105083	#4.5	\$14.64
105086	#5.0	\$14.64

# **Rotating Nozzle 4.0**



# **YR36K40** \$40.00

- Shock resistant ceramic, internal stabilization spring, can be operated in any direction
- YR36 is designed to operate at pressure most common in the market
- Minimum Pressure 1150 PSI
- Maximum Pressure 3650 PSI
- Maximum Temperature 212 Degrees
- 1/4" BSP-F
- Shipping weight 0.90 lbs.

# **Rotating Turbo Nozzle w/Filter**

# YR36K40-K

# **\$44**,53

- Includes Inline high pressure filter
- Shipping weight 1 lbs.

# Turbo Nozzle 4000 PSI

# 11090

# \$39.99

- · Delivers faster and deeper cleaning with oscillating jet
- · Designed to fit most gas pressure washers
- Cold water uses only
- Orifice size 4.0 rated up to 4000 PSI
- Shipping weight 2 lbs.

# Turbo Nozzle 4.0 190.F

# 200357540

# **\$63.**36

- The 0 deg. rotation creates a cleaning and tearing action resulting in saved time and money.
- Turbo nozzles increase cleaning efficiency as much as 200% compared to a 25 deg. flat fan nozzle. • Shipping weight 0.68 lbs.
- MTADISTRIBUTORS.com / 800.264.0225

# 200054500

# \$53.31

- · Complete with nozzle protectors and soap tip
- Pressure tip sold separately
- Shipping weight 3 lbs.

# Pressure Washer Wand, 36" 07000470

# \$10,33

- Insulated grip
- 1/4" MNPT
- Shipping weight 1.28 lbs.

# **Non-Insulated Wands**

- 1/4" MNPT
- 4000#

# 24″

# 07000040

- **\$4.**83
- Shipping weight 0.75 lbs.

# 48"

# 07000070

- **\$9.**63
- Shipping weight 2 lbs.

# **Telescoping Wand 18'** DCLTG18

- For use with hot or cold pressure washers
- Nozzle holder accepts standard guick couple spray nozzles, gun included
- 10.5 GPM, 3500 PSI Max, 1/4" QC Outlet, Max Temp 195 degrees F
- Retracted Dimensions: 6.1" x 7'x5"
- Shipping weight 12 lbs.

# **Plated Steel Dual Lance**

# SUTTNER

**SUTTNER** 



# 07000055 \$6.53

• Shipping weight 1 lbs.

**60**″

36″

# 07000080 **\$13.**57

• Shipping weight 2 lbs.

# STRIBUTOR

# **\$105.**33



🥢 SUTTNER



# SURFACE PREP

# Heavy Duty Spray Gun Kit 5000 PSI

# TG-5000/36

# **\$38.**65

- Max pressure: 5000psi
- Max gpm: 10.5gpm
- Comfortable molded grip
- Unitized valve assembly for convenient repair
- Stainless steel constructed spring, ball, needle and seat
- Constructed of forged brass internals for maximum strength
- 36" Molded grip steel wand w/ 1/4" quick connect installed
- Shipping weight 5 lbs.

# Ø

# Spray Gun, Rear Entry YG4010

# **\$28.**67

- GPM: 10.5 GPM
- Rated: 4500 PSI
- Max: 5000 PSI
- Inlet: 3/8" NPT-F
- Outlet: 1/4" NPT-F
- Max Temp: 320 Degrees
- Shipping weight 1.20 lbs.



# Pressure Washer Gun, Rear Entry



# 201100510

# **\$24.**60

- ST1100
- 3000# WP
- 7.0 GPM
- Rear entry
- 3/8" Inlet
- 1/4" Outlet
- Shipping weight 1 lbs.



**SUTTNER** 

# Pressure Washer Gun, No Weep

# 202000920

# **\$31.**<sup>64</sup>

- ST2000
- Heavy-duty rear entry
- "No weep" 3/8"-1/4" FNPT
- 3/8 -1/4 FNP • 5000# WP
- 3000# WP
  10.5 GPM
- 10.5 GPM
- Shipping weight 1.50 lbs.



# Pressure Washer Gun, No Weep

# -

# 202305600

# **\$33.**%

- ST2300
- Easy pull rear entry
- "No weep"
- 3/8" Inlet
- 1/4" Outlet
- 4500# WP
- 12 GPM
- Shipping weight 1.50 lbs.



**SUTTNER** 

# Spray Gun, Rear Entry YG5000 \$29.33

- GPM: 10.0
- Rated: 5000 PSI
- Max: 5000 PSI
- Inlet: 3/8" NPT-F
- Outlet: 1/4" NPT-F
- Max Temp: 320 Degrees
- Shipping weight 1.20 lbs.



# Schmidt Blasters 3.5 CU FT

- 150 PSI Portable blaster with pneumatic remote controls
- ComboValve, MV2
- VBS System
- G2 Deadman control and 55' twinline control hose
- Moisture separator
- 1-1/4" Piping

# Package A

6001-031-01

# \$5,488.81

- TERMS 30/60/90
- · Shipping weight 290 lbs.

# Package C

# 6001-033

# \$7.906.47

TERMS 30/60/90

· Shipping weight 330 lbs.

# Twinline Hose 3/16"X55'

# 4100-501



- Twinline air hose for use with G-2 Deadman switch
- · Shipping weight 8 lbs.



# **Air Hose Jack Hammer**

# 756492

# \$95.59

- General purpose hose for various rental, construction, and industrial applications
- EPDM cover and tube reinforced with polyester yarn
- Includes Universal couplings
- Color, Red or Blue
- 250 PSI W.P
- 3/4" x 50'
- Shipping weight 23.50 lbs.



# **Respirator Assy Complete**



APACHE

# 88VX3230

# \$1,086.56

ERMS 30/60

SCHMIDT

- · For use with breathing air compressors or breathing air cylinders
- Assembly includes Helmet, Cape, Breathing Tube and Fitting
- Breathing Air Supply Hose Kit part # B4696 sold separate
- Shipping weight 7 lbs.

# **Plumbing Kit f/Air Filter** 5015-000

- \$64.99
- · Connect respirator filter to air supply
- Two of 1" x 3/4" Black Iron Bushing
- Two of 1-1/4" x 1" Black Iron Bushing
- Three of 3/4" x Closed Black Iron Nipple
- Five of 1" x Closed Black Iron Nipple
- One of 1" Black Iron Tee
- Two of 1" Female Pipe Brass Ball Valve
- One of 1-3/4" Air hose coupler MNPT
- Shipping weight 7 lbs.



# Long Venturi w/Urethane Jacket

- Silicon Nitride
- 1-1/4" Thread

# 1/4" Nozzle #4

# 5000-004

# \$256.36

- 6 mm bore
- Shipping weight 0.50 lbs.

# Nozzle Holder For 3/4" w/Screws

# 4215-405

- \$13.97
- Aluminum
- For 3/4" hose, 1-1/4" female threads
- Shipping weight 0.25 lbs.

STRIBUTOR







SURFACE PREPERATION, AIRLESS PAINT SPRAYERS, & ACCESSORIES

# **G-2 Deadman (Pneumatic)**

# 2263-002



• Shipping weight 0.50 lbs.



# Nozzle Ceramic 5/32



# \$14.96

5002-005

- Requires 4234-007 nozzle holder
- · Shipping weight 0.50 lbs.







- TERMS 30/60
- 120V, 60Hz, 13Amp
- 3000 PSI
- .47 GPM
- .021 Max tip size
- · Generator minimum 3000 Watt
- Do it yourself easy pump replacement system
- Proven endurance pump
- Gallon counter
- Power Flush<sup>"</sup> cleaning adaptor attaches to garden hose
- Reliable, quiet DC motor
- · Lifetime warranty on motor and gear drive
- Includes: FTX gun, RAC X 515 SwitchTip and guard, 1/4" x 50' Duraflex airless hose
- Shipping weight 67 lbs.



# Paint Sprayer Hose 1/4"X50' 718999

# \$183.82

- · A high pressure conductive hose suitable for conveying paints, fuels, oils, and most other solvents. EZ Kote" is recommended for applications where an electrostatic charge must be eliminated.
- Special construction keeps hose lightweight and flexible.
- · A special static drain element dissipates static charge.
- Date coding on the coupling provides traceability.
- · A high pressure conductive hose
- Tube: Extruded, seamless nylon.
- · Reinforcement: High tensile synthetic.
- · Cover: Abrasion-resistant polyurethane.
- Temperature: 0°F to 200°F
- Packaging: Cut to length and coupled.
- Couplings: 1/4" female swivels; male NPT with spring guards.
- Max: W.P 3300 psi 228 bar
- Shipping weight 5 lbs.

# Paint Sprayer RentalPro 230

# 17C407

# \$1,890.00

- TERMS 30/60/90 • 120V, 60Hz, 13Amp
- 3300 PSI
- .57 GPM
- .023 Max tip size
- Generator minimum 3000 Watt
- · Do it yourself easy pump replacement system
- Proven endurance pump
- Hour meter
- · Power Flush" cleaning adaptor attaches to garden hose
- Reliable, guiet DC motor
- Lifetime warranty on motor and gear drive
- Includes: FTX gun, RAC X 515 SwitchTip and guard, 1/4" x 50' Bluemax airless hose
- Shipping weight 90 lbs.







**MTA DISTRIBUTORS** 

# Plastic Hose Cover, 1500' 4 Mil.

# **HOSE SHIELD**

# **\$28.**75

• Shipping weight 11 lbs.



# Throat Seal Lubricant, 8 0Z 2004-8



· Throat seal lubricant is specially formulated to prevent coating material from adhering to the pump's piston rod





# **Pump Conditioner**

- Extends the life of your paint sprayer
- · For use on piston pumps between uses
- · Prevents packing wear from dried paint on piston

# 16 OZ.

# **CORO-CHEK-16**

\$3.10

• Shipping weight 0.50 lbs.

# **1 OZ Display CORO CHEK \$43.**02

- Case of 48 1oz. bottles
- Shipping weight 4.50 lbs.

# **Coro Check Powder**

- Stops corrosion and rust
- · Cleans ferrous metals, aluminum, and plastic
- Protects spray equipment, pumps, mixers, and machinery

# 1 OZ 48/BX

709641


# **\$44.**31

- Makes one gallon of mix
- · Shipping weight 4 lbs.

# 5 OZ 25/BX

# 709642

**\$64**.82



· Shipping weight 6 lbs.



CORO

# **ASM 300 Gun** w/Zip Tip G Thread

# 356-G

# \$143.47

- Includes Hand-Tight Base
- 3600 psi (25.0 Mpa, 250 bar) rating
- 1-year limited warranty
- · Shipping weight 1.50 lbs.

· Shipping weight 0.06 lbs.

6" Spray Width

10" Coray Width

**RNT315** 

# **Zip Tips** • For use in ASM Zip Tip Base



ASI

300 Airie Spra



T	ĩ			
	ľ	1	68. <u>.</u>	9
ų		5		
,				

<u>194</u>

U	
<b>\$2</b> 1	.49
¢21	10

iv spray wide	I	
RNT515	.015 Orifice	\$21.49
RNT517	.017 Orifice	\$21.49
RNT519	.019 Orifice	\$14.39

.015 Orifice

# 1 Ton Air Conditioner 13,200 BTU 7KK14

# 🕼 KOLDWAVE

(€\_,\_,

# \$2,422.03

TERMS 30/60/90

- Spot Cool/Room Cool Thermostat Settings
- Internally Insulated with Foam Insulation
- Thermostatic Control with Multi-Speed Blower
- Double Shaft Motor for Two Blowers
- Directional Nozzles (2)
- Heavy-Duty Twin Wheel Casters for Portability
- Self-Diagnostic System
- Off-Timer
- Washable Filters
- R-410A Refrigerant
- Rust Proof ABS Molded Panels
- Shipping weight 187 lbs.



FACE PR

# **VIRLESS PAINT SPRAYER ACCESSORIES & AIR CONDITIONERS NTA** DISTRIBUTOR

# MTADISTRIBUTORS.com / 800.264.0225

# 1.5 Ton Air Conditioner 16,800 BTU

# 7KK17

\$2,663.80

- TERMS 30/60/90
- · Spot Cool/Room Cool Thermostat Settings
- Internally Insulated with Foam Insulation
- Thermostatic Control with Multi-Speed Blower
- Double Shaft Motor for Two Blowers
- Directional Nozzles (2)
- Heavy-Duty Twin Wheel Casters for Portability
- Self-Diagnostic System
- Off-Timer
- Washable Filters
- R-410A Refrigerant
- Rust Proof ABS Molded Panels
- Shipping weight 194 lbs.



🕼 KOLDWAVE

NEW

C KOLDWAVE

NEW

# 5 Ton Air Conditioner 61,000 BTU

# **6KK61**

AIR CONDITIONERS & HEAT PUMPS

# \$8,577.55

- TERMS 30/60/90
- Spot Cool/Room Cool Thermostat Settings
- Internally Insulated with Foam Insulation
- Separate Direct Drive Fan Motors
- Digital Control Panel
- Condensate Pump with Overflow Protection
- Directional Nozzles (3)
- · Heavy-Duty Twin Wheel Casters for Portability
- Washable Filters
- Self-Diagnostic System
- Off-Timer
- 20" Hot Air Exhause Flange
- R-410A Refrigerant
- Terminal Electrical Connection
- · Shipping weight 694 lbs.



# 1 Ton Heat Pump 14,300 BTU

# 6HK13

### \$3,425.70 ERMS 30/60/90

- Spot Cool/Room Cool Thermostat Settings
- Internally Insulated with Foam Insulation
- Thermostatic Control with Multi-Speed Fan
- Double Shaft Motor for Two Fans
- R-410A Refrigerant
- Approx. Cooling Area 375 sq. ft (6HK13)
- 15 Amp Breaker (6HK13)
- · Optional Easy Install Condensate Pump Kit with Overflow Protection
- Directional Nozzles (2)
- · Heavy Duty Twin Wheel Casters for Portability
- Auto Fan Speed Option
- Self-Diagnostic Function
- Off-Timer
- Washable Filters
- 12" Hot Air Exhaust Flange
- Shipping weight 196 lbs.



# 1.5 Ton Heat Pump 18,500 BTU

# 🕜 KOLDWAVE

6HK16

# \$3,911.63

TERMS 30/60/90

- R-410A Refrigerant
- · Approx. Cooling Area 430 sq. ft (6HK16)
- 20 Amp Breaker (6HK16)
- 12" Hot Air Exhaust Flange
- Shipping weight 251 lbs.



MTA. DISTRIBUTORS







🕼 KOLDWAVE

NEW

# **Propane Cylinders**

- · Conforms with DOT specifications 4BA, 4BW, and 4E
- Handle-EZ collar design. The only collar with a built in, formed handle with no sharp edges

ups

ups

- Powder coat paint
- Includes consumer warning decals
- Propane not included

# **20LB Cylinder**

# 10504

- \$75.93
- 20 lb (4.6 gal) propane capacity
- Shipping weight 18 lbs.

# **40LB Cylinder**

# 1220TCTH4 **\$157.**70

- 40 lb (9.2 gal) propane capacity
- · Shipping weight 32 lbs.



Mr Heater

MANCHESTER

# Tank-Top Propane Heater, **Single Burner**

# **MH15T**

# \$48.79

- 10,000 15,000 BTU per hour
- For use with propane gas
- · Hi-med-low regulator
- Tip-over safety shut-off
- Soft Nose POL
- No tool needed, hand wheel installation
- · Polished chrome reflector
- Direct connection to 5-20 lb. bulk cylinder
- · All components replaceable
- Shipping weight 4 lbs.



# Heater Radiant 4-9K BTU MH9BX

# \$74.97

- 4,000 or 9,000 BTU per hour
- For use with propane gas
- Heats up to 225 sq. ft.
- Single control start knob
- Hi-Low heat settings
- · Swivel regulator
- Fold down handle
- Accidental tip-over safety shut-off
- Includes Piezo igniter
- Runs off a 1 lb. cylinder
- · Connects directly to a 20 lb. cylinder with optional hose and filter
- Shipping weight 8.82 lbs.



Mr Heater

# **Heater Propane 200K BTU** HS200CVX

# \$158.40

- 75,000 200,000 BTU per hour
- For use with propane gas
- Heats up to 4700 sq.ft.
- Standing pilot for increased safety
- Insta-lock chamber for easy assembly
- · No electricity required
- · Fully assembled and ready to use
- Comes with 10ft hose and regulator
- Clean burning
- POL tank connection
- Shipping weight 27 lbs.



1(33)

# **Convection Heater LP 225K BTU** WORKMAN 225

# \$189.83

- BTU rating 225,000
- Fuel consumption up to 10.2 lbs/hr
- Minimum 100 lb tank
- · Piezo pilot ignition
- Thermocouple controlled gas valve
- Stainless steel burner
- · Galvanized steel case
- No electricity required
- · Includes 10 ft gas hose and regulator
- CSA US & Canada certified
- · Shipping weight 22 lbs.



L.B.WHITE

PROPANE HEATERS & ACCESSORIES



# HEATERS, HVAC, & VENTILATION

PROPANE HEATERS

# **Forced Air Heaters LP**

- Minimum 100 lb tank
- Includes 10 ft gas hose, regulator, and thermostat
- CSA US & Canada certified

# 125K BTU

# **TRADESMAN** 125

# \$291.<sup>33</sup>

- BTU rating 125,000
- Heated air output 400 cfm
- Fuel consumption up to 5.8 lbs/hr
- Continuous electrical spark ignition
- 115V/60Hz, 2A
- Net weight 28 lbs
- Shipping weight 26 lbs.



L.B.WHITE

# TRADESMAN 170 \$454.65

- BTU rating 170,000
- Heated air output 550 cfm
- Fuel consumption up to 7.9 lbs/hr
- Direct spark

**170K BTU** 

- 115V/60Hz, 3.7A
- Net weight 29 lbs
- Shipping weight 34 lbs.



# 400K BTU

# **TRADESMAN 400**

# **\$736.**44

- BTU rating 225,000 400,000
- Heated air output 1582 cfm
- Fuel consumption up to 18.5 lbs/hr
- Piezo ignition
- 115V/60Hz, 3.0A
- Net weight 52 lbs
- Shipping weight 51.20 lbs.



# Heater Forced Air Kerosene/Diesel

- Direct spark ignition
- Runs on kerosene or diesel
- Includes thermostat, handles, fuel & pump pressure gauges, on/off switch, and cord caddy
- CSA US & Canada certified

# 125K

# TRADESMAN K125 \$490.59

- BTU rating 125,000
- Heated air output 520 cfm
- Fuel consumption .95 gal/hr
- Tank capacity 10 gal
- Operating time 10.5 hrs
- 120V/60Hz, 2.5A, 1/5 hp
- Net weight 52 lbs
- Shipping weight 56 lbs.

# 175K

# TRADESMAN K175 \$543.47

- BTU rating 175,000
- Heated air output 600 cfm
- Fuel consumption 1.3 gal/hr
- Tank capacity 13 gal
- Operating time 10 hrs
- 120V/60Hz, 3.2A, 1/4 hp
- Net weight 56 lbs
- Shipping weight 72 lbs.

# **210K**

# TRADESMAN K210 \$649.80

- BTU rating 210,000
- Heated air output 650 cfm
- Fuel consumption 1.6 gal/hr
- Tank capacity 13 gal
- Operating time 8 hrs
- 120V/60Hz, 3.7A, 1/3 hp
- Net weight 62 lbs
- Shipping weight 68 lbs.





**MTA**. **DISTRIBUTORS** 



# Heater Forced Air Kerosene/Diesel

# DXH190HD



- 190,000 BTU
- 450CFM
- 120V 60Hz
- Equipped with a 25°F-95°F thermostat. The heating element cycles on and off to maintain the set temperature.
- 10" Flat free tires for long lasting maintenance free use.
- Front barrel support and storage provides added barrel rigidity and creates storage for wet gloves or service parts like filters or igniters.
- Recessed controls designed to reduce the risk of having the knobs or valves damaged on the jobsite.
- Roll cage style handles provide solid all around protection and support.
- Continuous electronic ignition is always present as a source of ignition for unburned fuel, reducing the ability for fuels to pool and collect in a dangerous manner.
- Shipping weight 77 lbs.



# Electric Forced Air Heater VOLT 1.5

# **\$257.**83

- Industrial-grade fan
- Stainless jacketed heating coils
- Powder coated steel housing
- High-quality sealed motor
- Quiet, combustion-free operation
- No fuel spills or odors
- Overheat protection at 104; F
- Integrated ambient thermostat from 32 degrees F to 100 degrees F
- UL approved
- Shipping weight 14 lbs.



# Heater Electric 1.6KW DXH165

# \$250.<sup>07</sup>

- 1,650 Watt, 115Volt, 13.5 Amp
- 5,630 BTU
- Recessed controls provide protection for switches and knobs.
- Equipped with a 25°F-95°F thermostat. The heating element cycles on and off to maintain the set temperature.
- Designed and certified as an unattended source of jobsite heat.
- Shipping weight 17 lbs.

# Heater Direct Fired 600K BTU/HR

# HS6000DF



- 610,00 BTU's at 2800 CFM
- External hook-up for a remote thermostat
- 35 gallon tank
- Can run approximately 8 hours on a single fill up
- Heated Fuel Filter
- Shipping weight 294 lbs.



# Portacool Apex 700 PACA07001A1

### \$1,519.04 TERMS 30/60/90

- Cools up to 700 square feet of space
- High-velocity cooler delivers a refreshing breeze up to 60 ft. away
- Digital display with CoolSync technology
- Improved 8" Portacool edge-coat media technology with new water distribution process
- Frontline airflow inlet
- Tough-coat rotational molded textured housing
- Oscillating louvers
- Recessed hose and power cord location
- Low point drain location
- Shipping weight 88 lbs.



PORTACOOL

WHEN COMFORT COUNTS

DEWALT

# MTA DISTRIBUTORS

# MTADISTRIBUTORS.com / 800.264.0225

HEATERS, HVAC, & VENTILATIO



DEWALT



# HEATERS, HVAC, & VENTILATION

# Portacool Apex 2000 PACA20001A1 NEW

\$3,120.14

TERMS 30/60/90

- Cools up to 2,000 square feet of space
- High-velocity cooler delivers a refreshing
- breeze up to 60 ft. away
- Digital display with CoolSync technology
- Improved 8" Portacool edge-coat media technology with new water distribution process
- Built-in handles
- Tough-coat rotational molded textured housing
- · Enhanced fan and motor design is quieter and more efficient
- Recessed hose and power cord location
- · Durable polyolefin wheels
- Shipping weight 360 lbs.

# Portacool Apex 1200 PACA12001A1 NEW



- Cools up to 1,200 square feet of space
- High-velocity cooler delivers a refreshing breeze up to 40 ft. away
- Digital display with CoolSync technology
- Improved 8" Portacool edge-coat media technology with new water distribution process
- Built-in handles
- · Tough-coat rotational molded textured housing
- · Enhanced fan and motor design is guieter and more efficient
- · Recessed hose and power cord location
- Durable polyolefin wheels
- Shipping weight 186 lbs.

# **Portacool Apex 4000** PACA40001A1 NEW **\$3,585.**94

TERMS 30/60/90

- Cools up to 4,000 square feet of space
- High-velocity cooler delivers a refreshing breeze up to 50 ft. away
- Digital display with CoolSync technology
- Improved 8" Portacool edge-coat media technology with new water distribution process
- Built-in handles
- Tough-coat rotational molded textured housing
- Enhanced fan and motor design is quieter and more efficient
- Recessed hose and power cord location
- · Durable polyolefin wheels
- · Shipping weight 303 lbs.

# Portacool Apex 6500

# PACA65001A1 NEW \$4,773.<sup>26</sup>

TERMS 30/60/90

- Cools up to 6,500 square feet of space
- · High-velocity cooler delivers a refreshing breeze up to 40 ft. away
- Digital display with CoolSync technology
- · Improved 8" Portacool edge-coat media technology with new water distribution process
- Built-in handles
- Tough-coat rotational molded textured housing
- · Enhanced fan and motor design is quieter
  - and more efficient
- Recessed hose and power cord location
- Durable polyolefin wheels
- · Shipping weight 385 lbs.



# **Dehumidifier Drizair 1200**

€\_

## \$1,889.33 TERMS 30/60/90

- Removes up to 18 gallons of water per day
- Highly mobile, compact size
- Hot-gas bypass for fast defrost
- Rugged rotomolded housing
- Electronic touch-pad controls
- Rigid handle designed for rugged service
- Semi-pneumatic wheels for easy transport
- Built-in duct attachment ring
- Automatic restart when power is restored after outage
- Stackable up to two high for storage
- 40' drain hose, 25' power cord
- Shipping weight 83 lbs.

# Air Filter f/F203 & F412, 3/PK 100250

\$40.00 Shipping weight 1.95 lbs.





176

COOLING FANS & DEHUMIDIFIERS





PORTACOOL.

EN COMFORT COUNTS

# 104677

# LGR 6000LI Dehumidifier F600

response to changing conditions

maintenance reminders and more

103614

glance

\$2,372.00

TERMS 30/60/90

NEW

• Removes up to 25.5 gallons of water per day

· Command Hub touchscreen controller displays real-time

• Extreme Dewpoint Technology (EDT) delivers the fastest

Fast and convenient access to humidistat, job hours,

· Uses all-in-one 4-PRO filter: electrostatic mesh filtration

with antimicrobial treatment and odor-fighting carbon

• Easily ductable using built-in snap-ring mount on air outlet · Unique spill-proof pump basin keeps in any water left after

Process outlet fits 12" layflat and rigid ducting

temp, RH, grain depression and drying progress trends at a





## \$3,752.00 ERMS 30/60/90

- Removes up to 25 gallons of water per day
- · Command Hub touchscreen controller displays real-time temp, RH, grain depression and drying progress trends at a glance
- · Fast and convenient access to humidistat, job hours, maintenance reminders, and more
- · Automatic high temperature mode, no manual adjustments required
- Rotomolded housing resists dents and scratches and is easy to keep looking new
- Automatic restart after outage when power is restored
- 40' drain hose, 25' power cord
- Shipping weight 165 lbs.

# Air Filter f/F410 3/PK

# 121708

# **\$73**.67

· Shipping weight 1.39 lbs.

# Dehumidifier LGR 7000XLI 108110



DRIEAZ









- Removes up to 29 gallons of water per day
- Command Hub touchscreen controller displays real-time temp, RH, grain depression and drying progress trends at a glance
- Advanced Crossflow Technology maximizes efficiency and ensures superior performance in low-grain conditions
- Fast and convenient access to humidistat, job hours, maintenance reminders, and more
- Process outlet fits 12" layflat and rigid ducting
- · Sealed large-capacity pump basin to contain water from an unintentional defrost after a power outage or other unexpected shut-down
- Ergonomic designed handle 2" taller for easier use on stairs, folds down for storage
- · Legendary rotomolded housing, practically indestructible, stackable for storage to save space
- Automatic restart after outage when power is restored
- 40' drain hose, 25' power cord, integrated cord and hose storage
- Shipping weight 117 lbs.

# Air Filter f/F203 & F412, 3/PK 100250 \$40.00

• Shipping weight 1.95 lbs.



rolls up stairs easily and stacks for storage • 40' drain hose, 25'

power cord

· Practically indestructible,

the final purge cycle

· Fast 4-bolt access for

easy cleaning and preventive maintenance



· Shipping weight 106 lbs.

# **Dehumidifier Revolution LGR**

# 111995

# **\$2,292.**00

- . TERMS 30/60/90
- Removes up to 17 gallons of water per day
- · Command Hub touchscreen controller displays real-time temp, RH, grain depression and drying progress trends at a glance
- · Delivers large dehumidifier performance yet fits where others don't - crawlspaces, bathrooms, kitchens, etc.
- Fast and convenient access to humidistat, job hours, maintenance reminders, and more
- · Secure, compact stacking, transport multiple units on a handtruck
- Fastest access inside unit for cleaning
- Fit more drying in the truck, make fewer trips, make more profit!
- Shipping weight 68 lbs.

# Air Filter f/F413 3/PK 102312 \$33,83

· Shipping weight 1.30 lbs.



# MTADISTRIBUTORS.com / 800.264.0225

\$2,993.33









LGR 7000 xt

- TERMS 30/60/90
- DRIEAZ

# HEATERS, HVAC, & VENTILATION

# Turbo Dryer Sahara Pro X4

# 124315-1 \$228.00

- Versatile 3-speed, 3-position operation
- Daisy-chain capability with convenience outlet and circuit breaker
- Stacks securely for storage and transport
- Built-in carpet clamp for under-carpet drying
- Uses only 2.5 amps at maximum setting
- 867 CFM
- Shipping weight 26.62 lbs.



# Airmover Velo



DRIEAZ

# 125470 \$362.67

- Patented outlet design ensures even, broad-path airflow for fast, consistent drying across all surfaces
- Four operating positions to dry floors, ceilings, walls, and stairways quickly and efficiently
- Securely stackable for compact storage, save space on the truck
- Easily carry two units at once, or stack up to six on a hand truck
- · Low amp draw with 2-speed versatility
- Daisy-chain with GFCI outlet, use up to 6 units per 15 amp circuit for a whopping 5400 CFM of tested (not rated) airflow
- Durable, rugged injection-molded housing with easy-carry handle
- 885 CFM
- Shipping weight 23.03 lbs.



# Airmover Velo Pro F505

# 114969

# \$**420.**00

- Adjust amp draw from 1.2 to 1.9 amps in .1 amp increments to balance draw in limited power settings
- Variable speed control from 500 CFM to 885 CFM
- Daisy-chain capable with convenient dual outlets
- Hour meter to track usage and maintenance intervals
- Patented outlet design ensures even, broad-path airflow for fast, consistent drying across all surfaces
- Five operating positions to dry floors, ceilings, walls, and stairways quickly and efficiently
- Easily carry two units at once or stack up to six on a hand truck
- Easiest to maintain, simply remove fasteners and lift out impeller assembly for cleaning
- Shipping weight 22 lbs.



DRIEAZ

# **Vortex Axial Fan**

# 116594

# \$756.<sup>00</sup>

- Powerful 1.0HP motor
- Built-in handle
- Stackable for storage
- Drive air through 125' or more of ducting
- Ventilate areas during remodels, new construction, manufacturing or flood restoration
- Featuring 12" duct rings on both sides
- Pull musty, stale air out or draw fresh air in
- Dry large areas like gyms, crawlspaces, storage facilities, and more
- Operate standalone or with Sto & Go Ducting 113260
- Shipping weight 40 lbs.



VENTILATION FANS

**MTA. DISTRIBUTORS** 

178



# **Sto & Go Ducting 12'' X 25'**

# 113260 **\$345.**33

- Suitable for use on any 12" ducting inlet or outlet
- · Semi-rigid, suitable for use on negative or positive pressure installations
- · Connect two or more for extended reach
- Integrated vinyl case with a reinforced nylon carry handle contains and protects ducting during transport and storage
- · Semi-rigid ducting constructed with spring steel wire helix resists collapse under negative pressure
- Black reinforcement strips protect internal wire to ensure long service life
- Shipping weight 27 lbs.

# Pedestal Fan 30"

# 71586

# \$346.29

- 15" Power cord
- Adjustable pedestal (43"-63")
- 26" Base diameter
- 115V, 1 phase, 3 Speed, fully enclosed
- 1/4 HP
- Galvanized steel blade
- 2 Year warranty
- UL/CUL Listed
- Shipping weight 68 lbs.

# Barrel Fan 42" Belt Drive

\*LC42BD

# \$513.01

- 115V, 1 HP, 630 Watts
- Belt Drive
- 1 Phase, 2 Speed, OCP Ball Bearing Motor
- Epoxy Coated Guard and Housing
- Grounded Plug with 10' cord
- Aluminum four-blade propeller
- Fully Assembled
- 1 year warranty
- Shipping weight 112 lbs.



# Hepa 700 Air Scrubber

# 125105

### \$1,122.67 **TERMS 30/60**

- · Ideal for for water and fire damage restoration, mold remediation, and construction for residential, industrial, education, commercial, and institutional settings
- · Filters out dust, mold, odors and fumes with pre-filter, optional carbon, and true HEPA filter media, passes DOP tests with no additional filters
- Quieter operation for use in any occupied spaces
- GFCI outlet enables daisy-chaining of up to 8 units on a 15-amp circuit
- Lightweight and stacks securely for compact storage and transport
- · 24/7 remote monitoring and control using Command Center app to ensure continuous air filtration
- Variable 275 to 700 CFM airflow
- 14" duct size
- 25' power cord
- Shipping weight 50 lbs.



# **Ozone Machines**

- High Quality Aluminum Body
- 12-hour Timer with Constant On (Hold) Option
- Fan Output 110CFM
- Voltage 120V
- Dimensions 7.5"h x 9.0"w x 12.5"d
- · Make certain all people and animals have been removed from the area
- For use in unoccupied spaces only

# Odor Stop 1500 Ozone Generator

# **OS1500**

# \$207.78

- 1 Ozone Plate + Pre-filter
- Ozone Output: 50mg/H up to 600mg/H
- Power: 23W
- Area: 1,500 square feet

# Odor Stop 3500 Ozone Generator

· Shipping weight 10 lbs.

# **OS3500**

# \$298.69

- 3 Ozone plates + Pre-filter
- Ozone Output: 150 mg/H up to 1400ma/H
- Power: 35W
- Area: 3,500 square feet
- Shipping weight 10 lbs.

# Filter 5PK

# **OSFS \$26.**14

• Shipping weight 0.10 lbs.

**Ozone Plate** OSOP1 **\$23.**07

· Shipping weight 0.15 lbs.







DRIEAZ



**Cair**master

**(air**master

AIR FILTRATION

# Odor Stop 4500 Ozone Generator



**NOTES** 

# **OS4500UV**

# **\$467.**52

- $\boldsymbol{\cdot}$  Designed to deodorize and sanitize very large spaces
- Eliminate even the most severe odors caused by mold, mildew, tobacco, fire, smoke, water, flood damage, animals, and more
- Unique design allows the ozone plates to be cleaned without taking the unit apart
- High quality aluminum body
- 4 ozone plates + pre-filter
- Variable ozone output 250 mg/Hr up to 3g/Hr
- 12-hour timer with constant on (Hold) option
- Fan output 300CFM
- Voltage 120V
- Power 60W
- 15' yellow power cord
- 10"h x 9"w x 12"d
- Area 4,500 square feet
- 5 Year Warranty
- Shipping weight 15 lbs.



# MTA. DISTRIBUTORS



# NOTES

$\leq$
0
<b>UD</b>

NOTES	

NOTES	

# ONE TEAM DELIVERING LEGENDARY

# **CUSTOMER SERVICE**

Our team is dedicated to equipping you with the tools you need to grow and be successful. MTA Distributors is America's largest rental equipment distributor. We supply rental companies with the finest lawn and garden, safety, light construction, and special event equipment available.

# MTA'S CORE VALUES:Image: Description of the section of the sec

Here at MTA Distributors, our core values guide everything we do. We approach our work with humility, recognizing that we always have more to learn from our customers, partners, and each other. We show respect for everyone we interact with, from our customers to our competitors. We persist through challenges, finding innovative solutions to complex problems. And we build lasting relationships by delivering unmatched service and value to the people we serve.

Though the rental industry is constantly evolving, our values are timeless. They reflect who we are as a company and what we prioritize above all else. Humility keeps us open-minded, respect enables collaboration, persistence drives breakthroughs, and lasting relationships ensure mutual success. Guided by these values, we continuously raise the bar on what it means to be a rental partner our customers can trust.



# **1.800.264.0225** www.mtadistributors.com

**MTA EAST** 555 Hickory Hills Blvd Whites Creek, TN 37189

MTA WEST 22520-A Temescal Canyon Rd Corona, CA 92883





# **OVER 200 QUALITY BRANDS!**













